MILITARY SPECIFICATION

POTASSIUM CHLORIDE ORAL SOLUTION, U.S.P.

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Potassium Chloride Oral Solution, U.S.P. (See 6.2)

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be sugar-free Potassium Chloride Oral Solution, U.S.P., and shall comply with the tests, standards and requirements of the U.S.P. including any supplements or revisions thereto. Shall contain 10 percent Potassium Chloride, W/V, equivalent to 20 mEq of elemental potassium in each 15 ml within the applicable assay-limits for the solution.

3.1.1 Palatability. The finished solution shall be palatable and pleasant to the taste with no unpleasant aftertaste. Not later than the time specified for opening of bids or receipt of proposals, the offeror shall submit to the contracting officer, six (6) individually packaged samples (each containing 16 fl. oz.) of Potassium Chloride Oral Solution, U.S.P., 10 percent, representative of the product which the offeror proposes to furnish. Two (2) samples will be subjected to panel testing for a determination of palatability (see 4.7.1 Palatability Test). The remaining samples will be used by cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determine that such product was previously procured and/or tested by the purchasing activity and found to comply with the palatability requirement.

3.2 Ingredients.

3.2.1 Potassium Chloride. The Potassium Chloride used in the manufacture of the solution shall comply with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.2.2 Other ingredients. All other ingredients entering into the finished solution shall be of U.S.P. or N.F. quality, or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.3 Expiration dating period. The expiration dating period shall be not less than 36 months.

3.3.1 Delivery. Not more than 3 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.4 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.4 Examination. The finished solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	Solution not free from foreign matter.
102	Solution has crystal formation.
103	Solution not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacting marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

4.5 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests

4.7.1 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard 1/, when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like or dislike	Like slightly	Like moderately	Like very much	Like extremely

1/ The Palatability Standard is available upon separate request to the contracting officer.

4.7.2 Tests. Tests shall be performed to determine compliance with all other requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

5.2 Packaging. Packaging shall be level A or C as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 16 fl. oz. (473 ml), as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate container with safety closure considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging. Twelve (12) units of issue shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Twenty-four (24) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twenty-four (24) units of issue shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. In addition, Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type I Shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification
6505-00-116-1459	POTASSIUM CHLORIDE ORAL SOLUTION, USP, 10%, Equivalent to 20 Milliequivalents of Elemental Potassium in 15 ml, 16 fl oz (473 ml)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1580

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.