INCH-POUND
MIL-B-29605
AMENDMENT 1
26 September 1996

MILITARY SPECIFICATION

BODY ARMOR, SOFT, SMALL ARMS PROTECTIVE, PRU-60/P22P-15

This amendment forms a part of MIL-B-29605, dated 15 December 1994, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

In title: Delete "PRU-60/P22P-15" and substitute "PRU-60A/P22P-15".

1.2: Delete "Small" and "X-Large".

PAGE 2

2.1.1: SPECIFICATIONS, MILITARY:

Delete MIL-C-43734 in its entirety and substitute "MIL-C-43637 - Cloth, Plain Weave, Ripstop, Nylon".

After STANDARDS: Delete the following:

"MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes"

2.1.2: Delete drawings 3241AS201 thru 3241AS291 and substitute the following:

"3561AS201 - Body Armor System Assembly, PRU-60A/P22P-15
3561AS202 - Soft Ballistic Insert Assemblies, PRU-60A/P22P-15
3561AS203 - Casing Assemblies, PRU-60A/P22P-15
3561AS204 - Label, Identification, PRU-60A/P22P-15

AMSC N/A FSC 8470
DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:45Z
Check the source to verify that this is the current version before use.

PAGE 3

2.2: Add the following at the end of this paragraph:

"AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI Z1.4 - Sampling Procedures and Tables for Inspection by Attributes"

(Applications for copies should be addressed to the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.)"

PAGE 4

3.1: Delete paragraph in its entirety.

3.3, line 5: Delete "Warminster (Code 603), Warminster, Pennsylvania 18974-5000." and substitute "Patuxent River (Code 4.6.2), Patuxent River, MD 20670."

3.3.1, line 3: Delete "Type I and Type II" and substitute "KM2, 6.8 oz per square yard, 850 denier".

3.3.2, line 3: Delete "MIL-C-43734, Class 3, Color 106 Olive Green" and substitute "MIL-C-43637".

3.3.4.1, line 3: Delete "shoulder straps for the back casing assembly shall be fabricated from nylon webbing conforming" and substitute "reinforcement webbing shall conform".

Delete paragraph 3.3.4.2 in its entirety.

3.3.5.1, line 2: Delete "and 2" and substitute ", 2, and 4".

3.3.5.2, line 2: Delete "and 2" and substitute ", 2, and 4".

PAGE 5

3.3.6, 3.3.6.1, 3.3.6.2: Delete paragraphs in their entirety.

3.4.1.1: Delete last sentence and substitute "Drill holes are prohibited. Seam allowances shall be 3/8 inch."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:45Z
Check the source to verify that this is the current version before use.

Delete paragraph 3.4.1.2 and substitute the following:

"3.4.1.2 List of pattern parts and applicable materials.

3.4.1.2.1 Ballistic aramid cloth (MIL-C-44050, KM-2, 6.8 oz per square yard, 850 denier).

Nomenclature		CUT	Pattern No.
Ballistic Pattern Front Body Side	(Medium)	18	3561AS280-1
	(Large)		3561AS281-1
Ballistic Pattern Back Body Side	(Medium)	18	3561AS280-2
	(Large)		3561AS281-2
Ballistic Pattern Front Outside	(Medium)	18	3561AS280-3
	(Large)		3561AS281-3
Ballistic Pattern Back Outside	(Medium)	18	3561AS280-4
	(Large)		3561AS281-4

3.4.1.2.2 Cloth, plain weave, ripstop, nylon (MIL-C-43637).

Nomenclature		CUT	Pattern No.
Cover Pattern Front Body Side	(Medium)	1	3561AS282-1
	(Large)		3561AS283-1
Cover Pattern Front Outer Side	(Medium)	1	3561AS282-2
	(Large)		3561AS283-2
Cover Pattern Back Body Side	(Medium)	1	3561AS282-3
	(Large)		3561AS283-3
Cover Pattern Back Outer Side	(Medium)	1	3561AS282-4
	(Large)		3561AS283-4

3.4.1.2.3 Cloth, oxford aramid (MIL-C-43842, Class I, Color 106 Olive Green).

Nomenclature		CUT	Pattern No.
Casing Pattern Front Outer Side	(Medium)	1	3561AS284-1
	(Large)		3561AS285-1
Casing Pattern Front Body Side	(Medium)	1	3561AS284-2
	(Large)		3561AS285-2
Casing Pattern Back Outer Side	(Medium)	1	3561AS284-3
	(Large)		3561AS285-3
Casing Pattern Back Body Side	(Medium)	1	3561AS284-4
	(Large)		3561AS285-4
Casing Pattern Hard Armor Pocket Medium/Large		1	3561AS285-5
Shoulder Strap Pattern Medium/Large		1	3561AS285-6"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:45Z
Check the source to verify that this is the current version before use.

PAGE 6

3.5, line 3: Delete "3214AS205" and substitute "3561AS204".

PAGE 8

4.2, line 4: Delete "a. Qualification inspection (see 4.3)."

Line 6: Delete "Quality".

Line 7: Delete "d. Quality conformance verification inspection (see 4.6)."

Delete paragraphs 4.3, 4.3.1, and 4.3.2 in their entirety.

PAGE 9

4.5, line 1: Delete "Quality".

Line 2: Delete "MIL-STD-105" and substitute "ANSI Z1.4".

Line 3: Delete "quality".

Delete paragraphs 4.6 thru 4.6.3 in their entirety.

PAGE 13

Delete paragraph 6.4 in its entirety.

PAGE 14

6.7: Delete "AISAP".

PAGE 15

Delete Table I in its entirety.

Delete Table II in its entirety.

PAGE 17

Table IV: Delete "Quality".

Delete Acceptance Criteria column in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:45Z
Check the source to verify that this is the current version before use.

Footnote 2/: Delete "acceptance criteria". Delete "MIL-STD-105" and substitute "ANSI Z1.4".

PAGE 18

Delete Table V in its entirety.

Page 19

Table VI: GENERAL, a., line 1: Delete "non-specified"and "except drill holes,"

Delete j. entirely,

Table VI: Delete "X's" and substitute numbers as follows:

Number Critical Defects 1 thru 18.

Number Minor Defects 201 thru 228.

CONCLUDING MATERIAL

Custodians
Army - GL
Navy - AS

Preparing Activity
Navy-AS

(Project No. 8470-0165)

Reviewer:
DLA-CT
Navy-NU

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:45Z
Check the source to verify that this is the current version before use.