INCH-POUND

MS25216B
20 January 2006
SUPERSEDING
MS25216A
31 July 1985

DETAIL SPECIFICATION SHEET

COVER, TOP AND BOTTOM FUSELAGE LIGHTS

Inactive for new design after 20 January 2006

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-C-7989.




FIGURE 1. Cover

AMSC N/A

FSC 6220

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:05Z
Check the source to verify that this is the current version before use.

DASH NO.	COLOR (5)	REMARKS(6)
-1	Type II Lunar White	ND – WOS
-2	(clear)	ND – WS
-3	"	D - WOS
-4	"	D - WS
-5	RED	ND – WOS
-6	"	ND - WS
-7	"	D - WOS
-8	"	D - WS
-9	GREEN	ND - WOS
-10	"	ND - WS
-11	"	D - WOS
-12	"	D - WS
-13	YELLOW	ND - WOS
-14	"	ND - WS
-15	"	D - WOS
-16	"	D - WS
-17	TYPE I – RED	ND - WOS
-18	"	ND - WS
-19	"	D - WOS
-20	"	D - WS
-21	GREEN	ND - WOS
-22	"	ND - WS
-23	"	D - WOS
-24	"	D - WS

REQUIREMENTS:

1. LIGHT SHIELD OF SUITABLE DULL OPAQUE MATERIAL OR OPAQUE ALUMINUM APPLIED TO INNER SURFACE IN SUCH MANNER AS TO WITHSTAND 5 HOURS CONTINUIOUS OPERATION WITH A 1047 LAMP BURNING. SLIGHTLY RAISED LINES MAY BE MOLDED IN GLASS TO FACILITATE APPLICATION OF SHIELDING: MASKING TO BE APPLIED BEFORE THE DIFFUSING ENAMEL IS APPLIED.

2. BREAK EDGES .016 MAX.

3. DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED, TOLERANCE: DECIMALS ±.016, ANGLES ±1º.

4. THE MANUFACTURER'S TRADE-MARK AND MS PART NO. SHALL BE MARKED ON THE COVER. THE MARKINGS SHALL BE IN SUCH A LOCATION THAT IT SHALL NOT INTERFERE WITH THE LIGHT DISTRIBUTION. ACCEPTABILITY OF TRADE-MARKS SHALL BE DETERMINED DURING QUALIFICATION TESTING OF COVER.

5. TYPE I – AVIATION COLORS AND TYPE II IDENFICATION COLORS BOTH IN ACCORDANCE WITH SAE-AS25050.

6. DIFFUSING – D, NONDIFFUSING – ND, WITHOUT SHIELD – WOS, WITH SHIELD – WS.

7. ALL COVERS FURNISHED UNDER THIS STANDARD SHALL BE CLASS B – HEAT RESISTANCE CLASS IN ACCORDANCE WITH MIL-C-7989 AND GRADE B – TRANSMISSION AND BRIGHTNESS LIMITS IN ACCORDANCE WITH TABLE III SAE-AS25050.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:05Z
Check the source to verify that this is the current version before use.

8. FOR DESIGN PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

9. CHANGES FROM PREVIOUS ISSUE. MARGINAL NOTATIONS ARE NOT USED IN THIS REVISION TO IDENTIFY CHANGES WITH RESPECT TO THE PREVIOUS ISSUE DUE TO THE EXTENT OF THE CHANGES.

Custodians:
Navy – AS
Air Force – 99

Preparing Activity:
DLA – IS

(Project 6220-2005-004)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:05Z
Check the source to verify that this is the current version before use.