N-F-170e
April 22, 1968
SUPERSEDING
Int. Fed. Spec. N-F-00170d
(Army-GL)
September 29, 1967 and
Fed. Spec. N-F-170b
September 10, 1964

FEDERAL SPECIFICATION

FEED, DRY, FOR DOGS

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for the preparation and packaging of a dry and complete feed capable of providing a suitable ration for dogs. The product may be held up to nine months prior to consumption.

1.2 Classification. The product covered by this specification shall be of the following compositions, forms of Composition 1, and styles of Composition 2, as specified (see 6.1):

Composition 1 - Dry

Form

A - Kibble
B - Pellets
C - Chunk
D - Granules

Composition 2 - Dry (semisoft)

Style

a - Chunks
b - Blocks
c - Shreds

FSC 8710

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Specifications and standards. The following specifications and standards of the issue in effect on date of invitation for bid or request for proposal form a part of this specification to the extent specified herein:

Federal Specifications:

L-C-110	-	Cellophane (Coated and Uncoated Regenerated Cellulose Film).
L-P-378	-	Plastic Sheet and Strip (Polyolefin).
UU-S-48	-	Sacks, Shipping, Paper.
PPP-B-636	-	Box, Fiberboard.
PPP-P-704	-	Pails, Metal: (Shipping, Steel, 1 Through 12 Gallon).

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-T-21330	-	Treatment: Insect Resistant, for Paper.
MIL-L-35078	-	Loads, Unit; Preparation of Nonperishable Subsistence In.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

Governmental:

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.
Visual Aids for Inspection of Metal Containers.

(Application for copies should be addressed to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.)

U. S. Standards for Condition of Food Containers.

(Copies may be obtained from the Information Division, Consumer and Marketing Service, U. S. Department of Agriculture, Washington, D. C. 20250.)

Nongovernmental:

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Copies may be obtained from the Association of Official Analytical Chemists, Post Office Box 540, Benjamin Franklin Station, Washington, D. C. 20044.)

Methods of Vitamin Assay of the Association of Vitamin Chemists

(Application for copies should be addressed to John Wiley and Sons, Inc., Interscience Publishers, 605 Third Avenue, New York, N. Y. 10016.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

Feed Control - Official Publication (1967 Edition)

(Application for copies should be addressed to the Association of American Feed Control Officials, Inc., Office of the Treasurer, State Department of Agriculture - Room E-109, Charleston, West Virginia 25305.)

Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, Chicago, Illinois 60606.)

National Motor Freight Classification Rules

(Application for copies should be addressed to the American Trucking Association Inc., 1616 P Street N. W., Washington, D. C. 20036.)

3. REQUIREMENTS

3.1 Materials. The product shall be prepared from the ingredients specified in table I. All ingredients shall be clean, sound, and free from mold, insect or insect part(s), hair, filth, paint, glass, metal, or any other evidence of contamination or off condition. The applicable ingredients of table I shall comply with the definitions listed in Feed Control. In addition, animal products, milk products, fats and oils, and vitamin ingredients shall not be over 6 months old at start of processing, and frozen meat shall be uncured and shall have been stored at a temperature of 0°F. or lower.

TABLE I. Ingredients

Ingredient	NRC Reference Number 1/
Alfalfa products	
Dehydrated alfalfa meal	
20 percent crude protein	078-8000
17 percent crude protein	078-8000
Animal products	
Meat, beef	103-4000
Meat, horsemeat	103-4000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE I. Ingredients (cont'd)

Ingredient	NRC Reference Number 1/
Animal products (cont'd)	
Meat, by-products	103-5500
Meat and bone meal	103-7000
Meat meal, 55 percent crude protein	103-8500
Animal liver meal	105-0500
Animal liver and gladular meal	105-2000
Dried meal solubles	105-5000
Poultry parts	613-5500
Poultry by-product meal	613-7000
Dried whole egg	None
Barley products	
Barley	128-6000
Chemical preservatives	
BHA	201-6500
BHT	201-8000
Citric acid	227-4500
Exthoxyquin	321-9500
Potassium sorbate	609-8000
Propyl gallate	615-9500
Sorbic acid	678-3500
Fats and oils	
Animal fat, preserved with BHA, BHT or citric acid	107-0000
Vegetable fat or oil, preserved with BHA	785-6000
Poultry fat preserved with BHA	107-0000
Mono and di glycerides	None
Grain sorghums (milo, kaffir, etc.)	
Ground grain sorghum	709-5500
Cracked grain sorghum	709-4000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE I. Ingredients (cont'd)

Ingredients	NRC Reference Number 1/
Grain sorghums (milo, kaffir, etc.) (cont'd)	
Grain sorghum mill feed	710-1500
Rolled grain sorghum	710-3000
Maize	
Ground corn	493-4000
Corn flour	494-0000
Toasted corn flakes	494-6000
Corn gluten meal, 42 percent protein	494-9000
Hominy feed	495-9500
Kibbled corn	497-0000
Corn germ meal (dry milled)	497-6000
Malto dextrin	468-2750
Condensed fermented corn extractives	489-2000
Corn starch	None
Dextrose	None
Marine products	
Fish meal, 60 percent minimum protein	348-3500
Fish liver and glandular meal	348-8000
Dried fish solubles	349-1000
Milk products	
Dried buttermilk, feed grade	218-4500
Dried skimmed milk, feed grade	218-9000
Dried whey	219-5000
Cheese rind	221-0000
Cheese meal	None
Mineral products	
Calcium carbonate	206-0000
Iodized salt	659-0000
Bone meal, steamed	106-1000
Cobalt carbonate	277-4000
Cobalt sulfate	277-8500
Copper carbonate	302-6000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE I. Ingredients (cont'd)

Ingredient	NRC Reference Number 1/
Mineral products (cont'd)	
Copper oxide	303-5000
Copper sulfate	303-6500
Dicalcium phosphate	206-6000
Iron carbonate	325-4000
Iron oxide	408-0500
Magnesium oxide	460-1000
Manganese sulfate	504-9500
Manganese oxide	505-5500
Potassium chloride	609-9500
Potassium iodate	610-1000
Potassium iodide	610-2500
Tricalcium phosphate	780-3500
Zinc oxide	851-3000
Zinc sulfate	851-4500
Sodium iron pyrophosphate	None
Titanium dioxide	None
Miscellaneous products	
Dried beet pulp	144-2000
Dried tomato pomace	780-0500
Cereal food fines	222-5000
Dried bakery product	114-2000
Oat products	
Oat groats	559-1000
Feeding oat meal	559-4000
Oat mill by-product	560-0000
Oat flour	None
Soybean products	
Soybean hulls	723-8000
Soy grits	724-1000
Soy flour	724-2500
Soybean meal	724-4000
	724-5500
Soybean meal, dehulled, solvent extracted	724-7000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE I. Ingredients (cont'd)

Ingredient	NRC Reference Number 1/
Special purpose products	
Aniseed	107-3000
Fennel	324-2000
Fenugreek seed	324-3500
Ginger	365-0000
Phosphoric acid	603-5000
Propylene glycol	616-1000
Onion powder	None
Garlic powder	None
Corn syrup	None
Sorbitol	None
Sucrose	None
Cellulose gum	None
Acacia (gum arabic)	None
Vegetable gums	None
Algin	None
Calcium citrate	None
Baking powder	None
Sodium carboxymethyl cellulose	None
Sodium caseinate	None
Certified food color	None
Carbon black	None
Vitamins	
Vitamin D_2 supplement	794-9000
Vitamin A and D oil	794-3000
D-Activated plant sterol	605-6000
Dried fermentation solubles	AAFCO 90.9 2/
Vitamin B_{12} supplement	794-4500
Vitamin E supplement	795-0500
Riboflavin supplement	629-6000
Vitamin A supplement	793-8500
Calcium pantothenate	205-4000
Choline chloride	226-7000
Choline citrate	None
Folic acid	356-6000
Menadione sodium bisulfite	508-7000
Niacin: Nicotinic acid	531-6500

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE I. Ingredients (cont'd)

Ingredient	NRC Reference Number 1/
Vitamins (cont'd)	
Pyridoxine hydrochloride	617-0000
Thiamine: Thiamine hydrochloride	749-9000
Thiamine mononitrate	750-0500
Vitamin A palmitate	794-1500
Wheat products	
Wheat bran	819-3500
Wheat feed flour	819-5000
Wheat germ meal	819-6500
Wheat mill run	799-4000
Wheat middlings	819-8000
Wheat red dog	820-1000
Wheat starch	None
Yeast	
Irradiated dried yeast	847-1000
Brewers dried yeast	847-2500
Torula dried yeast	847-7000

1/ The permanent identification number has been assigned to feed or nutrient by Animal Nutrition Sub-committee of National Research Council (NRC) and as listed in Feed Control.

2/ Reference No. listed in Feed Control.

3.2 Processing. The product shall be prepared from any combination of ingredients listed in table I necessary to yield a product which will comply with 3.3. For Composition 1 product, not less than 18 percent, by weight of the total protein, shall be protein derived from animal products; for Composition 2 product, not less than 18 percent by weight of the total protein shall be derived from fresh meat or poultry, or meat, fish and poultry meals. Records of processing procedures for form A kibble, expanded, form B pellets, expanded, and form C chunks, expanded, shall be maintained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

3.3 Finished product. The product shall be uniform in appearance as pertains to color and texture, as applicable, and shall be free from foreign materials (e.g. charred particles). Composition 1 & 2 product shall comply with the requirements of table II for piece size, and table III for chemical analysis. Composition 2, style b (blocks) shall weigh not less than 3 ounces.

3.3.1 Acceptability and nutritional adequacy shall be determined by feeding exclusively once a day at a rate of not less than 35 calories per pound body weight to five dogs for five days. The dogs shall be working German Shepherds that have been fed the ration at the indicated rate for at least fourteen days prior to the test. Failure to eat more than 60 percent, on a dry weight basis, of an individual feeding, loss of more than 3 percent of the total body weight at the end of the 19 day period, or loss of more than 10 percent total weight at any time during the 19 day period shall be considered a nonacceptance.

TABLE II. Sieve requirements (percent by weight) (maximum)

	Pass through US #8	Pass through US #1/4	Retained on US #3/8	Retained on US #5/8	Retained on US 1 inch
Form A, kibble expanded	5	-	-	-	0
Form B, pellets expanded	5	25	5	0	-
Form C, chunk, expanded	5	-	-	-	0
Form D, granules	5	-	0	-	-
Style a 1/ chunks	5	-	-	-	0
Style b blocks	5	-	-	-	-
Style c shreds	15	-	-	-	0

1/ Style a - Not less than 15 pieces per 6 ounce package.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE III. Analytical requirements

Nutrients	Minimum value Composition 1	Minimum value Composition 2	Maximum value Composition 1	Maximum value Composition 2
		Percent by weight		
Crude protein	23.0	22.0	-	-
Crude fat	7.0	5.0	-	-
Crude fiber	-	-	5.0	3.5
Ash	-	-	10.0	10.0
Moisture	-	19.0	10.0	30.0
Calcium	1.0	1.0	-	-
Phosphorous	0.8	0.8	-	-
Potassium	0.8	0.8	-	-
Sodium chloride	-	-	1.4	1.4
Magnesium	0.4	0.4	-	-
		Mg/pound of feed - both compositions (minimum)		
Iron	24.0		-	-
Copper	2.6		-	-
Manganese	2.0			
Iodine	0.6		-	-
Vitamin E	10.0		-	-
Vitamin B_{12}	0.01		-	-
Folic acid	0.07		-	-
Thiamine	0.5		-	-
Pyridoxine	0.5		-	-
Pantothenic acid	2.0		-	-
Niacin	5.0		-	-
Choline	400		-	-
Vitamin A	2000	IU/pound of feed - both compositions		
Vitamin D	120	IU/pound of feed - both compositions		

3.4 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform to the applicable provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

3.5 Workmanship.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

3.5.1 For civil and military agencies. The product shall be processed, packaged, and stored under modern sanitary conditions and in accordance with good commercial practice.

3.6 Storage of manufactured feed. The product shall not be stored more than the number of days indicated below:

(a) Level A or B packing - 30 days prior to shipment to first destination.
(b) Level C packing - 30 days prior to delivery.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of the finished product covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished product may be taken any time by the Government inspector to determine compliance with the requirements.

4.1.1 Certificate of compliance. The Government reserves the right to check test certificates of compliance to determine the validity of the certification.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the procuring agency. It may be made at the site of manufacture, both during and after processing and packaging, at any suitable point in transit, and after delivery to the point of destination

4.2.1.1 Condition inspection of containers. When inspection of product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply except for level A packing. (For applicable documents governing condition inspection of containers for military inspection agencies, including level A packing, see 4.2.6.3 and 5.2.1.1.)

4.2.2 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 Final inspection. Unless otherwise specified (see 6.1), final inspection shall be made after delivery to point of destination.

4.2.4 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

4.2.4.1 Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.5 Preacceptance inspection (plant sanitation inspection)

4.2.5.1 For civil agencies. Inspection of plants producing the product shall be conducted upon request of the purchasing and contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval by the Military Veterinary Services.

4.2.5.1.1 For military agencies. Award of contracts shall be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval by the Military Veterinary Services.

4.2.6 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.2.6.1 Inspection of components and materials (examination and testing). In accordance with 4.2.1 above, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.2.6.1.1 Inspection of ingredients. Conformance of ingredients to requirements contained in the publication "Feed Control" shall be ascertained by examination of pertinent labels, invoices, or other valid documents. Dates on invoices shall be examined to determine the age of ingredients. In addition, each ingredient shall be examined organoleptically, as necessary, to determine conformance to condition requirements of 3.1. The sample unit for examination shall be approximately 1-pound of each major ingredient (constitutes at least 1 percent of formulation) and 4 ounces of each minor ingredient, derived from a primary container. Five sample units shall be examined. In the event a lot consists of less than five containers, a sample unit shall be extracted from each container in the lot. Ingredients which do not conform to requirements of "Feed Control" (when applicable) or age requirement, or condition requirements, shall be unacceptable and use of such shall be cause for rejection of the lot or of the involved finished product.

4.2.6.1.2 Insect resistant treatment of sacks. Conformance to 5.2.1.1 as concerns insect resistant treatment of outer ply of sacks, shall be ascertained by examination of markings on sacks. If sacks are not marked "IRT" or the date

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

of sack fabrication indicates the sack will be more than 75 days old at time of shipment of product, the sacks will be unacceptable and use of such shall be cau for rejection of the involved end item.

4.2.6.2 Process examination. Examination shall be made to determine compliance with the processing requirements of 3.2 and processing procedure requirements for form A kibble, expanded, form B pellets, expanded, and form C chunks, expanded. Records of formulation shall be maintained on a percentage by weight basis. In addition, (unless otherwise specified), the protein requirement for omposition 1 or 2 product shall be ascertained by examination of certificate of compliance. When a certificate of compliance is required to be verified (see 6.1) for the amount of animal protein in the product, the following procedures shall be followed: A five pound composite sample derived from the number of containers indicated by inspection level S-2 shall be forwarded to the laboratory. Upon receipt of the results, the following formula shall be used to determine compliance with the protein requirements: Test results times percentage of meat in formula equals the protein derived from animal products. Nonconformance to one or more of the requirements shall be cause for rejection of the lot or the involved quantity of finished product, as applicable.

4.2.6.3 Examination of end item. Examination of end item shall be in accordance with tables V through VII and 4.2.6.3.1 through 4.2.6.3.4. Sampling plans and acceptance criteria for the aforementioned tables shall be expressed as defects per hundred units for table V and VII, and as percent defective for tables VI and VIII.

TABLE IV. Sampling plans and AQLs

Table	Inspection level	Sample unit	Lot size expressed in	AQLs			
				Major A	Major B	Minor	Total
V	I	1 filled and sealed primary container other than cans 1/	Primary containers	-	1.5	-	6.5
VI	S-4	1 filled shipping container 2/	Shipping containers	-	-	2.5	-
VII	S-2	1 pound from a bag or sack; or 1 primary package from a case.	Primary containers	-	1.0	-	6.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

TABLE IV. Sampling plans and AQLs (cont'd)

Table	Inspection level	Sample unit	Lot size expressed in	AQLs			
				Major A	Major B	Minor	Total
VIII	S-3	1 filled and sealed pail	Pails	1.0	-	-	-

1/ Applicable to all primary containers including level C shipping sack.

2/ For the purpose of this examination, only 5 packages per sample unit shall be selected and examined (applicable to composition 2 only).

TABLE V. Examination of primary container (other than pails)

Category		Defects
Major B	Minor	
151		Open seam or seal; or tear or hole through container
	201	Tear or hole through not more than 1 ply of sack
	202	Objectionable odor
	203	Not clean
152		Nomenclature on shipping container missing, incomplete, or illegible
	204	Other required marking information on shipping container missing, incomplete, or illegible
153		Not type or grade of packaging material specified

TABLE VI. Examination for net weight 1/

Category	Defects
Minor	
201	Applicable to composition 2, styles a and c Less than 161.9 grams (level A package, chunk or shred style)
202	Applicable to composition 2, style b Less than 77.1 grams (level A package, block style)

1/ Report results to nearest 0.1 gram for "chunks" or "blocks". Lot shall be rejected if sample data indicate lot average net weight less than specified or marked net weight, as applicable. Average net weight of "chunks" shall be

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

170.10 grams and average net weight of "blocks" shall be 85.05 grams. In addition, composition 2, styles a and c product shall not be acceptable if marking or label indicates individual packages are less than 6 ounces net.

TABLE VII. Examination of product 1/

Category		Defect
Major B	Minor	
151		Moldy
152		Burnt
153		Not uniform in color or texture
154		Odor not typical for the product
	201	Less than 15 pieces (applicable to composition 2, style a)

1/ Presence of foreign material (e.g., glass metal, wood, stones, filth, insects, hair, charred particles, etc.) shall be cause for rejection of the lot.

TABLE VIII. Examination of leakage 1/

Category	Defect
Major A	
101	Leakage

1/ See 4.3.4.

4.2.6.3.1 Examination of piece size. Examination of piece size shall be performed in accordance with requirements of table II and procedures of 4.3.2. The sample for examination shall be a 5-pound composite of product derived from 5 primary containers. The sample shall be extracted from different areas of each container. Results shall be reported to the nearest whole percent. Nonconformance to piece size requirements shall be cause for rejection of the lot.

4.2.6.3.2 Examination for acceptability and nutritional adequacy. Examination shall be made to determine compliance with the acceptability and nutritional adequacy requirements of 3.3.1. Once acceptability and nutritional adequacy has been determined to be satisfactory on a particular formula and with specific ingredients, subsequent lots will be acceptable so long as they remain unchanged and no deterioration of ingredients has occurred. Failure to meet acceptability and nutritional adequacy requirements shall be basis for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

4.2.6.3.3 Examination for storage of manufactured feed. Examination shall be made to determine compliance with the storage requirements of 3.6. Record of storage time shall be maintained. Nonconformance indicated by examination of records or date of pack shall be cause for rejection of the lot.

4.2.6.3.4 Examination of shipping sack (level A). The filled and closed shipping sack shall be examined in accordance with the applicable criteria of UU-S-48. The following defects shall be included in the appropriate examination when empty plastic bags are required to be included in the shipping sacks: Major (1) Less than 10 bags, (2) Size of bags inadequate to carry 2 pounds of product. In addition, the following marking defect shall be included in the appropriate examination, (3) Required markings on sack missing, incorrect, or illegible. This defect shall be used in lieu of marking defects contained in UU-S-48, except those pertaining to sack manufacturer's compliance. Minor: (1) Bags not secured as specified, (2) Not heat sealed on three sides.

4.2.6.3.5 Examination of shipping case. The filled and closed shipping case shall be examined in accordance with the criteria in the appendix of PPP-B-636. In addition, the following defects shall be included in the examination: Major (1) - Marking missing, incorrect, or illegible; Major (2) Liner not specified material; Minor - Polyethylene bag not heat sealed. For level C pack, only the major defect pertinent to marking shall apply.

4.2.6.3.6 Examination of metal pails. Examination of metal pails shall be in accordance with the examination criteria of PPP-P-704. The following defects shall be included in the table of examination: Major (1) Not type, size or style specified; Major (2) Severe dent; Major (3) Dent causing sharp ridge; Minor (1) Moderate dent. In addition, Visual Aids for Inspection of Metal Containers, (illustration of defects only) shall be used for classification of defects.

4.2.6.3.7 Examination for net weight. The sample unit for examination for net weight shall be 1 filled shipping container. Lot size shall be expressed in terms of shipping containers. The sample size shall be the number of sample units indicated by inspection level I. The lot shall be rejected if, by using recognized statistical methods, the sample average net weight is determined to be less than the specified average net weight.

4.2.6.3.8 Examination of palletized unit loads shall be examined in accordance with the criteria in MIL-L-35078.

4.2.6.4 Testing of finished product. The finished product shall be tested for crude protein, crude fat, crude fiber, moisture, and ash in accordance with 4.2. The sample for testing shall be one-pound composite derived from the number of containers indicated by inspection level S-2. Lot size shall be expressed in terms of containers. Results shall be reported to the nearest 0.1 percent. One or more test failures shall be cause for rejection of the lot. Sampling and rejection criteria shall be as stated above. Each test result shall be reported to the same decimal or unit as specified for the pertinent requirement.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

4.2.6.5 Delivery. Product shall be rejected if shipment date or intended shipping date exceeds packing date (as indicated by container marking) by more than 30 days.

4.2.7 Standby test samples. The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quality of which shall be not more than twice that required by this specification) for inspection purposes. These samples, if not used, will be returned to the supplier.

4.3 Tests. Test procedures and controls which differ from those specified herein, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.3.1 Chemical analysis. Chemical analysis shall be made in accordance with the following methods in Official Methods of Analysis of the Association of Official Agricultural Chemists. In addition, analysis for Vitamins shall be made in accordance with Methods of Vitamin Assay of the Association of Vitamin Chemist:

Test	Method
Moisture 1/	Moisture
Crude Protein 1/	Crude Protein
Fat 1/	Direct (ether extract)
Crude Fat (baked or expanded product) 1/	Expanded Pet Food (acid Hydrolysis)
Fiber 1/	Crude Fiber
Ash 1/	Ash

Mineral 2/	Method
Calcium	Atomic Absorption Spectrophotometry
Magnesium	"
Iron	"
Copper	"
Manganese	"
Iodine	Iodine in Mineral Mixed Feed
Phosphorus	Phosphorus in Feed
Potassium	Flame Photometric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

Test	Method
Sodium Chloride 1/	Chlorides in ash as Sodium Chloride

Vitamin 2/	Method
Vitamin A	Colorimetric
Carotene	Chromatographic
Thiamine	Thiochrome
Riboflavin	Fluorometric
Choline	Reineckate
Vitamin D	Chemical
Vitamin E	Chemical
Niacin	Microbiological
Pantothenic Acid	"
Pyridoxine	"
Folic acid	"
Vitamin B_{12}	"

1/ Chapter: Grain and Stock Feed.

2/ Test shall be conducted only when specified (see 6.1).

4.3.2 Sieving test for finished product (composition 1). Procedure pertinent to determine piece size of the various forms of composition 1 product shall be as follows:

(1) Nest the required sieves with the coarser sieve on top, and attach a collecting pan to the bottom sieve.
(2) Place a quantity of product equal to approximately 1/4 the volume of a sieve in the top sieve and attach a cover to the top sieve.
(3) Tip the sieves back and forth through a 90° arc and occasionally agitate the product by briskly moving sieves in a horizontal plane with a linear or circular motion. Sustain this procedure for three minutes.
(4) Follow the above procedures (1, 2, 3) until the five-pound sample is utilized.
(5) Weigh product retained on top sieve and passing through each individual sieve, respectively, and calculated percentage of each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

4.3.3 Leakage test. The filled and closed pail shall be tested for leakage by submerging the pail in water in such a manner that the pail is lying on its side with not less than 3 inches of water over any portion of the pail, and not less than 1-inch of water between the lower portion of the pail and the bottom of the tank. The pail shall be held in this position for not less than 30 seconds and shall then be rotated so that observation for leaks can be made over the entire circumference of the pail. The temperature of the water shall be 100° ± 5°F. A leak consists of a steady progression of bubbles. Isolated bubbles caused by entrapped air shall not be considered as a sign of leaks.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C as specified (see 6.1).

5.1.1 Level A. The product shall be packaged in accordance with 5.1.1.1 or 5.1.1.2, as applicable.

5.1.1.1 Composition 1 product. Fifty pounds of the composition 1 product shall be packaged into a heat sealed plastic bag constructed of 0.005-inch thick polyethylene in accordance with type I, grade B, finish 1 of L-P-378.

5.1.1.2 Composition 2 product. Six ounces of chunks or shreds shall be packaged into a heat sealed bag, or a 3-ounce block shall be packaged into a conforming, heat sealed wrap or bag. Bag and wrapping materials shall be 0.0011-inch thick cellophane complying with type VI or type VII, class 2, of L-C-110.

5.1.2 Level C. The product shall be packaged to afford adequate protection against deterioration and damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets these requirements.

5.2 Packing. The product shall be packed in accordance with level A, B or C as specified (see 6.1).

5.2.1 Level A. The product shall be packaged in accordance with 5.2.1.1 or 5.2.1.2, as applicable.

5.2.1.1 Composition 1 product. A fifty pound bag of composition 1 product, packaged as specified in 5.1.1.1, shall be packed into a multiwall paper shipping sack constructed in conformance with type I, class 2, or type II, sack number 4 or 4X, MB 1, level A pack, of UU-S-48. The outer surface of the sack shall be insect resistant treated in accordance with MIL-T-21330 and marked in accordance with UU-S-48. The top and bottom ends of the type II sack shall be sewn in accordance with UU-S-48 except that the stitching shall be reinforced with kraft paper tape that will prevent the thread from cutting into the wall of the sack.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

5.2.1.1.1 Individual ration bags. When specified (see 6.1), 10 empty plastic bags of sufficient size to carry 2 pounds of product, constructed of 0.001-inch thick polyethylene in accordance with type I, grade B, finish 1 of L-P-378 and heat sealed on 3 sides, shall be placed on top of the filled and sealed polyethylene bag of product prior to closing the shipping sack.

5.2.1.2 Composition 2 product. Seventy-two 6 ounce bags of shreds or chunks or 144 wrapped blocks shall be packed in accordance with 5.2.1.2.1 or5.2.1.2.2, as specified (see 6.1, 6.2 and 6.3).

5.2.1.2.1 Pails (see 6.2). The product shall be packed into a metal pail of 6 gallon capacity complying with type III of PPP-P-704 except that the metal used shall be not less than 29 gage. The pails shall not leak when tested in accordance with 4.3.4.

5.2.1.2.2 Fiberboard box (see 6.3). The product, in a 0.005-inch thick polyethylene bag complying with L-P-378 shall be packed into a snug-fitting fiberboard box with a liner, constructed, closed, and reinforced in accordance with style RSC-L-, V2s, of PPP-B-636. The liner shall be of the same material as the fiberboard box. The polyethylene bag shall be formed to fit the interior of the fiberboard box and after filling shall be heat sealed.

5.2.2 Level B, composition 2 product only. Composition 2 product, packed in a 0.005-inch thick polyethylene bag as specified in 5.2.1.2.2, shall be packed into a snug-fitting fiberboard box with a liner constructed and closed in accordance with style RSC-L, type CF or SF, class domestic, method II closure, of PPP-B-636. The liner shall be of the same material as the fiberboard box.

5.2.3 Level C. The product shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The containers shall comply with the Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Unit loads (military agencies)

5.3.1 Composition 1 and 2 product packed as specified in 5.2.1.1 and 5.2.1.2.1 shall be assembled in unit loads in accordance with the type II, class C-1 or type II, class C-2 requirements of MIL-L-35078.

5.3.1.1 Composition 2 product packed as specified in 5.2.1.2.2 and 5.2.2 shall be assembled in unit loads and palletized in accordance with the type I, class F requirements of MIL-L-35078.

5.4 Labeling and marking.

5.4.1 Civil agencies.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

5.4.1.1 Labeling, polyethylene bags. Any labeling that complies with the Federal, Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder and which shows crude protein, fat, fiber, ash and moisture content, caloric value per ounce, and instructions for feeding is acceptable. Alternatively, labeling information for composition 1 product may be placed on the exterior of the multiwall shipping sack.

5.4.1.2 Shipping container. Shipping container shall be marked in accordance with Fed. Std. No. 123 and with such other information specified by the procuring agency (see 6.1).

5.4.2 Military agencies.

5.4.2.1 Labeling, polyethylene bags. Labeling specified in 5.4.1.1 will be acceptable.

5.4.3 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129 except that day, month, and year of pack shall be included.

5.4.4 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.

(a) Title, number and date of this specification.
(b) Composition, form (composition 1), and style (composition 2) of product required (see 1.2).
(c) When the certificate of compliance is required to be verified (see 4.2.6.2).
(d) When final inspection is to be made other than after delivery to the initial point of domestic destination (see 5.1 and 5.2).
(e) Levels of packaging and packing required (see 5.1 and 5.2).
(f) When individual ration bags are required (see 5.2.1.1.1).
(g) Additional labeling and marking required (see 5.4.1.2).

6.2 Packing specified in 5.2.1.2.1 is intended for shipment to and storage in tropical areas.

6.3 Packing specified in 5.2.1.2.2 is intended for shipment to and storage in nontropical areas.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

6.4 Destination inspection (For civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.5 Classes 1, 2, and 3 and form A of N-F-170b have been eliminated from this revision. Form B of N-F-170b is the same as composition 1, form D of this revision. Form C of N-F-170b is the same as composition 1, form B of this revision. Composition 1, forms A and C and composition 2, styles a, b, and c are new classifications.

MILITARY CUSTODIANS:

Army - GL
Navy - YD
Air Force - 84

Review activities:

Army - MD
Navy - YD
Air Force - 85

Preparing activity:

Army - GL

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

"to detach this form, cut along this line"

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

Feed, Dry, For Dogs - N-F-170e

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 OCT 64 1426

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-QS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.