N-N-591G
April 17, 1972

SUPERSEDING
Fed. Spec. N-N-591F
January 18, 1969

FEDERAL SPECIFICATION

NOODLES

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal Agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the preparation and packaging of noodles for use by agencies of the Federal Government.

1.2 Classification.

1.2.1 Types and classes. Noodles covered by this specification shall be of the following types and classes, as specified (see 6.1):

Type I	-	Egg noodles.
Class A	-	Plain.
Class B	-	Enriched.
Type II	-	Wheat and soy egg noodles.
Type III	-	Vegetable egg noodles.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

L-P-378	-	Plastic Sheet and Strip, Thin Gauge, Polyolefin.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-T-45	-	Tape, Gummed, Paper Reinforced and Plain, for Sealing and Securing.

Federal Standards:

FED-STD-101	-	Preservation, Packaging and Packing Materials: Test Procedure.
FED-STD-123	-	Marking for Domestic Shipment (Civil Agencies).

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers, at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-L-10547	-	Liners, Case, and Sheet, Overwrap, Water-Vaporproof or Waterproof, Flexible.
MIL-L-35078	-	Loads, Unit; Preparation of Nonperishable Subsistence.

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-668	-	Sanitary Standards for Food Plants.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

U.S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

U.S. Department of Agriculture

Regulations Governing the Grading and Inspection of Egg Products.

United States Standards for Condition of Food Containers.

(Application for copies should be addressed to the Information Division, Consumer and Marketing Service, U.S. Department of Agriculture, Washington, D.C. 20250.)

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists.

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, D.C. 20044.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Material. All materials shall be clean, sound, and wholesome, and shall be free from evidence of insect infestation or other objectionable foreign matter, odors, and flavors. No coloring matter other than that naturally contained in the specified ingredients shall be used in the manufacture of the noodles.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

3.1.1 Farinaceous ingredients. Unless a specific farinaceous ingredient is required (see 6.1), the farinaceous ingredients shall consist of one or more of the following ingredients as specified in 3.2:

Semolina.
Durum flour.
Farina.
Hard-wheat flour (other than durum-wheat flour).
Gum gluten.
Soy flour.

3.1.1.1 Military agencies. The farinaceous ingredients from which noodles are made shall consist of either semolina or durum flour or a combination thereof. When specified (see 6.1) noodles shall be made from semolina. The farinaceous ingredients shall comply with the Definitions and Standards of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, except that the ash content of the semolina or durum wheat flour shall be not more than 0.78 percent for semolina and 0.96 percent for durum flour calculated on a 14.0 percent moisture basis.

3.1.2 Egg products. Egg products shall have been prepared under continuous inspection of the U. S. Department of Agriculture, and shall be identified by appropriate labeling or marking with U.S.D.A. Inspection Shield, and shall be certified as having been laboratory tested and found to be Salmonella negative by the U. S. Department of Agriculture.

3.1.3 Wheat gluten. Wheat gluten shall be the dried gluten product derived from wheat flour and may be used as an optional ingredient.

3.2 Types and classes.

3.2.1 Type I. Type I egg noodles shall consist of dried ribbon-shape or bow-shape, as specified, units of dough made from the basic ingredients specified in 3.1.1 and 3.1.2, and may contain the optional ingredient specified in 3.1.3. The egg ingredient shall be used in such quantity that the total solids of the finished product shall contain not less than 5.5 percent of egg yolk solids or whole egg solids as indicated by the minimum lipid phosphorous (P_2O_5) content required in 3.5. Gum gluten may be used as an optional ingredient in such amount that the protein content of the farinaceous ingredients and wheat gluten combined shall comply with the minimum requirements as specified in table I. When specified (see 6.1), onions, celery, garlic, bay leaf, or any two or more of these products may be used as ingredients in quantities that will properly season the noodles.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

3.2.1.1 Class A, egg noodles, plain. Plain egg noodles shall meet all requirements in 3.2.1 and shall contain no added enrichment ingredients.

3.2.1.2 Class B, egg noodles, enriched. Enriched egg noodles shall meet all requirements in 3.2.1 and in addition shall meet the requirements for enrichment as contained for noodles in the Definition and Standards for Macaroni and Noodles Products under the Federal Food, Drug and Cosmetic Act.

3.2.2 Type II, wheat and soy egg noodles. Wheat and soy egg noodles shall consist of dried ribbon-shaped units of dough made as specified in 3.2.1 except that soy flour shall be added in a quantity of not less than 12.5 percent nor more than 15.0 percent of the combined weight of the farinaceous ingredient and soy ingredients used. The soy flour used shall be low fat soy flour produced by the solvent extraction process.

3.2.3 Type III, vegetable egg noodles. Vegetable egg noodles shall consist of dried ribbon-shaped units of dough made as specified in 3.2.1 except that tomato (of any red variety), artichoke, beet, carrot, parsley, or spinach shall be used in such quantity that the solids thereof shall constitute not less than 3.0 percent nor more than 5.0 percent by weight of the finished product.

3.3 Form. Egg noodles of all types shall be ribbon-shaped or bow-shaped, as specified and of reasonably uniform width and thickness. Ribbon-shaped noodles may be of the fine, medium, or broad forms and bow-shaped noodles may be of small or large size as manufactured under common commercial practice, as specified (see 6.1).

3.3.1 Military agencies. The provisions of 3.3 shall apply except that the physical dimensions of the egg noodles shall be as follows:

	Ribbon-shaped noodle	Bow-shaped noodle	
		Small	Large
Width	1/4 ± 1/16 inch	--	1-1/4 ± 1/16 inch
Thickness	0.033 ± 0.005 inch	0.031 ± .001 inch	0.037 ± .001 inch
Length	3 ± 1 inch	5/8-inch ± 1/16 inch	1-1/2 inch ± 1/16 inch

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

3.4 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.5 Chemical requirements. Egg noodles shall conform to the chemical requirements expressed in percent by weight as shown in table I.

TABLE I. Chemical requirements

Type	Minimum limits of: Lipid Phosphorous (P_2O_5) 1/		Protein (%N X 5.7) 1/	Maximum limit of moisture
	Percent 2/	Percent 3/	Percent	Percent
I	0.136	0.101	13.1	12.0
II	0.136	0.101	17.3	12.0
III	0.136	0.101	13.0	12.0

1/ Calculated on a moisture-free basis.

2/ Applicable when egg yolks are used as the egg ingredient.

3/ Applicable when whole eggs are used as the egg ingredient.

3.6 Appearance, taste and odor requirements. The finished product shall be smooth, of good characteristic yellow color, and shall be reasonably free from broken, checked or crippled unit, or black specks. When prepared in accordance with 4.3.1.1, the product shall be of good characteristic taste and odor, of firm texture and free from rancidity, bitter, musty, moldy, sour, or other undesirable tastes or odors.

3.7 Workmanship. The product shall be prepared, processed and packaged under modern sanitary conditions and in accordance with good commercial practice. For military agencies the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of the finished product covered by this specification and samples of any materials, components or constituents entering into the preparation of the finished product may be taken at any time by the Government inspector to determine compliance with the requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the purchasing agency or its duly authorized representative at the time and place designated by the purchasing agency. The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.2 Final inspection. Unless otherwise specified (see 6.1), final inspection shall be made after delivery to the point of destination (see 6.5).

4.2.3 Condition inspection of containers. When inspection of product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standard for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military, see 4.2.6.3).

4.2.4 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examinations and test prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.2.4.1 Inspection records. Inspection records of the examinations and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.5 Preacceptance inspection (plant sanitation inspection).

4.2.5.1 Civil agencies. Inspection of plants producing the product will be conducted upon the request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.5.2 Military agencies. The product shall be rejected if produced in plants not meeting the requirements of MIL-STD-668.

4.2.6 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

4.2.6.1 Component and material inspection. In accordance with 4.2.4, components and materials shall be inspected in accordance with all the requirements of referenced specifications and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase documents.

4.2.6.1.1 Identity. Conformance of ingredients to identity (kinds) shall be ascertained by examination of pertinent labels, invoices or other valid documents. Conformance of egg products to 3.1.2 shall be ascertained by examination for the presence of USDA Inspection Shield and USDA Certificate attesting to salmonellae negative product. Nonconformance shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

4.2.6.1.2 Condition. Each ingredient shall be examined organoleptically, as necessary, to determine conformance to requirements of 3.1. The sample unit shall be approximately one pound of ingredient from a primary container. The sample size shall be five (5). In the event a lot consists of less than 5 containers, a sample unit shall be extracted from each container in the lot. One or more sample units not in conformance to requirement shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

4.2.6.1.3 Testing of components. Testing of components described in this specification shall be as shown in table II. Test requirements shall be average requirements. A test failure shall indicate an unacceptable component and use of such shall be cause for rejection of the involved end item.

TABLE II. Testing of components (see 4.2.6.1)

Component	Sample unit	Unit of lot size	Characteristic	Inspection level	Reported as	Ref. par.
Semolina or durum wheat flour	1 pound composite 1/	Pound	Ash	S-1	Nearest 0.01 percent	3.1.1.1 and 4.3
			Moisture 2/		Nearest 0.1 percent	
Wax paper	1 square yard	Ream	Basis weight of paper	S-2	Nearest pound/ ream	5.1.1.1 and 4.3
			Weight of wax		Nearest pound/ ream	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

TABLE II. Testing of components (see 4.2.6.1) (cont'd)

Component	Sample unit	Unit of lot size	Characteristic	Inspection level	Reported as	Ref. par.
Wax paper (cont'd)			Melting point of wax		Nearest 1°F.	

1/ Composite shall be formed from the number of containers indicated by the inspection level.

2/ Moisture content shall be determined in order to calculate ash on a 14.0 percent moisture basis.

4.2.6.2 Process examination. Unless otherwise specified (see 6.1), examination shall be performed during production of the product to determine conformance to the applicable requirements of 3.2 as concerns kinds and amount of ingredients being utilized in production. Formulation records pertinent to these requirements shall be maintained. Nonconformance requirements shall be cause for rejection of the involved finished product.

4.2.6.3 Examination of end item. Examinations shall be in accordance with tables IV and V, and 4.2.6.3.1 through 4.2.6.3.4. Sampling plans for the aforementioned tables shall be in accordance with table III. The acceptable quality levels (AQLs) shall be expressed as percent defective for table IV and defects per hundred units for table V.

TABLE III. Sampling plans

Table	Sample unit	Lot size expressed in	Inspection level	AQLs Major	AQLs Minor	AQLs Total
IV	1 filled primary container	Primary containers	S-3	-	2.5	-
V	4 ounces from a primary container	Primary containers	S-2	1.5	-	6.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination of net weights 1/ 2/

Category	Defect
Minor	
201	More than 2 percent under specified net weight (containers required to have more than 1 pound but not more than 10 pounds).
202	More than 1 percent under specified net weight (containers required to have more than 10 pounds).

1/ Report net weight to nearest 1/2 ounce for containers 1 to 10 pounds and to nearest ounce for containers in excess of 10 pounds.

2/ Lot shall be rejected if sample data indicate lot average net weight is less than specified net weight.

4.2.6.3.1 Examination of waterproof case liner. When containers are required to be overpacked in waterproof liners, in accordance with MIL-L-10547, examination of the filled and closed liners shall be in accordance with the quality assurance provisions of the appendix to that specification.

TABLE V. Examination of container contents 1/

Category		Defect
Major	Minor	
		Liners or bags (when required, waxed paper liner or polyethylene bags)
101		Waxed paper liners missing, not as specified or not completely separating product from all faces of the container
102		Polyethylene bag missing, has tear or hole or not securely closed, as specified
103		Not clean

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

TABLE V. Examination of container contents 1/ (cont'd)

Category		Defect
Major	Minor	
		Product
104		More than 10 black specks, each having a diameter greater than 1/32 inch 2/
105		An aggregate of black specks materially affecting the appearance of the product 3/
106		More than 10% by weight of the product affected by checked noodles 4/
	201	More than 10% by weight of product affected by crippled noodles 5/
	202	More than 10% by weight of the product not conforming to length requirement of 3.3.1 for the pertinent shape 2/
	203	Not width required in 3.3.1 for the pertinent shape 6/
107		Not thickness required in 3.3.1 for the pertinent shape 6/
108		Not ribbon or bow shaped as specified (for civil agencies)
	204	Surface of product not smooth
109		Not a characteristic color
		Cooked product (see 4.3 for preparation)
110		Not a firm texture
111		Not a typical flavor or odor
112		Objectionable flavor or odor (rancid, musty, bitter, sour, etc.)

1/ Presence of foreign material (e.g. glass, metal, wood, filth, insects, paint, wood, etc.) shall be cause for rejection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

2/ Measuring device shall be calibrated in 1/32 inch increments.

3/ Do not score as a defect if defect 103 has been scored for the same sample unit.

4/ A checked noodle is one that has more than 10 percent of its surface area affected by cracks in a checkered pattern.

5/ A crippled noodle is one that is grossly distorted.

6/ Measure one noodle per sample unit. Utilize a measuring device calibrated in 1/32" for measuring width and a caliper calibrated in at least .001" increments for measuring thickness.

4.2.6.3.2 Examination of primary containers. External examination of filled and closed primary containers (including bulk filled shipping containers) for condition and labeling or marking shall be in accordance with the criteria in the United States Standards for Condition of Food Containers.

4.2.6.3.3 Examination of shipping containers. Examination of filled and closed shipping containers (other than bulk filled shipping containers) shall be in accordance with the quality assurance provisions in the appendix of PPP-B-636. In addition, the following defects shall be included in the examination. Minor - Number or arrangement of contents not as required, Major: (1) Required markings missing, incorrect or illegible; (2) Protective pad(s) and tape, when required, missing, not as specified, or not completely covering metal stitches; (3) Not a snug fitting shipping container. For level C pack as detailed in 5.2.3.1 for 1 pound cartons, only the defect pertinent to markings shall apply.

4.2.6.3.4 Examination of unit loads. Unit loads shall be examined in accordance with the quality assurance provisions of MIL-L-35078.

4.2.6.4 Testing of finished product. The finished product shall be tested for lipid phosphorous, protein, and moisture as qualified in table I. In addition, when specified (see 6.1), a filth test shall be performed. Test procedures shall be in accordance with 4.3. The sample for testing shall be a 1 pound composite derived from the number of primary containers indicated by inspection level S-2. Lot size shall be expressed in terms of the primary container. Each result shall be reported to the same decimal place as specified for the pertinent requirement except that result of the filth test shall be reported as pass or fail. A test failure shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

4.3 Test methods. Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

4.3.1 Examination procedures.

4.3.1.1 Cooking examination (no alternate procedure permitted). To 1-1/2 quarts of boiling water, add 1/4 pound of noodles. Boil vigorously for 15 minutes or until tender, stirring frequently. Remove from heat and drain through colander.

4.3.2 Test procedures.

4.3.2.1 Chemical analyses. Chemical analyses shall be made in accordance with the following methods from Official Methods of Analysis of the Association of Official Analytical Chemists as indicated below:

Test	Chapter	Section	Method
Semolina or durum flour: Ash	Cereal foods	Wheat flour	Ash direct method
Finished product: Moisture	Cereal foods	Macaroni, egg noodles and similar products	Vacuum or air oven method
Protein	Cereal foods	Macaroni, egg noodles and similar products	Protein
Lipid phosphorous	Cereal foods	Macaroni, egg noodles and similar products	Lipid and lipid phosphorous

4.3.2.2 Filth tests. When specified (see 6.1) all tests required to determine compliance with the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder in regard to insects, insect fragments, rodent hairs, and rodent excreta shall be made in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists; Chapter, Extraneous Materials: Isolation; Sections Alimentary Pastes; Method, light filth.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

4.3.3 Paper tests. Paper shall be tested in accordance with the following methods of FED-STD-101:

Basis weight - Method 5022
Melting Point of Wax - Method 4017
Paraffin in Paper - Method 6018

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C, as specified (see 6.1).

5.1.1 Level A. Five pounds of the product shall be packaged in a top-opening style RSC, nontest corrugated fiberboard box. The box size shall be approximately 10-3/4 inches in length by 8-7/8 inches in width by 6-3/8 inches in depth, and the box shall be lined as specified in 5.1.1.1. The top and bottom flaps shall be sealed with 2-inch wide, type III, grade B kraft tape complying with PPP-T-45. The tape shall be applied the full length of the joint formed by the closure of the outer flaps and shall extend not less than 2 inches over each end panel.

5.1.1.1 Liners or bags. Two U-shaped liners, made from a good quality sulphite or bleached kraft paper having a basis weight of 18 pounds per ream ± 5% (24 by 36-500) (see 4.3.3) and wet waxed on both sides with a total of not less than 8 pounds per ream (24 x 36 - 500). The liners shall be placed in the box so as to separate the product from all faces of the box. The wax shall be a fully refined paraffin wax having a melting point of not less than 130°F. Alternatively, the product shall be inclosed in a 0.003 inch thick polyethylene bag. The bag shall be closed with a twist tie. Thickness of polyethylene shall be determined in accordance with L-P-378.

5.1.2 Level C. The product shall be packaged in a manner to assure protection against deterioration and damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets these requirements. When specified (see 6.1), 1-pound of noodles shall be packaged in a carton in accordance with these requirements.

5.2 Packing. The product shall be packed in accordance with level A, B or C, as specified (see 6.1).

5.2.1 Level A. Four containers filled and sealed as specified in 5.1.1, arranged 2 side by side by 2 in depth shall be packed into a snug-fitting fiberboard box constructed, closed and reinforced in accordance with style RSC, V2s of PPP-B-636. Each shipping container shall be provided with a

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

waterproof case liner fabricated and closed in accordance with MIL-L-10547 for subsistence item. If the flaps of the shipping container are closed by stitching, the case liner shall be protected from the stitches by placing a chipboard pad between the case liner and the stitches. Stitches in the manufacturer's joint shall be covered with a chipboard corner pad or a strip of pressure sensitive tape.

5.2.2 Level B. Four containers, filled and sealed as specified in 5.1.1, arranged 2 side by side and 2 in depth, shall be packed in a snug fitting fiberboard box, constructed, closed, and reinforced in accordance with style RSC, V3c, V3s, or V4s, of PPP-B-636. The shipping container shall be provided with a waterproof case liner as specified in 5.2.1 and the case liner shall be protected from stitches as specified in 5.2.1.

5.2.2.1 When specified (see 6.1 and 6.7), the shipping container specified in 5.2.2 shall be reinforced with pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.2.2 When specified (see 6.1 and 6.8), the shipping container shall be constructed, closed, and reinforced in accordance with style RSC, W5c or W5s, of PPP-B-636.

5.2.2.3 Civil agencies. Unless otherwise specified, the product, in unit quantities of 10 or 20 pounds as specified (see 6.1) in sealed polyethylene, cellophane or laminated glassine bags shall be packed in boxes conforming to and closed in accordance with PPP-B-636, style RSC, CSSC or FOL, type CF or SF, class domestic. The four edges and two center joints shall be fully sealed with tape conforming to PPP-T-45, minimum width 2 inches, to preclude dust from entering. The tape covering the center joints shall extend a minimum of 2 inches onto the adjacent panels.

5.2.3 Level C. Four containers, filled and sealed as specified in 5.1.1, arranged 2 side by side by 2 in depth, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC, type CF or SF, class domestic, grade 275, method II closure, of PPP-B-636.

5.2.3.1 When specified (see 6.1 and 6.9), the noodles shall be packed in shipping containers in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable. One pound cartons shall be packed in accordance with these requirements.

5.3 Unit loads. When specified (see 6.1), the product, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

5.4 Labeling and marking.

5.4.1 Military agencies.

5.4.1.1 Unit containers. Labeling of the unit containers shall comply with the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder. In addition, the following information shall be included:

Type (and class, seasoned when applicable) of product.
Month and year of pack.

5.4.1.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.1.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

5.4.2 Civil agencies.

5.4.2.1 Unit container. Labeling of the unit containers shall comply with the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

5.4.2.2 Shipping containers. Shipping containers shall be marked in accordance with the requirements of FED-STD-123 and such other information as specified by individual agencies. In addition, the type and class of the product shall be marked directly under the item identification. Special marking, below, shall be used when applicable.

Type I (when seasoned) - Seasoned - (List seasoning ingredients).
Type III vegetable - (The name(s) of the vegetable ingredient(s)).

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) - Title, number, and date of this specification.
(b) - Type, class, and form of noodles required (see 1.2.1 and 3.3).
(c) - Whether specific farinaceous ingredients are to be used (see 3.1.1 and 3.1.1.1).
(d) - When other ingredients are to be added to type I noodles (see 3.2.1).
(e) - Shape and size of egg noodle required (see 3.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

(f) - When final inspection is to be made other than after delivery to the point of destination (see 4.4.2).
(g) - When process examination is not required (see 4.2.6.2).
(h) - When test for filth shall be performed (see 4.3.2).
(i) - Selection of applicable levels of packaging and packing (see 5.1 and 5.2).
(j) - When 1 pound of noodles are to be packaged in a carton (see 5.1.2).
(k) - When shipping container specified in 5.2.2 is required (see 5.2.2.1 and 5.2.2.2).
(l) - Quantities and packaging for civil agencies (see 5.2.2.3 and 5.2.3.1).
(m) - Type and class of unit load when specified (see 5.3).

6.2 If samples are required with bid, this requirement should be stated, giving information as to size or quantity of sample, and the particular purpose to be served by the bid sample.

6.3 Federal specifications do not include all types, classes, forms, etc., of the commodities indicated by the titles of the specifications which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

6.4 Supplier's inspection. The supplier should be required to assure that the product conforms with the specification prior to submission to the Government for final inspection.

6.5 Destination inspection (for civil agencies). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition, identity and quantity only.

6.6 Based on conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the contracting officer shall select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUP PUB 470, AFR 71-6, MCO 4030.14D and DSAR 4145.7.

6.7 Packing specified in 5.2.2.1 is intended for transfer at sea operations and specific overseas operations.

6.8 Packing specified in 5.2.2.2 should be used when experience or knowledge of the destination and mode of shipment would indicate that a lower grade board can be used.

6.9 Packing specified in 5.2.3.1 is intended for direct shipments from the supply source to the first receiving activity for immediate use within CONUS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

CIVIL AGENCY INTEREST:

GSA
AGR
HEW
VA

Project No. 8920-0178

Orders for this publication are to be place with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 20 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

U.S.MAIL

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:11Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION
Noodles N-N-591G

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?
   ☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26111:112
Check the source to verify that this is the current version before use.