O-P-99B
October 3, 1977
SUPERSEDING
Fed. Spec. O-P-0099a(GSA-FSS)
March 9, 1965 and
Fed. Spec. O-P-99
April 28, 1952

FEDERAL SPECIFICATION

PARADICHLOROBENZENE, TECHNICAL

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for use of all Federal agencies.

1. SCOPE

1.1 This specification covers one grade of paradichlorobenzene.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-585	-	Boxes, Wood, Wirebound.
PPP-B-591	-	Boxes, Shipping, Fiberboard, Wood-Cleated.
PPP-B-601	-	Boxes, Wood, Cleated-Plywood.
PPP-B-621	-	Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-B-640	-	Boxes, Fiberboard, Corrugated, Triple-Wall.
PPP-C-55	-	Cans, Composite, For Dry Products.
PPP-C-96	-	Cans, Metal, 28 Gage and Lighter.

FSC 6810

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

Federal Standards:

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).
Fed. Std. No. 356 - Commercial Packaging of Supplies and Equipment.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumlative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

40 CFR 162 - Regulations for the Enforcement of the Federal Insecticide, Fungicide, and Rodenticide Act.

(The Code of Federal Regulations (CFR) and the Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. When indicated, reprints of certain regulations may be obtained from the Federal agency responsible for issuance thereof.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:12Z
Check the source to verify that this is the currentversion before use.

American Society for Testing and Materials (ASTM) Standards:

D502 - Particle Size of Soaps and Other Detergents.
E11 - Wire-Cloth Sieves for Testing Purposes.
E324 - Relative Initial and Final Melting Points and the Melting Range of Organic Chemicals.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Uniform Classification Committee:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

3. REQUIREMENTS

3.1 Material. Paradichlorobenzene shall be a crystalline solid.

3.2 Registration. Paradichlorobenzene shall be registered with the Environmental Protection Agency (EPA) in accordance with the applicable section of 40 CFR 162.

3.3 Physical characteristics. Paradichlorobenzene shall conform to the physical characteristics of table I when tested as specified therein.

TABLE I. Physical characteristics

Characteristic	Minimum	Maximum	Test paragraph
Melting range, °C	52.0	54.0	4.2.4.1 4.2.4.2
Particle size:			
Percent retained on 9.5-millimeter (3/8-inch) sieve	—	0	
Percent retained on 850-micrometer (No. 20) sieve	95	—	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

3.4 Workmanship. Paradichlorobenzene shall be visibly free from foreign matter and shall be suitable for its intended use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to specified requirements.

4.2 Quality conformance inspection.

4.2.1 Examination of preparation for delivery.

4.2.1.1 Lot. For this examination, a lot shall be paradichlorobenzene, fully packed, marked, and offered for examination at one time. Lot size shall be expressed in number of filled shipping containers.

4.2.1.2 Sampling plan. The sample unit for this examination shall be one filled shipping container. Sampling shall be conducted in accordance with MIL-STD-105. Sample size and acceptance and rejection numbers shall be determined by special inspection level S-2 and acceptable quality level (AQL) 4.0 percent defective. Defects shall be scored in accordance with table II. Examination for closure, waterproofing and banding shall be in accordance with the applicable box specification.

TABLE II. Examination of preparation for delivery

Examine	Defect
Marking	Omitted; incorrect; illegible; not as specified; no EPA registration number
Packing	Not as specified
Packaging	Not as specified
Contents	Net contents less than specified
Closure (when applicable)	Closure, waterproofing, and banding missing or not as specified
Workmanship	Tear; split; crack; hole; leakage or seepage from any part of the container

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

4.2.2 Examination of paradichlorobenzene.

4.2.2.1 Lot. For this examination, a lot shall consist of the paradichlorobenzene produced by one manufacturer, at one plant, from the same raw materials, within a 24-hour period, by the same process, and offered for examination at one time.

4.2.2.2 Sampling plan. Three samples of 200 grams each shall be randomly selected from the lot. Defects shall be determined in accordance with table III. The lot shall be rejected if any sample contains one or more defects.

TABLE III. Examination of material and workmanship

Examine	Defect
Material	Not crystalline
Workmanship	Foreign matter visibly present; not suitable for the intended use

4.2.3 Testing.

4.2.3.1 Lot. A lot shall be as specified in 4.2.2.1.

4.2.3.2 Sampling plan. Sampling shall be as specified in 4.2.2.2. The samples shall be sealed in separate airtight, moistureproof containers with identifying lot number and date. The samples shall be tested as specified in 4.2.4. The lot shall be rejected if any sample fails to meet any specified requirement.

4.2.4 Tests.

4.2.4.1 Melting range. The initial melting point and the final melting point shall be determined in accordance with ASTM E324 except that no standard sample will be necessary for comparison.

4.2.4.2 Particle size. Particle size shall be determined in accordance with ASTM D502 except that sampling shall be as specified in 4.2.2.2 and sieve sizes shall be as specified in table I. Sieves shall conform to ASTM E11.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Paradichlorobenzene shall be packaged level A, B, or C as specified (see 6.2).

5.1.1 Level A. One pound (454 grams) of paradichlorobenzene shall be furnished in a can conforming to type V, class 2, exterior coating plan B of PPP-C-96 or in a composite can conforming to type I or II, shape A, style 3 or 4 of PPP-C-55 having tin plate ends and an inner barrier.

5.1.2 Level B. Paradichlorobenzene shall be packaged as specified in 5.1.1 except that the exterior coating shall be plan A instead of plan B.

5.1.3 Level C.

5.1.3.1 For military activities. Paradichlorobenzene shall be packaged in accordance with Fed. Std. No. 356.

5.1.3.2 For civil agencies. Paradichlorobenzene shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving agency.

5.2 Packing. Paradichlorobenzene shall be packed level A, B, or C as specified (see 6.2).

5.2.1 Level A. Twenty-four cans of paradichlorobenzene packaged as specified in 5.1 shall be packed in containers conforming to any of the following specifications at the option of the contractor:

(a) PPP-B-585, class 3
(b) PPP-B-591, overseas type
(c) PPP-B-601, overseas type
(d) PPP-B-621, class 2
(e) PPP-B-636, class weather-resistant
(f) PPP-B-640, class 2, grade A

All interfaces of the wood boxes shall be lined with fiberboard conforming to grade W5c or V3c of PPP-F-320. A pad of the same material shall be used to separate the two layers of cans in all boxes. Additional pads shall be inserted as needed to prevent motion of contents. Closure and strapping shall be in accordance with the appendix to the applicable box specification.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:12Z
Check the source to verify that this is the currentversion before use.

5.2.2 Level B. Twenty-four cans of paradichlorobenzene packaged as specified in 5.1 shall be packed in a box conforming to class domestic of PPP-B-636.

5.2.3 Level C.

5.2.3.1 For military activities. Paradichlorobenzene shall be packed in accordance with Fed. Std. No. 356.

5.2.3.2 For civil agencies. Paradichlorobenzene shall be packed in a container complying with Uniform Freight Classification or National Motor Freight Classification rules, as applicable. The containers shall be packed to assure carrier acceptance and safe arrival at destination.

5.3 Marking. Marking for civil agencies shall be in accordance with Fed. Std. No. 123. Level A and B shipments for military activities shall be marked in accordance with MIL-STD-129. Level C shipments for military activities shall be marked in accordance with Fed. Std. No. 356.

5.4 Labeling. Labeling shall be in accordance with the applicable section of 40 CFR 162.

6. NOTES

6.1 Intended use. Paradichlorobenzene is intended for use as a fumigant against fabric pests, principally the clothes moth. It is most effective when applied in a confined area, especially one which may be enclosed in an airtight tent or wrapping. Paradichlorobenzene should not be used in conjunction with naphthalene.

6.2 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Level of packaging and packing required (see 5.1 and 5.2).

6.3 Significant places. For the purpose of determining conformance with this specification, an observed or calculated value should be rounded off "to the nearest unit" in the last right-hand place of figures used in expressing the limiting value, in accordance with the rounding-off method of the Recommended Practice for Indicating Which Places of Figures Are To Be Considered Significant in Specified Limiting Values (ASTM E29).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian:

Army - EA

Review activity:

DSA - GS

Civil Agency Coordinating Activities:

DOT-FAA
EPA
GSA-FSS

Preparing activity:

Army - EA

Project No. 6810-B099

Orders for this publication are to be placed with General Services Administration, acting as agent for the Superintendent of Documents. See section 2 of this specification to obtain copies of documents, referenced herein. Price 70 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
O-P-99B	PARADICHLOROBENZENE, TECHNICAL

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 EDITION OF 1 OCT 76 IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:12Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for submitting comments and suggestions for improvements. All users of military standardization documents are invited to p suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)* mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorizati to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

NO P
NEC
IF M
IN
UNITE

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

Commander
Armament Research and Development Center
US Army Armament, Munitions and Chemical Command
ATTN: DRSMC-TSC-S(A)
Aberdeen Proving Ground, MD 21010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:12Z
Check the source to verify that this is the current version before use.