MIL-P- 13761 (Ord)
8 November 1954
SUPERSEDING
WTVPD 102
17 December 1952

MILITARY SPECIFICATION
PACKAGING OF PARTS FOR LINKER, POWERED, 20MM., M16

1. SCOPE

1.1 This specification covers the cleaning, preservation, packaging and packing of Parts for Linker, Powered, 20MM., M16 for domestic and overseas shipment and storage.

2. APPLICABLE DOCUMENTS

2.1 The following specifications, standard and drawings of the issue in effect on the date of invitation for bids, form a part of this specification:

SPECIFICATIONS

Federal:

NN-B-591 - Boxes, Fiberboard, Wood, Cleated (for Domestic Shipment).
NN-B-621 - Boxes; Wood, Nailed and Lock Corner.
NN-B-631 - Boxes; Wood, Wirebound (for Domestic Shipment).
PPP-B-601 - Boxes; Wood, Cleated, Plywood.
UU-T-111 - Tape; Paper, Gummed (Sealing and Securing).
UU-T-116 - Tape; Paper, Gummed, Water-Resistant.
PPP-B-601 - Boxes; Wood, Cleated-Plywood.
PPP-B-676 - Boxes; Set-Up, Paperboard.

Military:

JAN-P-100 - Packaging and Packing for Overseas Shipment — General Specification.
JAN-P-106 - Boxes; Wood, Nailed (Overseas Type).
MIL-B-107 - Boxes, Wood, Wirebound (Overseas Type).
JAN-P-108 - Boxes, Fiberboard, Corrugated and Solid (Military Type).
MIL-P-116 - Preservation, Methods of.
JAN-P-120 - Packaging and Packing for Overseas Shipment — Cartons, Folding, Paperboard.
JAN-P-125 - Packaging and Packing for Overseas Shipment — Barrier-Materials, Waterproof, Flexible.
JAN-P-138 - Packaging and Packing for Overseas Shipment — Boxes, Wood, Fiberboard-Lined.
MIL-A-140 - Adhesive, Water-Resistant, Waterproof Barrier-Material.
MIL-L-644 - Lubricating-Oil, Preservative, Special.
MIL-P-3420 - Packaging Materials, Volatile Corrosion Inhibitor Treated.
MIL-L-10547 - Liners, Case, Waterproof.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STANDARDS
MILITARY:
MIL-STD-129 - Marking for Shipment and Storage.

DRAWINGS
ORDNANCE CORPS
(See Table I)

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

2.2 Other publications.- The following documents form a part of this specification. Unless otherwise indicated, the issue in effect on the date of invitation for bids shall apply:

Consolidated Freight Classification Ratings, Rules and Regulations

(Application for copies shall be addressed to the Consolidated Classification Committee, 202 Chicago Union Station, Chicago 6, Ill.)

3. REQUIREMENTS

3.1 Methods and procedures.

3.1.1 The methods and procedures used in cleaning, preserving, and packaging of parts shall conform to the requirements of this specification and Specification MIL-P-116. The operational procedures described herein for the cleaning, preserving and packaging of spare parts shall be accomplished with a minimum of delay between steps.

3.2 Cleaning.

3.2.1 All metallic parts and assemblies shall be cleaned by Method C-5 as specified in Specification MIL-P-116.

3.2.2 Individual parts which make up an assembly shall be cleaned before assembling and thereafter shall be subject to a minimum of handling.

3.2.3 Parts, which are impractical to clean immediately before preserving, shall be cleaned at the most suitable point, provided that the parts can be adequately protected from contamination or corrosion in the interval between cleaning and preserving.

3.2.4 Gloves shall be used as necessary to prevent fingerprint contamination occuring while handling the parts.

3.3 Drying.- Immediately after cleaning, all parts and assemblies shall be dried by any applicable method as outlined in Specification MIL-P-116.

3.4 Preservation.

3.4.1 For domestic shipment, immediate use.- Parts shall be preserved with VCI barrier-material as specified in 3.5.3.1 through 3.5.3.2.

3.4.2 For domestic shipment, limited storage.- Not applicable to this specification.

3.4.3 For overseas shipment and domestic shipment, extended storage.- Preservative oil shall be applied as soon as possible after the cleaning and drying operations. Unless otherwise specified, each part shall be completely coated with oil, conforming to Specification MIL-L-644, (see table I and note at end of table).

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

3.4.3.1 Care shall be exercised to protect the preservative oil from contamination by shop dirt and dilution by the cleaning solvents. Replacement of the oil and cleaning of the tank shall be made whenever contamination is found. As a precautionary measure preservative oil tanks shall be covered when not in use.

3.4.4 All parts shall be preserved by dipping, except when the size, shape, or composition of the part makes it impracticable. The parts shall be immersed in a manner that will allow all trapped air to escape.

3.4.4.1 All parts shall be completely drained. Draining may be accellerated by heating the preservative oil to a temperature not to exceed 120° F.

3.4.4.2 The preservative oils or compounds shall not be applied to non-metallic parts of assemblies, such as those made of wood, rubber, leather, cork, fabric, and plastic.

3.4.5 Parts shall then be preserved with VCI barrier-material as specified in 3.5.3.1 through 3.5.3.2.

3.5 Packaging.

3.5.1 For domestic shipment, immediate use.- Parts shall be packaged as specified in 3.5.3.1 through 3.5.4.2.1.

3.5.2 For domestic shipment, limited storage.- Not applicable to this specification.

3.5.3 For overseas shipment and domestic shipment, extended storage.

3.5.3.1 Unless otherwise specified, all parts and assemblies shall be packaged or wrapped in unit packages, with VCI material conforming to Specification MIL-P-3420. The VCI coated side of the material shall be next to the part being wrapped. All projections or sharp edges or corners shall be protected sufficiently with moldable VCI material to prevent damage to either the part or the package.

3.5.3.2 Unless otherwise specified, each single preserved part, or a multiple of nested, tiered or stacked parts shall be completely wrapped with a moldable barrier-material that is VCI coated in accordance with Specification MIL-P-3420 prior to packaging. Small parts that will not tear a bag, such as pins, screws and washers can be packaged loosely in bags lined as specified in 3.5.4.1.

3.5.4 Unit package.- The quantity of identical parts in the unit package shall be in accordance with table I, or as specified by the procuring agency. The type of container to be used for the unit package is determined by the nature of the part or parts to be packaged. The size of the unit package shall closely conform to the size of the contents without excessive waste space. Materials and procedures used in making unit packages shall comply with the following methods:

3.5.4.1 Bag method application.- The bag or envelope method shall be used for small parts which can be packaged conveniently without the likelihood of damaging or rupturing the bag. Parts without individual wrapping shall be packaged in a bag. The bag shall be lined with a light duty VCI coated material conforming to Specification MIL-P-3420. Parts which are wrapped in a moldable VCI material in order to prevent rupturing the bag shall be packaged also in a bag. (See table I.)

3.5.4.2 Carton and box application.- Items that may damage a bag or require special protection, shall be completely wrapped and packaged in containers conforming to Specifications JAN-P-120, JAN-P-108, or PPP-B-676. The item or items shall be properly cushioned to prevent any movement within the container. The cushioning materials shall be neutral and non-absorbent, or VCI treated materials.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

3.5.4.2.1 Cartons.- Items weighing approximately 5 pounds or less shall be packaged in cartons, conforming to Specifications JAN-P-120 or PPP-B-676. All flaps shall be sealed with 60 pound Kraft gummed tape conforming to Specification UU-T-111. The cartons shall be overwrapped with barrier-material conforming to Specification JAN-P-125, and all seams sealed with waterproof adhesive conforming to Specification MIL-A-140.

3.5.5 Intermediate package.- Unit packages of like items shall be overpacked in intermediate packages as specified. The contents of the intermediate package shall fit snugly in the container and shall be cushioned, if necessary to prevent movement and damage in transit. The quantity of identical parts included in the intermediate package shall be in accordance with table I. Unless otherwise specified, the total gross weight of an intermediate package shall not exceed 20 pounds. Intermediate containers shall conform to Specification JAN-P-108, with closure being made by sealing all seams with water-resistant tape conforming to Specification UU-T-116.

3.6 Packing.

3.6.1 Exterior container.- All unit packages and intermediate packages shall be overpacked in exterior containers for shipment. The gross weight of the domestic and overseas shipping container and contents shall not exceed 150 pounds.

3.6.1.1 Multipacks.- Multiple packing of two or more non-identical parts together in an exterior container shall be permitted when it is advantageous for the shipment, provided the unit packages of like items are packaged as an intermediate package and marked accordingly. Only line items belonging to the same SNL group will be included in a multipack. The gross weight of a multipack for overseas shipment will not exceed 100 pounds, and the size shall not exceed 4 cubic feet. The exterior container will comply with overseas requirements. Containers for multipacks for domestic shipment will be light weight, economical containers capable of making single trip shipments without damage to the inclosed packages. Two packing lists are required for multipack packing: one list shall be placed inside the container, the other in a waterproof envelope secured to the end of the container and covered by a packing list protector.

3.6.1.2 For domestic shipment, immediate use.- Parts preserved and packaged as specified in paragraphs 3.4.1 and 3.5.1 shall be packed in commercial containers of the type, size and kind commonly used for the purpose in such a manner as to insure acceptance by common carrier and safe delivery at destination. Containers shall conform with the Consolidated Freight Classification Rules and Regulations of the other carriers as applicable with the mode of transportation.

3.6.1.3 Domestic shipment and storage.- Unless otherwise specified, domestic shipping containers for extended storage shall conform to Specifications NN-B-591, NN-B-621, NN-B-631 or PPP-B-601, (Domestic Type).

3.6.1.4 For overseas shipment and domestic shipment, extended storage.- Exterior containers for overseas shipment shall conform to Specifications JAN-P-106, MIL-B-107, MIL-P-138, or PPP-B-601, (Overseas Type). When specified, overseas containers shall be lined with a sealed waterproof bag constructed from material conforming to Specification JAN-P-125. Case-liners shall conform to Specification MIL-L-10547. Case-liners are not necessary when the intermediate package (or unit package when no intermediate package is required) is a fiberboard box conforming to Specification JAN-P-108, with all seams sealed with water-resistant tape conforming to Specification UU-T-116. The bag liner shall be constructed to form a size slightly larger than the interior dimensions of the container. All seams and joints, including the closure, shall be sealed with adhesive, water-resistant, case liner conforming to Specification MIL-A-140. Necessary precautions shall be taken to prevent the puncturing of the bag-liner when packing or driving nails into the container. All overseas exterior

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

containers shall be strapped and stapled in accordance with the applicable specifications.

3.6.1.5 Cushioning.- Contents which do not completely fill the shipping container shall be immotilized, cushioned, blocked or braced to prevent damage to the contents or to the container.

3.7 Marking.

3.7.1 Unit and intermediate packages.- Identification shall be placed on outside surfaces in accordance with Standard MIL-STD-129. Waterproof ink shall be used. When labels are used, they shall be affixed with water-resistant adhesive and covered with a waterproof transparent material. Identification shall be as follows:

STOCK NUMBER
NOMENCLATURE AND DRAWING NO.
QUANTITY
MAJOR ITEM
PACKAGED BY (name and address of contractor, or installation symbol, as applicable.)
CONTRACT OR ORDER NO.
DATE PACKAGED
METHOD OF PRESERVATION (including VCI code no. and type of preservative used.)

EXAMPLE:

B021-7312614
Spring, Clamp B7312614
10
Rifle, U.S.Cal 30, M1
John Doe Co., Springfield, Mass.
DA 19-028-ORD-2
Date Packaged 6/53
VCI - Code E1

3.7.2 Shipping containers.- Marking of domestic and overseas shipping containers by contractors shall be in accordance with Standard MIL-STD-129.

3.7.3 Special marking.

3.7.3.1 For domestic shipment, immediate use.

3.7.3.1.1 Unit and intermediate packages.- In addition to the requirements of 3.7.1, the following special marking shall be placed on each unit or intermediate package:

PACKAGED FOR IMMEDIATE USE

3.7.3.1.2 Shipping container.- In addition to the requirements of 3.7.2, the following special marking shall be stencilled on the shipping container:

PACKED FOR IMMEDIATE USE

3.7.3.2 For domestic shipment, limited storage.- Not applicable to this specification.

3.7.3.3 For overseas or domestic shipment, extended storage.

3.7.3.3.1 Unit and intermediate packages.- In addition to the requirements of 3.7.1, the following special marking shall be placed on the unit and intermediate package:

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

PACKAGED FOR EXTENDED STORAGE

3.7.3.3.2 Shipping container.- In addition to the requirements in 3.7.2, the following shall be placed on the shipping container:

PACKED FOR EXTENDED STORAGE

3.7.3.4 Overseas shipment.- The following additional marking applicable to overseas shipment only shall be applied to exterior containers by both depots and contractors.

3.7.3.4.1 Ordnance symbol (flaming bomb) will be stenciled on the same surface immediately adjacent to the oversea address. The symbol will be of a size commensurate with the size of the oversea address.

3.7.3.4.2 SNL Group of the item will be stenciled on the sides of the container adjacent to the service color corner marking. The size of the stencil will be commensurate with the size of the service color marking.

3.8 Pilot pack.- Pilot packs shall be submitted to the government inspector to determine conformance with this specification.

3.9 Shipping documents.- Army shipping documents DAGO Form 450 and Material Inspection and Receiving Report DD 250 shall state level of packaging and special marking.

3.10 Workmanship.- Workmanship shall be such that when the proper procedure is followed, the material being processed will receive maximum protection during shipment and prolonged periods of storage and will require minimum treatment for service or further storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling.- Samples of any materials not furnished by the Government used in compliance with this specification and completed packs shall be selected as deemed necessary by the Government inspector for inspection and tests.

4.2 Inspection.- All methods and materials shall be subject to inspection.

4.3 Tests.- At the discretion of the Government inspector, sample packs shall be tested in accordance with Specification MIL-P-116, and the container shall be tested in accordance with Specification JAN-P-100.

5. PREPARATION FOR DELIVERY

5.1 (Not applicable to this specification.)

6. NOTES

6.1 Ordering data.- Procurement documents shall specify the following:

(a) Title, number and date of this specification.
(b) Level of packaging required.

6.2 Definitions.

6.2.1 Domestic shipment for immediate use.- An item may be packed for domestic shipment, immediate use, when the end use of the item is known, and previous arrangements are made between shipping and using installations within the continental United States to place the item into service within 21 days or packing date.

6.2.2 Packaging.-Packaging includes the cleaning, preserving, protecting, and marking of all items inside the shipping container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

6.2.3 Packing.- Packing includes the insertion of intermediate package or packaged items into a shipping container, and the application of bracing, blocking, cushioning and waterproof liners, when required. Packing is completed with the final closure, strapping and marking of the shipping container.

6.2.4 Pack.- A pack is the shipping container completely packed, closed, marked, and ready for shipment.

Patent notice:

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Ordnance Corps.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

TABLE I

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT PACKAGE QTY. (Parts)	METHOD	INTERM. PKG.QTY. (Parts)
A071-7312244	C7312244	Arm, Overload, Release	1	IC-2	8
	C7312506	Arm, Overload, Release Assembly	1	IC-2	6
	C7231551	*Base, Assembly	1	I	0
A071-7265461	A7265461	Belt	1	III	20
A071-7312251	A7312251	Belt, Commercial	1	III	20
	A7162050	Block, Cover Handle	2	IA-8	100
A071-7312253	A7312253	Block, Vibrator Pin	2	IA-8	100
	C7231487	Body, Ammunition Tray Bracket Support	1	IC-2	6
	A7231378	Body, Ammunition Tray, Top	1	IA-8	40
	D7231537	*Body, Base	1	IC-2	0
	C7231494	Body, Clutch Shaft, Gear	1	IC-2	4
A083-7231374	A7231374	Body, Ejector	1	IC-2	100
	B7231453	Body, Ejector Holder, Long	1	IA-8	28
	B7231454	Body, Ejector Holder, Short	1	IA-8	44
	D7231539	*Body, Feed Wheel Support	1	IC-2	0
	B7231452	*Body, Hand Wheel Shaft Bracket	1	IC-2	28
	D7231591	Body, Link Chute, Left	1	IC-2	6
	D7231590	Body, Link Chute, Right	1	IC-2	8
	D7231538	*Body, Loading Wheel Shaft, Bracket, Center	1	IC-2	4
	C7231534	*Body, Loading Wheel Shaft, Bracket, Rear	1	IC-2	6
	C7231493	Body, Loading Wheel Shaft, Support, Front	1	IC-2	6
	A7231375	Body, Pusher Connector	1	IA-8	18
	B7231455	Body, Pusher, Long	1	IA-8	22
	B7231456	Body, Pusher, Short	1	IA-8	36
	C7231488	*Body, Pusher, Slide	1	IC-2	12
	B7231457	Body, Vibrator, Lower	2	IA-8	108
	B7231458	Body, Vibrator, Upper	2	IC-2	108
	A7312254	Boss, Vibrator Arm	6	IA-8	600
	C7231504	*Bottom, Link Chute	1	IC-2	0
	A7231380	Bracket, Ammunition Tray	2	IA-8	360
A083-7231498	C7231498	*Bracket, Ammunition Tray, Front	2	IA-8	18
	A7231407	*Bracket, Ammunition Tray, Rear	2	IA-8	150
A083-7231546	B7231546	*Bracket Clutch	1	IC-2	2
A083-7231467	B7231467	*Bracket, Clutch Throwout	1	IA-8	28
A083-7231553	C7231553	*Bracket, Geneva	1	IC-2	6
A083-7231550	B7231550	*Bracket, Handwheel	1	IC-2	24
A083-7231499	C7231499	*Bracket, Loading Wheel Guide	1	IC-2	12
A083-7231485	B7231485	*Bracket, Loading Wheel Guide Stop	1	IA-8	30
A083-7231497	C7231497	*Bracket, Motor Base	1	IC-2	8
A083-7231414	A7231414	*Bushing, Ammunition Tray Support, Rear	1	IC-2	24
A071-7312265	A7312265	Bushing, Clutch Throwout Rod End	8	IA-8	600
A071-7312268	A7312268	Bushing, Grip, Commercial	8	IA-8	180

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT QTY.	PACKAGE METHOD	INTERM. PKG.QTY.
A083-7231428	A7231428	*Bushing, Pusher, Slide, Rear	2	IA-8	64
A071-7312270	A7312270	Bushing, Slide, Connector Rod, Large	6	IA-8	600
A071-7312271	A7312271	Bushing, Slide, Connector Rod, Small	6	IA-8	600
A071-7312266	A7312266	Bushing, Slide Crank Shaft (Lower) Bushing Drive Pulley	2	IA-8	100
A071-7312274	A7312274	Button, Locking	4	IA-8	600
A071-7265465	A7265465	Cable, Electric	1	III	0
A071-7312277	B7312277	Cam, Vibrator	2	IC-2	8
A083-7231592	C7231592	*Chute, Link Assembly	1	I	0
A071-7312279	B7312279	Clutch	1	IC-2	4
A071-7312280	A7312280	Collar, Drive Shaft	2	IA-8	160
A083-7231439	A7231439	*Collar, Feed Wheel, Movable Guide Spring	2	IA-8	120
A071-7312282	A7312282	Collar, Slide, Connecting Rod, Large	2	IA-8	200
A071-7312281	A7312281	Collar, Slide, Connecting Rod, Small	2	IA-8	300
	B7231463	Cover	1	IA-8	28
A083-7231508	D7231508	Cover, Guard Assembly	1	I	0
A083-7231415	A7231415	Crank, Geneva Clutch Shaft	2	IA-8	36
A071-7312288	B7312288	Crank, Hand	1	IC-2	20
A083-7231500	C7231500	Crank, Pusher	1	IC-2	12
	B7231603	Ejector, Long, Assembly	1	IC-2	22
	B7231604	Ejector, Short, Assembly	1	IC-2	36
	A7312291	Elbow, Conduit, 1-1/2 inch	1	IA-8	80
	A7312292	End, Clutch Throwout Rod, L.H.	6	IA-8	450
	A7312293	End, Clutch Throwout Rod, R.H.	6	IA-8	450
A071-7312331	A7312331	End, Clutch Throwout Rod, L.H.Assy.	6	IA-8	360
A071-7312332	A7312332	End, Clutch Throwout Rod, R.H.Assy.	6	IA-8	360
A071-7312294	A7312294	End, Push Rod	6	IA-8	360
A083-7231599	C7231599	*Feed, Ammunition Assembly	1	I	0
A071-7161945	A7161945	Fitting, Alemite, Straight	6	IA-8	600
A071-7161946	A7161946	Fitting, Elbow Lubricating	6	IA-8	600
A083-7312306	A7312306	Gear, Bevel, Hand Wheel (Large)	2	IA-8	16
A083-7312307	A7312307	Gear, Bevel, Hand Wheel (Small)	1	IA-8	70
A071-5910127	A5910127	Gear, A7312306, A7312307(Matched Set)	1	IA-8	0
A083-7231596	B7231596	Gear, Clutch	1	IC-2	4
A083-7231477	B7231477	Gear, Clutch Shaft, Bevel	1	IA-8	32
A083-7231459	B7231459	Gear, Feed Wheel Shaft	1	IC-2	8
A083-7231460	B7231460	Gear, Loading Wheel Shaft	1	IC-2	8
A083-7231478	B7231478	Gear, Pusher Crank, Bevel	1	IA-8	16
A083-7231507	C7231507	Guard, Handwheel	1	IC-2	16
	C7231495	Guard, Loading Wheel, De-linking	2	IC-2	12
A083-7231496	C7231496	Guard, Pusher	2	IC-2	8
A083-7231540	A7231540	*Guide, Locking, Ammunition(Welded)	2	IA-8	36
A083-7231525	B7231525	*Guide, Feed Wheel, Movable,Front	1	IA-8	28
A083-7231526	B7231526	*Guide, Feed Wheel, Movable, Rear	1	IA-8	28

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT QTY.	PACKAGE METHOD	INTERM. PKG.QTY.
A083-7231520	B7231520	*Guide, Feed Wheel, Stationary, Front	1	IA-8	8
A083-7231519	B7231519	*Guide, Feed Wheel, Stationary, Rear	1	IA-8	40
A083-7231521	B7231521	*Guide, Loading Wheel, Clip	1	IA-8	90
A083-7231491	C7231491	*Guide, Loading Wheel, De-linking	1	IC-2	4
A083-7231598	C7231598	*Guide, Loading Wheel, De-linking Assy.	1	IC-2	0
A083-7231523	B7231523	*Guide, Loading Wheel, Center, Linking	1	IA-8	24
A083-7231518	B7231518	*Guide, Loading Wheel, Linking	1	IA-8	24
A083-7231597	C7231597	*Guide, Loading Wheel, Linking Assy.	1	IC-2	0
A083-7231449	B7231449	*Guide, Loading Wheel, Center, De-linking	1	IA-8	20
A083-7231450	B7231450	*Guide, Loading Wheel, Front, De-linking	1	IA-8	20
A083-7231522	B7231522	*Guide, Loading Wheel, Front, Linking	1	IA-8	24
A083-7231492	C7231492	*Guide, Loading Wheel, Rear, De-linking	1	IA-8	14
A083-7231524	B7231524	*Guide, Loading Wheel, Rear, Linking	1	IA-8	18
A083-7231451	B7231451	*Guide, Loading Wheel, Rear Plate, Linking	1	IA-8	20
A083-7231383	A7231383	*Hammer, Link Chute Vibrator	2	IA-8	120
	B7231469	*Handle, Base	2	IC-2	32
A071-7161967	A7161967	Handle, Crank	2	IA-8	32
A071-7312321	A7312321	Handle, Guard	2	IA-8	72
	A7162051	Handle, Guide, Loading Wheel, De-linking	1	IA-8	110
A083-7231466	B7231466	Handle, Loading Wheel, Shaft Adj., Screw	1	IA-8	20
A071-7312323	B7312323	Hand Wheel	1	IC-2	20
A083-7231544	B7231544	Holder, Extractor, Ammunition (Long)	2	IA-8	24
A083-7231542	A7231542	Holder, Extractor, Ammunition (Short)	2	IA-8	44
A083-7231543	B7231543	*Housing, Assembly	1	IC-2	8
A083-7231476	B7231476	*Hub, Feed Wheel	1	IC-2	18
A071-7312325	B7312325	Hub, Geneva	1	IC-2	12
A083-7231390	A7231390	*Insert, Disintergrating Belt	1	IA-8	12
	C7231506	*Insert, Link Chute, Left	1	IC-2	0
	C7231505	*Insert, Link Chute, Right	1	IC-2	0
A083-7231433	A7231433	Key, Geneva, Hub	6	IA-8	600
A083-7231434	A7231434	Key, Handwheel, Shaft	6	IA-8	600
A083-7231432	A7231432	Key, Loading, Wheel	4	IA-8	240
A083-7231403	A7231403	Key, Woodruff, 7/32 x 1.00	6	IA-8	600
A083-7231431	A7231431	*Knob, Loading Wheel, Pull Pin	6	IA-8	600
A071-7312336	A7312336	Knob, Locking	6	IA-8	600
A071-7162044	A7162044	Latch, Cover	5	IA-8	300
A083-7231475	B7231475	Lever, Clutch	1	IC-2	4
A083-7231479	B7231479	Lever, Clutch Throwout Drive	1	IA-8	8
A071-7312341	B7312341	Lever, Overload Release Roller	1	IA-8	36
A083-7231474	B7231474	Lever, Pusher Crank, Vibrator	1	IA-8	40
A071-7237743	A7237743	Motor, Electric	1	IC-2	0
A071-7312345	A7312345	Nut, Loading Wheel Cover	2	IA-8	200
A071-7312348	A7312348	Pin, Clutch Throwout, Rod, End	6	IA-8	600
A083-7231427	A7231427	Pin, Ejector	6	IA-8	600
A083-7231443	A7231443	Pin, Lever, Vibrator Cam, Pusher, Crank	6	IA-8	180
A083-7231425	A7231425	Pin, Loading Wheel, Guide, Stop, Latch	2	IA-8	32
A083-7231430	A7231430	Pin, Loading Wheel, Shaft, Adjusting Screw, Handle, Pull	6	IA-8	600
A071-7312353	A7312353	Pin, Offset, Vibrator, Spring	6	IA-8	600

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT PACKAGE QTY.	METHOD	INTERM. PKG.QTY.
A071-7312352	A7312352	Pin, Vibrator	6	IA-8	600
A083-7231391	A7231391	Pinion, Drive	2	IC-2	40
	A7231379	Plate, Ammunition Tray, Top, Guide	1	IA-8	600
	A7312327	*Plate, Arrow Rotation	1	IA-8	600
A083-7231481	B7231481	Plate, Assembly	1	IC-2	6
A083-7231588	A7231588	*Plate, Instruction	1	IA-8	450
A083-7231471	B7231471	Plate, Loading Wheel, Guide	2	IA-8	20
A083-7231388	A7231388	*Plate, Loading Wheel, Guide, Stop Bracket	1	IA-8	70
A083-7231461	B7231461	*Plate, Motor Switch	2	IA-8	40
A083-7231587	A7231587	*Plate, Name	10	IA-8	250
	A7312359	Plate, Warning	4	IA-8	80
A071-7312360	A7312360	Plug, 2 Wire, Cord, Grip	10	III	160
	C7312361	Pulley, Drive	1	IC-2	0
A071-7312434	C7312434	Pulley, Drive Assembly	1	IC-2	0
A071-7312362	A7312362	Pulley, Vari-Speed	4	IC-2	0
A083-7231545	B7231545	Pusher, Long	2	IA-8	18
A083-7231541	A7231541	Pusher, Short	2	IA-8	32
	C7231490	*Rail, Link Chute, Left	1	IC-2	18
	C7231489	*Rail, Link Chute, Right	1	IC-2	18
A071-7312364	B7312364	Ring, Overload Release	1	IC-8	14
A083-7231408	A7231408	*Rod, Clutch Shifter	6	IA-8	144
A083-7231547	B7231547	Rod, Connecting, Slide Assembly	1	IA-8	18
A083-7231440	A7231440	*Rod, Connecting, Vibrator, Pusher Crank	6	IC-2	96
A083-7231384	A7231384	*Rod, Vibrator Tie	6	IA-8	300
A083-7231376	A7231376	Roller, Clutch Shaft, Geneva Crank	4	IA-8	180
A071-7312370	A7312370	Roller, Overload Release	2	IA-8	450
	A7312371	Roller, Vibrator Cam	2	IA-8	450
A071-7312249	A7312249	Roller, Vibrator Cam, Assembly	6	IA-8	360
A071-7312374	A7312374	Screw, Cover, Latch	6	IA-8	600
A083-7231413	A7231413	Screw, Loading Wheel, Shaft Adj.	2	IC-2	18
A083-7231586	A7231586	*Screw, Wing	2	IA-8	450
A083-7231371	A7231371	*Shaft, Ammunition, Tray, Front Bracket	2	IA-8	8
A083-7231480	B7231480	Shaft, Clutch	1	IC-2	8
A083-7231501	C7231501	Shaft, Drive Pulley	2	IC-2	8
A083-7231503	C7231503	Shaft, Feed Wheel	1	IC-2	4
A083-7231373	A7231373	*Shaft, Feed Wheel, Movable, Guide	2	IA-8	16
A083-7231372	A7231372	*Shaft, Feed Wheel, Stationary, Guide	2	IA-8	40
A083-7231473	B7231473	Shaft, Handwheel	2	IC-2	18
A083-7231370	A7231370	Shaft, Link, Chute	2	IA-8	36
A083-7231502	C7231502	Shaft, Loading Wheel	1	IC-2	0
A083-7231472	B7231472	Shaft, Pusher, Crank	2	IA-8	48
A083-7231605	B7231605	*Shield, Loading Wheel, Assembly	1	IC-2	6
A083-7231435	A7231435	Shim, Loading Wheel, Shaft, Geneva	10	IA-8	600
A083-7231424	A7231424	Shoe, Clutch, Shifter	6	III	240
	C7231536	Side, Left, Link Chute Assembly	1	IC-2	8
	C7231535	Side, Right, Link Chute Assembly	1	IC-2	8
A083-7231470	B7231470	*Sleeve, Loading Wheel, Guide De-linking	2	IA-8	12
A083-7231465	B7231465	Sleeve, Loading Wheel, Guide, Linking	2	IA-8	24
A083-7231387	A7231387	*Slide, Pusher	1	IA-8	32

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT QTY.	PACKAGE/ METHOD	INTERM. PKG.QTY.
	A7312295	Socket, Push Rod	6	IA-8	600
A083-7231404	A7231404	*Spacer, Feed Wheel, Stationary, Guide	2	IA-8	100
A083-7231385	A7231385	*Spacer, Link, Chute, Shaft	4	IA-8	64
A083-7231394	A7231394	*Spacer, Loading Wheel, Guide	4	IC-2	60
A083-7231395	A7231395	*Spacer, Loading Wheel, Guide	2	IC-2	50
A083-7231396	A7231396	*Spacer, Loading Wheel, Guide	4	IA-8	160
A083-7231382	A7231382	*Spacer, Loading Wheel, Guide	4	IC-2	108
A083-7231397	A7231397	*Spacer, Loading Wheel, Guide	4	IA-8	108
A071-7312386	A7312386	Spacer, Loading Wheel, Guide Screw Latch	6	IA-8	600
A083-7231399	A7231399	*Spacer, Loading Wheel, Guide, Stud	4	IA-8	96
A083-7231392	A7231392	*Spacer, Loading Wheel, Guide, Stud	6	IA-8	216
A083-7231381	A7231381	*Spacer, Loading Wheel, Guide, Stud De-linking	6	IA-8	300
A083-7231398	A7231398	*Spacer, Loading Wheel, Guide, Stud, Linking	6	IA-8	600
A083-7231426	A7231426	Spacer, Loading Wheel, Shaft, Ball Bearing	4	IA-8	80
A083-7231412	A7231412	*Spacer, Loading, Wheel, Shaft, Support, Front	2	IA-8	200
A083-7231438	A7231438	*Spacer, Spring	6	IA-8	600
A083-7231441	A7231441	*Spring, Ejector	6	IA-8	600
A083-7231400	A7231400	*Spring, Extension	6	IA-8	300
A071-7312390	A7312390	Spring, Link Chute, Latch	4	IA-8	600
A083-7231442	A7231442	*Spring, Pull, Pin, Loading Wheel	6	IA-8	600
A071-7312391	A7312391	Spring, Overload Release	4	IA-8	600
A083-7231436	A7231436	*Spring, Torsion	4	IA-8	600
A083-7231437	A7231437	*Spring, Torsion	4	IA-8	600
A071-7312389	A7312389	Spring, Vibrator	4	IA-8	600
A083-7231445	B7231445	Sprocket, Feedwheel, Hub, Front	4	IC-2	16
A083-7231444	B7231444	Sprocket, Feedwheel, Hub, Rear	2	IA-8	18
A083-7231448	B7231448	Sprocket, Loading Wheel, Center	1	IC-2	6
A083-7231446	B7231446	Sprocket, Loading Wheel, Link, Retainer, Front	4	IC-2	16
A083-7231447	B7231447	Sprocket, Loading Wheel, Link, Retainer, Rear	4	IC-2	16
A083-7231532	B7231532	*Strip, Base, Ammunition, Guide, De-linking, Front	4	IA-8	32
A083-7231530	B7231530	*Strip, Base, Ammunition, Guide, De-linking, Rear	4	IA-8	36
A083-7231529	B7231529	*Strip, Base, Ammunition, Guide, Left, Front	4	IA-8	24
A083-7231531	B7231531	*Strip, Base, Ammunition, Guide, Left, Rear	4	IA-8	32
A083-7231527	B7231527	*Strip, Base, Ammunition, Guide, Right, Front	4	IC-2	16
A083-7231528	B7231528	*Strip, Base, Ammunition, Guide, Right, Rear	4	IC-2	16
A083-7231389	A7231389	Stud, Ammunition, Tray, Support	6	IA-8	180
A083-7231418	A7231418	Stud, Clutch Shaft, Geneva Roll	4	IA-8	360
A083-7231409	A7231409	Stud, Clutch, Shifter Block	4	IA-8	600

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.

STOCK NUMBER	DRAWING NO.	NOMENCLATURE	UNIT QTY.	PACKAGE METHOD	INTERM. PKG.QTY.
A071-7162041	A7162041	Stud, Crank	2	IA-8	90
A083-7231405	A7231405	*Stud, Feedwheel Support, Long	6	IA-8	216
A083-7231406	A7231406	*Stud, Feedwheel Support, Short	6	IA-8	360
A083-7231464	B7231464	Stud, Loading Wheel, Guide, Hinge	1	IA-8	8
A083-7231410	A7231410	*Stud, Loading Wheel, Guide, Delinking	4	IA-8	72
A083-7231462	B7231462	*Stud, Loading Wheel, Guide, Linking	4	IA-8	16
A071-7312333	A7312333	Stud, Loading Wheel, Guide, Locking Cover (Assembly)	4	IA-8	360
	A7312396	Stud, Locking, Cover	4	IA-8	360
A071-7312397	A7312397	Stud, Overload Release, Roller	4	IA-8	600
A071-7312398	A7312398	Stud, Overload Release, Spring	4	IA-8	600
	A7306462	Stud, Push, Rod, End	6	IA-8	600
A083-7231429	A7231429	Stud, Pusher, Connecting Rod	4	IA-8	112
A083-7231401	A7231401	Stud, Pusher, Crank, Vibrator, Spring	6	IA-8	600
A071-7312402	A7312402	Stud, Vibrator Cam, Roller	4	IA-8	600
A083-7231402	A7231402	*Stud, Vibrator, Spring	6	IA-8	600
A083-7231552	C7231552	*Support, Ammunition, Loading	1	I	0
A083-7231484	B7231484	Support, Loading Wheel, Shaft, Front	1	IC-2	18
A083-7231411	A7231411	Support, Pusher, Slide	1	IA-8	32
A083-7231482	B7231482	Support, Tray, Loading, Assembly	1	IC-2	4
A071-7312405	A7312405	Switch, Electric	1	IC-2	12
A083-7237603	C7237603	*Table, Motor	1	IC-2	8
A083-7231533	D7231533	*Tray	1	I	0
A083-7231548	B7231548	*Vibrator, Lower	2	IC-2	80
A083-7231549	B7231549	*Vibrator, Upper	2	IC-2	96
A071-7312414	A7312414	Washer, Handwheel, Shaft	6	IA-8	240
A083-7231417	A7231417	Washer, Thrust	4	IA-8	240
A071-7312415	A7312415	Washer, Thrust, Handwheel, Large	4	IA-8	600
A071-7312416	A7312416	Washer, Thrust, Handwheel, Small	4	IA-8	600
A071-7312418	A7312418	Washer, Vibrator	6	III	600
A083-7231483	B7231483	Wheel, Loading, Rear	1	IC-2	0
A083-7231486	C7231486	Wheel, Geneva	1	IC-2	0
A083-7231468	B7231468	*Bracket, Clutch Throwout	1	IA-8	24

NOTE: Parts marked with an asterisk (*) and packaged Method I shall be preserved with Type P-4 compound. Parts marked with as asterisk (*) and packaged Method IA-8 or IC-2 shall be preserved with Type P-2 compound. (See Table I, MIL-P-116.) Non-ferrous metal parts shall not be preserved with VCI material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:15Z
Check the source to verify that this is the current version before use.