A-A-50695
March 27, 1992
SUPERSEDING
MIL-D-4562(USAF)
March 16, 1981

COMMERCIAL ITEM DESCRIPTION

DIES, THREADING, DIE HEAD

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-D-4562(USAF) which is canceled.

Abstract:

This CID covers self-opening dies complete with adjustable and removable dies of such design and construction as to operate on hand turret lathes.

Salient Characteristics:

1. Design. The die head and dies shall be new and of the manufacturer's commercial design in effect on the date of the solicitation, and shall meet the requirements specified herein and conform to current industrial practices.

2. Die head. The die head shall accommodate four thread dies and have provisions to securely hold the dies in proper position for threading, and shall be readily and easily adjustable to obtain proper pitch diameter, and shall be removable to allow die changes. Provisions shall be made to automatically open the dies at a predetermined length of thread. A manually operated device for opening the dies by hand shall also be provided. The length and diameter of the die head shank, and the maximum outside diameter of the die head, shall be as specified in the contract.

Beneficial comments, recommendations, additions, deletions clarifications, etc. and any data which may improve this document should be sent to: WR-ALC/LZMD, Robins AFB, GA 31098-5365

AMSC N/A FSC 5136

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:46Z
Check the source to verify that this is the current version before use.

3. Dies. Dies shall be capable of threading to within one thread from a shoulder without seriously marring the face of the shoulder. Dies shall be suitably hardened and tempered to cut consistent, smooth, well-defined NPT, ANPT or straight threads in the sizes and material as specified in the contract.

4. Set. One set of dies shall consist of the number of dies required for use in a die head to cut one size of thread.

5. Interchangeability. All parts shall be manufactured to such standards that will permit replacement or adjustment without modification of the tool assembly.

6. Marking. All dies shall be marked with their thread series and size. Marking shall be legible and permanent.

Contractor certification.

The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this CID, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

Responsibility for inspection.

Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections, examinations, or tests set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:46Z
Check the source to verify that this is the current version before use.

Responsibility for compliance.
All items shall meet all requirements of salient characteristics paragraphs. The inspection set forth in this description shall become a part of the contractors' overall inspection system or quality program. The absence of any inspection requirements in the description shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

Sampling inspection. As a minimum sampling inspection, the supplier shall randomly select the number of samples in Table I that is applicable to the quantity of items being purchased. Each sample item shall be inspected to determine conformance with the test. Should any of the sample items fail to meet the test below, the entire lot shall be considered defective and unsuitable for acceptance. A lot is defined as all items presented at one time for acceptance.

TABLE I. Sampling plan.

Quantity of items being purchased	Sample size
2 to 8	1
9 to 15	2
16 to 25	3
26 to 50	5
51 to 90	7
91 to 150	10

Test. Each selected die head shall be tested under actual conditions using a set of dies selected at random from the dies to be supplied on the order or contract. Cutting tests shall be conducted on the materials for which the dies have been specified in the order or contact, and be capable of producing consistent, smooth, well-defined threads through ten consecutive operations.

Preservation, packaging, packing, and marking. Preservation packaging, packing, labeling, and marking shall be as specified in the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:46Z
Check the source to verify that this is the current version before use.

Notes.

Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

a. Title, number, and date of this CID.

b. Series and size of dies required.

c. Length and diameter of the shank.

d. Maximum outside diameter of the die head.

e. Material to be threaded.

f. Type of preservation, packaging, packing, and marking required.

MILITARY INTEREST:
Custodian

Air Force - 99

CIVIL AGENCY COORDINATION ACTIVITY:
GSA-FSS

PREPARING ACTIVITY

Air Force - 84


AGENT

Air Force - 99

Project 5136-F045

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:46Z
Check the source to verify that this is the current version before use.

The illustration shown is for the convenience of identification, requisitioning, and purchasing, and is not intended to preclude the purchase of die heads or chasers which are otherwise in accordance with the requirements of this specification.



Source: https://assist.dla.mil -- Downloaded: 202610-26T08:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-50695	2. DOCUMENT DATE (YYMMDD) 92-03-27

3. DOCUMENT TITLE
DIES, THREADING, DIE HEAD

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE *(Include Area Code)* (1) Commercial	(2) AUTOVON
Robins Air Force Base	(912)926-2074	468-2074
c. ADDRESS *(Include Zip Code)* WR-ALC/LZMD Robins AFB, GA 31098-5365	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:46Z
Check the source to verify that this is the current version before use.