MIL-C-915F
AMENDMENT 2
14 March 1988
SUPERSEDING
MIL-C-915F
INT. AMENDMENT 1(SH)
29 May 1986

MILITARY SPECIFICATION

CABLE AND CORD, ELECTRICAL,
FOR SHIPBOARD USE,
GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-P-915F, dated 18 June 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2.1: Delete and substitute:

"1.2.1 Watertight, nonflexing service. Cable and cord types for watertight, nonflexing service are as follows:

Unarmored	Armored		
Electronic, communication and instrumentation:			
Type MSPW	---	59 conductors (8 shielded pairs, 3 shielded triads, 34 shielded singles)	
TSP	TSPA	11 and 31 pairs	300 V "

AMSC N/A PSC 6145
DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:56Z
Check the source to verify that this is the current version before use.

1.2.3: Delete and substitute:

"1.2.3 Non-watertight, nonflexing service. Cable and cord types for non-watertight, non-flexing service are as follows:

	Unarmored	Armored	
Electronic, communication and instrumentation:			
Type MSP	—		59 conductors (8 shielded pairs, 3 shielded triads, 34 shielded singles)
1PR-A20E	—		One twisted pair
1PR-16	—		One twisted pair
7PR-16	—		Seven twisted pairs
2SPR-16	—		Two shielded twisted pairs
3PR-16	—		Three twisted pairs
1Q-16	—		Twisted quad
1TR-16	—		Twisted triad
7SPR-16S	—		Seven shielded twisted pairs with overall shield
1SPR-16	—		One shielded twisted pair "

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:56Z
Check the source to verify that this is the current version before use.

1.2.4: Delete and substitute:

"1.2.4 Non-watertight flexing service. Cable and cord types for non-watertight flexing service are as follows:

Power and lighting:

Unarmored	Armored		
Type CVSF	—	Four conductors (3-#3 and 1-#5 AWG)	600 V
JAS	—	Four conductors (2-#250 and 2-#6 AWG)	600 V
THOF	—	Three conductors, sizes 3 through 600 AWG	600 V
TRF	—	Single conductor	600 V
TRXF	—	Single conductor	125 V

Control:

Type MHOF		Seven through 61 conductors	600 V

Electronic, communication and instrumentation:

Type SSS	—	Five conductors (4 singles and one shielded single) with overall shield	600 V
DLT	—	Four conductors	300 V "

Table IV, footnote 1: Add:

"Other strand construction employing the same or greater total number of wires are acceptable if approved by NAVSEA."

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:56Z
Check the source to verify that this is the current version before use.

PAGES 31 and 32

TABLE XIII: Delete and substitute:

"TABLE XIII. Qualification samples and groups.

Qualification test		
Group number	All tests specified in the applicable specification sheet (type and size)	Types comprising the group 1/
1	DLT	DLT
2	TPUM-6	TPUM
3	MCSF-4	MCSF
4	DSS-3	All sizes of DSS, TSS, FSS, 5SS, and 7SS
5	S2S	S2S
6	DSWS	DSWS
7	MWF-24	All sizes of MWF
8	2SWF-7	All sizes of 1SWF and 2SWF
9	MSPW	MSP, MSPW
10	TSP-11	All sizes of TSP
11	JAS	JAS
12	CVSF-4	CVSF-4, THOF-400, THOF-500
13	1PR-A20E	1PR-A20E
14	2SPR-16	1PR-16, 7PR-16, 2SPR-16, 3PR-16, 1Q-16, 1TR-16, 7SPR-16S and 1SPR-16

1/ Includes all sizes and variations of the cable type."

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:56Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Navy - SH
Air Force - 85

Review activities:
Army - CR, ER
Navy - EC
Air Force - 99
DLA - IS

User activities:
Army - ME, AR, AL
Navy - CG

Preparing activity:
Navy - SH
(Project 6145-1063)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:56Z
Check the source to verify that this is the current version before use.