INCH-POUND

MIL-R-6371B (USAF)
AMENDMENT 1
24 November 1989

MILITARY SPECIFICATION

REGULATORS, DILUTER DEMAND OXYGEN,
PRESSURE BREATHING, TYPE A-14

This amendment forms a part of MIL-R-6371B (USAF), dated 20 September 1984, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete "2.1" entirely and add: "2.1 Government documents".

Add: 2.1.1 Specifications and standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Under SPECIFICATION, Federal, delete "PPP-T-60" entirely.

Under SPECIFICATION, Military, delete "MIL-L-25142", entirely.

Delete address on lines 3 and 4 of beneficial comments block and add: "Oklahoma City Air Logistics Center/MMEOR, Tinker AFB, OK 73145-5990".

PAGE 2

Under STANDARDS, Military, delete "MIL-STD-143", "MIL-STD-794", "MIL-STD-831" entirely; add: "MIL-STD-970 Specifications and Standards of Order of Precedence For The Selection of" and "MIL-STD-2073/1A DOD Material Procedures For Development and Application of Packaging Requirements".

Add source statement: "(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099.)"

Add: "2.1.2 Other Government documents, drawings, and publications. The following other Governments, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation."

Air Force Drawing

8148650 Document - Cleaning, Inspection And Packaging of Breathing Oxygen Equipment

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:58Z
Check the source to verify that this is the current version before use.

8988994 Luminescent Material, Fluorescent

(Copies of Air Force drawing are available from OC-ALC/MMDDOS, Tinker AFB, OK 73145-5990).

Air Force - Navy Aeronautical

AN315 Nut, Plain, Airframe

(Copies of Air Force - Navy Aeronautical are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099.)"

Delete "2.2" entirely and add:

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents are not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2)."

American Society For Testing And Materials (ASTM)

ASTM D3951 Packaging, Commercial

(Applications for copies should be address to: ASTM, 1916 Race St, Philadelphia, PA 19103.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Delete "3.1" entirely and add: "3.1 First article inspection. When specified, a sample shall be subjected to first article inspection (see 6.3) in accordance with 4.3."

3.2 Line 3 delete "MIL-STD-143" and add: "MIL-STD-970".

PAGE 4

Figure 1 delete "MIL-L-25142" and add: "AF8988994".

PAGE 5

Figure 2 delete "MIL-L-25142" and add: "AF898894".

PAGE 9

3.8 Line 2 delete "MIL-L-25142" and add: "Air Force Engineering Drawing 8988994."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:58Z
Check the source to verify that this is the current version before use.

Add: "4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material."

Delete "4.2" "a" and "b" and add new: "4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).

b. Quality conformance inspection (see 4.4).

PAGE 10

Delete "4.3" entirely and add new: "4.3 First article inspection."

Delete "4.3.2" entirely.

4.4 Line 1 delete "test" and add "inspection" in two (2) places.

PAGE 11

Delete "4.5" entirely and add: "4.5 Inspection conditions. Unless otherwise specified, all inspections shall be performed in accordance with the test conditions specified in this specification."

PAGE 14

Delete Section 5 entirely and add the following:

"5. PACKAGING

5.1 Preservation. Unless otherwise specified by the contracting activity the regulator shall be level A, C, or Industrial, IAW MIL-STD-2073-1.

5.1.1 Level A.

5.1.1.1 Cleaning. Cleaning shall be accomplished in accordance with Air Force Engineering Drawing 8148650 or Industry Practice for Liquid Oxygen (LOX) Service. Petroleum Derivative Solvents shall not be used.

5.1.1.2 Preservation Application. Preservative shall not be used.

5.1.1.3 Unit Packaging. Each regulator shall be packaged in quantity unit packs of one each in accordance with method IA of MIL-P-116.

5.1.2 Level C. Each regulator shall be provided preservation which will afford adequate protection against corrosion, deterioration, and physical damage during

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:58Z
Check the source to verify that this is the current version before use.

shipment from the supply source to the first receiving activity. This level may conform to the supplier's industrial practice.

5.2 Packing. Packing shall be level A, B, C, or Industrial as specified (see 6.2).

5.2.1 Level A. Regulators preserved as specified in 5.1.1 shall be packed in exterior type weather resistant shipping containers.

5.2.2 Level B. Regulators preserved as specified in 5.1.1 shall be packed in domestic type shipping containers.

5.2.2.1 Closure. All containers shall be closed, sealed, and reinforced in accordance with the applicable container specification.

5.2.3 Level C. Packing shall be applied which affords adequate protection during domestic shipment from the supply source to the first receiving activity for immediate use. This level shall conform to applicable carrier rules and regulations.

5.2.4 Industrial. The packaged Regulator shall be packed in accordance with ASTM D3951.

5.3 Marking. Each unit and shipping container shall be marked in accordance with MIL-STD-129. In addition, the following precautionary marking shall be required on each unit package and shipping container:

Oxygen components - All oil, grease, shop residue, or other contaminants have been removed.

Do not open until ready for use."

PAGE 15

Delete "6.2" entirely and add: "6.2 Acquisition requirements. Acquisition documents must specify the following:".

Add: "6.2.d Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1)".

6.3 Line 3 delete "(MMEDO)" and add: "(MMEOR)".

6.4 Concluding material.

Custodian:
AIR FORCE -99

Preparing Activity:
AIR FORCE -71

Reviewer
AIR FORCE -11

Project 1660-F602

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:58Z
Check the source to verify that this is the current version before use.