MILITARY SPECIFICATION

FUZE, PROXIMITY, DISPENSER FMU-140/B

This amendment forms a part of MIL-F-85744(AS), dated 4 March 1987, and is approved for use by the Naval Air Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, under STANDARDS, MILITARY: Add:

"MIL-STD-2000 Standard Requirements for Soldered Electrical and Electronic Assemblies"

2.1.1, under MIL-STD-45662: Add:

"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from DODSSP - Customer Service, Standardization Documents Order Desk, 700 Robbins Avenue, Bldg. 4D, Philadelphia, PA 19111-5094.)"

PAGE 3

2.1.2, under 1472AS400: Add:

"(Copies of Naval Air Systems Command drawings are available from the Naval Air Technical Services Facility (NATSF) (Code 312), 700 Robbins Avenue, Philadelphia, PA 19111-5097.)"

2.1.2, under PUBLICATIONS: Delete "Naval Air Systems Command (Code Ident 30003), WS-6536" and its title in its entirety.

2.1.2, under 49 CFR 171-178: Delete in its entirety:

"(Copies of standards, drawings, and publications, required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)"

2.1.2, under 49 CFR 171-178: Add:

"(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)"

PAGE 10

3.3.2.2, line 2: Delete "WS-6536" and substitute "MIL-STD-2000."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:28Z
Check the source to verify that this is the current version before use.

PAGE 16

4.3.2.1, line 2: Delete "280" and substitute "1,000."

4.3.2.2, lines 3 and 4: Delete "(see 4.3.2.2.1)" and substitute "shall be in accordance with MIL-STD-105 and."

4.3.2.2.1: Delete in its entirety.

PAGE 17

4.3.2.3b: Delete in its entirety and substitute:

"b. Classified characteristics shall be inspected by characteristic using MIL-STD-105, general inspection level II, single sampling plan, and acceptable quality levels (AQLs) MAJOR .65 and CRITICAL .065."

PAGE 27

6. NOTES, below: Add:

"(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

PAGE 28

6.2.2: Delete in its entirety and substitute:

"6.2.2 Consideration of data requirements. The following data requirements should be considered when this specification is applied on a contract. The applicable Data Item Descriptions (DID's) should be reviewed in conjunction with the specific acquisition to ensure that only essential data are requested/provided and that the DID's are tailored to reflect the requirements of the specific acquisition. To ensure correct contractual application of the data requirements, a Contract Data Requirements List (DD Form 1423) must be prepared to obtain the data, except where DOD FAR Supplement 227.405-70 exempts the requirement for a DD Form 1423.

Reference Paragraph	DID Number	DID Title	Suggested Tailoring
4.2, 4.3	DI-NDTI-80566	Test plan	---
4.1.1	DI-NDTI-80809A	Test/inspection reports	10.2.7, only
4.4	DI-MISC-80678	Certification/data report	---
5.2.1	DI-MISC-80043	Ammunition data card	---

The above DID's were those cleared as of the date of this specification The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control List (AMSDL), must be researched to ensure that only current, cleared DID's are cited on the DD Form 1423."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:28Z
Check the source to verify that this is the current version before use.

6.5: Delete "Fuzes (ordnance), Proximity fuzes, FMU 140/B dispenser proximity fuze," and "Dispenser weapons" and substitite:

"Air velocity sensor
Catapult and arrested landing
Explosive output
Safety precautions"

Preparing activity:
Navy - AS

(Project 1325-N147)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:28Z
Check the source to verify that this is the current version before use.