MIL-P-85766(AS)
AMENDMENT 1
31 January 1991

MILITARY SPECIFICATION

PROJECTILE, 20 MILLIMETER, TARGET PRACTICE-TRACER
PGU-30/B

This amendment forms a part of MIL-P-85766(AS), elated 12 August 1986, and is approved for use by the Naval Air Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, last line, after “solicitation,” add “(see 6.2.1).”

2.1.1, under “MIL-STD-1235” add

“(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)”

PAGE 3

2.1.2, under “1575AS405” add

“(Copies of Naval Air Systems Command drawings are available from the Naval Air Technical Services Facility (NATSF) (Code 312), 700 Robbins Avenue, Philadelphia, PA 19111-5097.)”

2.1.2, under “Department of the Army,” delete “DI1075203” and substitute “D11075203."

2.1.2, under “D11075203,” add

“D11075245 Production Check Standards

(Copies are available from the Department of the Army, U.S. Army Information System Command (ASQNC-APP OPP-P), Picatinny Arsenal, NJ 07806-5000.)”

2.1.2, under “US Army Material Command, "below “AMCR 715-505," delete
“(Copies of specifications, standards, drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the Contracting activity or as directed by the contracting activity.)” and substitute
“(Copies are available from the Commander, USAISC-Letter Kenny, Attn: ASQ-NC-DL-OIP, Chambersburg, PA 17201-4186.)”

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

Delete existing paragraph "2.2 Other publications" in its entirety and substitute

"2.2 Non-Government publications. The following document(s) form a part of this " document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2.1)."

"2.2, under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)" delete "ASTM B117-64" and substitute "ASTM B117."

2.2, under "(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)" add

"(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)"

3.3.2.1, third line, delete "serrated."

3.3.2.3.1, second line, delete "1575AS401" and substitute "1575AS402."

Delete existing paragraph 3.3.2.3.2 in its entirety and substitute

"3.3.2.3.2 Paint coating. The paint coating shall be in accordance with the applicable requirements of Drawing 1575AS402. Exterior paint adhesion shall be in --- accordance with applicable requirements of TT-C-490. Unsatisfactory adhesion shall be Indicated by the exposure of base metal or underlying phosphate in any of the following conditions:

a. any area exceeding 0.090 square inch
b. more than one area exceeding 0.045 square inch
c. more than five areas of 0.021 square inch"

3.3.2.3.3, third line, after "fog," add "for a minimum of 24 hours."

4.1, third line, after "requirements," add "(examinations and tests)."

4.1, ninth line, delete "assure" and substitute "ensure."

4.1.1, first line, delete "must" and substitute "shall."

4.1.1, fifth line, delete "assuring" and substitute "ensuring."

4.1.1, seventh and eighth lines, delete "Sampling in quality conformance" and substitute "Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this _ _."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

AMENDMENT 1

PAGE 7

4.4.1.2, delete the second sentence "Each packed lot of closure discs and each packed lot of nose caps shall be identified in accordance with MIL-STD-1168 and MIL-STD-1169."

PAGE 9

Delete existing "TABLE II" in its entirety and substitute

"TABLE II. Body projectile (see Drawing 1575AS404).

Categories and defects	Method of inspection
CRITICAL:	
NONE DEFINED	
MAJOR:	
101. Diameter bourrelet minimum	Gage
102. Length, mouth to rear of rotating band seat maximum	Gage
103. Overall length, maximum	Gage
104. Depth rotating band seat, knurling, minimum	Visual/Gage 1/
105. Perforation or fracture in tracer cavity	Visual
106. Depth tracer cavity	Gage
107. Runout tracer cavity with datum	Gage
108. Depth metering disc seat	Gage
109. Runout, metering disc seat with datum	Gage
MINOR:	
201. Length to rear edge of rotating band seat, minimum	Gage
202. Hidth rotating band seat, minimum	Gage 1/
203. Foreign matter	Visual
204. Diameter rotating band seat knurled	Gage

PAGE 10

In Table III under "Major," delete "102. Diameter bourrelet" and substitute "102. Diameter body rear of rotating band, minimum," in 103, delete "band" and substitute "band, overall," and add "11O. Runout, body rear of rotating band Gage."

PAGE 11

In Table IV, under "Minor," delete "203. Length, 0.326 inch Gage."

In Table V, under "l. Ferrous metal discontinuity," add "(before phosphate and paint)."

In Table V, under "Major," delete "102. Diameter bourrelet, minimum Gage."

In Table V, under "Major," delete numbers "103, 104, 105, 106, 107, 108" and "109" and renumber "102, 103, 104, 105, 106, 107" and "108" respectively.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

Delete existing Table XI in its entirety and substitute

"TABLE XI. Lot acceptance test.

Test	Sample size	Item	Requirement paragraph
Metal parts security 1/	250	Projectile assembly	3.2.1.1
Band tightness 2/	315	Projectile assembly 1575AS402 or body, projectile assembly 1575AS403	3.3.2.1
Soundness verification 3/	315	Body	3.3.2.2
Automatic inspection 4/	---	PCS No. 1	3.3.2.2
Paint adhesion 5/	13	Projectile Assembly	3.3.2.3.2
Corrosion Resistance 6/	32	Projectile Assembly	3.3.2.3.3

"

Delete existing 3/ in its entirety and substitute
"3/ If ferrous metal discontinuity in excess of Production Check Standard (PCS) No. of Drawing 11075245 (excluding knurled surfaces) is found in any unit of the sample " as witnessed by the test of 4.5.4.4, the lot shall be rejected."

Delete existing 5/ in its entirety.

Delete "6/" and "7/" and renumber "5/" and "6/" respectively.

4.5.4, second line, delete "DI1075203" and substitute "D11075203."

4.5.4.1, second line, delete "B725945," and substitute "D11075245 for PCS No. 1,

4.5.4.2, second line, delete "011075203" and substitute D11075203."

4.5.5.1, at the end of the last sentence, add another sentence "Failure of the phosphate coating on the standard panels to comply with the applicable requirements shall be cause for rejection of all assemblies phosphate since the preceding test."

4.5.5.2, last line, delete "recorded as a defect" and substitute "evaluated in accordance with 4.5.5.3."

4.5.5.4, second line, delete "ASTM 6117-64" and substitute "ASTM B117."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.

Below “6. NOTES,” add “(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)”

6.2.1, add “e. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced, (see 2.1.1 and 2.2).”

Delete existing paragraph “6.2.2 Data requirements” in its entirety and substitute

“6.2.2 Consideration of data requirements. The following data requirements should be considered when this specification is applied on a contract. The applicable Data Item Descriptions (DID’s) should be reviewed in conjunction with the specific acquisition to ensure that only essential data are requested/provided and that the DID’s are tailored to reflect the requirements of the specific acquisition. To ensure correct contractual application of the data requirements, a Contract Data Requirements, List (DD Form 1423) must be prepared to obtain the data, except where DOD FAR Supplement 27.475-1 exempts the requirement for a DO Form 1423.

Reference Paragraph	DID Number	DID Title	Suggested Tailoring
3.5	DI-SAFT-80102	Safety assessment report	---
4.3, 4.4.4	DI-NDTI-80566	Test plan	---
4.3, 4.4.4	DI-T-2072	Reports, test	---
5.4	DI-MISC-80043	Ammunition data card	---

The above DID’s were those cleared as of the date of this specification. The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control List (AMSDL), must be researched to ensure that only current, cleared DID’s are cited on the DD Form 1423.”

Add new paragraphs 6.7 and 6.8 as shown:

“6.7 Intermediate point inspection. The classification of defects Identifies the characteristics (among other things) for acceptance inspection. It may be necessary to modify the sequence of inspection stations to best suit the manufacturing process. Inspection for defect characteristics which will be hidden or altered by subsequent processing operations (including unrelated operations), should be scheduled to prevent premature acceptance which could be detrimental to the attainment of optimum product quality in the end item.”

“6.8 Safety precautions. The loading, assembly, and handling of the explosive subassemblies, and the finished items covered by this specification, involve hazardous operations and therefore require suitable explosive safety precautions. Standard safety precautions for explosive-loaded items are contained in DOD 4145.26M.”

Delete existing “6.7” and renumber “6.9”

6.9, delete “PGU-30B,” “Projectiles,” “Tracer (ordnance),” and “20 mill imeter.”

Preparing Activity:
Navy - AS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:29Z
Check the source to verify that this is the current version before use.