A-A-50206A
February 18, 1988
SUPERSEDING
A-A-50206
May 3, 1983

COMMERCIAL ITEM DESCRIPTION

RULERS, DRAFTING, ADJUSTABLE CURVE

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-R-3471.

This description covers adjustable curve rulers intended for use in drawing smooth, regular, and irregular curved lines with a ruling pen, or drafting pencil.

Salient characteristics:

Design: The rulers shall be as shown in figure 1 and as specified herein. The edges of the ruler shall provide a smooth firm guide for a ruling pen and drafting pencil. The rulers shall be capable of being adjusted to form any smooth, irregular, or regular curve desired, and shall remain in a set position indefinitely without attaining a permanent set.

Classification: Rulers shall be of the following types and lengths, as specified.

Type I - rubber edge.

Length - 15 inches
Length - 31 inches

Type II - metal edge.

Length - 15 inches
Length - 20 inches
Length - 25 inches
Length - 30 inches

Type III - plastic edge.

Length - 12 inches
Length - 18 inches
Length - 24 inches
Length - 30 inches

AMSC N/A FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.


Type I. Type I rulers shall be constructed with a soft metal core between two strips of flexible spring steel encased in an outer covering of natural or synthetic rubber. The end of the ruler shall be protected with corrosion resisting metal ferrules or clips.

Type II. Type II rulers shall consist of a soft metal bar encased in a corrosion-resisting metal coil. A flexible, corrosion-resisting metal ruling edge shall be attached to the coil by corrosion-resisting metal clips.

Type III. Type III rulers shall be constructed from a perforated and slotted, rectangular strip of elastomer material which supports a flexible plastic ruling edge and maintains set curves by means of a soft metal rod inserted opposite the ruling edge.

Material: Metal - The metal shall be corrosion resistant or coated to be made corrosion resistant.

Part number. The document part number for rulers, drafting, adjustable curve shall be as follows:



Regulatory requirements: The offeror/contractor is encouraged to use recovered materials in accordance with Publication 94-580 to the maximum extent practicable.

Packaging and marking: Military packaging shall be specified when shipments are to overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for shipments to DoD consignees within the Continental United States and to non-DoD consignees worldwide. When a supplier's normal packaging will satisfy the requirements for military packaging, it may be used.

Military packaging: The rulers shall be preserved and packed to protect against physical damage and deterioration in a logistic environment characterized by the following:

1. Multiple handling during transportation and in-transit storage.
2. Shock, vibration, and static loading forces during worldwide shipment by all transport modes.
3. Uncontrolled warehouse storage for extended periods.
4. Weather exposure during shipment and in-transit transfers.
5. Stacking loads during shipment and storage.

Quantities of rulers destined to a single addressee may be unitized into one or more unit loads, except only rulers of like description shall be contained within the same container.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:40Z
Check the source to verify that this is the current version before use.

Commercial: Each ruler shall be packaged in accordance with the supplier's normal method for retail distribution. Individually packaged rulers shipped to a single destination may be unitized to permit handling as a single unit. Shipping containers shall comply with Uniform Freight Classification or National Motor Freight Classification rules.

Marking: Unit, intermediate (when provided), and exterior packs shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract number as a minimum; additional marking shall be as specified in the contract or order. Exterior packs shall have in additon the complete consignees's address. Markings shall be applied in a legible manner, in a contrasting color, of an appropriate size, and of waterproof materials.

Quality assurance. The adjustable curve rulers shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Design not as specified.
2. Type not as specified.
3. Length not as specified.
4. Material not as specified.
5. Packaging and marking not as specified.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Small business. A small business that cannot meet the certification-of-commercial-item requirement of this document, may make an offer under this solicitation; and, if such small business is the apparent successful offeror, the Government may require the small business to submit a sample adjustable curve ruler. Any such ruler may be evaluated for this solicitation if time to contract award permits. Such evaluation would be to determine conformance to all requirements of this commercial item description and to determine equivalency to adjustable curve rulers available in the commercial marketplace in the areas of durability, human factors engineering, and safety. It should be noted that samples are not required unless specifically requested by the contracting officer. Note. The Government may elect not to evaluate a sample from an apparent low offerer for award for this solicitation if a determination of urgency is made by the contracting officer. The sample would then be evaluated prior to future solicitation for comparable items.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Notes:

1. Figure. The figure shows the basic designs for adjustable curve rulers which have been found acceptable; however, the figure is for illustration only and is not intended to preclude the furnishing of other designs which conform to the salient characteristics.
2. When the commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.
3. The ordering activity shall specify type and length required.

MILITARY INTERESTS:

Custodians

Army - ME
Air Force - 99

Review Activity

Air Force - 82

User Activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:


GSA - FCGC

PREPARING ACTIVITY:


Army - ME

Project 6675-0808


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.



Type I



Type II



Type III

FIGURE 1. Adjustable curve rulers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.