MIL-C-48315(PA)
24 January 1974

# MILITARY SPECIFICATION

# COVER

## 1. SCOPE

1.1 Scope. This specification covers requirements, quality assurance provisions and the preparation for delivery criteria for one type of cover, used on the MADM system.

## 2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

MILITARY

| | | |
|---|---|---|
| MIL-P-116 | - | Preservation, Methods of |

STANDARDS

MILITARY

| | | |
|---|---|---|
| MIL-STD-105 | - | Sampling Procedures and Tables for Inspection by Attributes. |
| MIL-STD-1168 | - | Lot Numbering of Ammunition |
| MIL-STD-1169 | - | Packaging, Packing and Marking for Shipment of Inert Ammunition Components. |

DRAWINGS

PICATINNY ARSENAL

| | | |
|---|---|---|
| 8861174 | - | Cover |
| 8808362 | - | Packing and Marking for Storage and Shipments |
| 8880586 | - | Carton, Packing, Ammunition for Cover, Plastic |

FSC 1135

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

## 3. REQUIREMENTS

3.1 Materials. The contractor shall furnish objective evidence (see 6.2) that the material complies with the specifications listed on the applicable drawing.

3.2 Assembly. The cover shall comply with all requirements specified on the drawing(dwg) 8861174, with all requirements specified herein, and with the requirements of all applicable specifications to the extent specified on the drawing and herein.

3.3 Workmanship.

3.3.1 Plastic and metal characteristics. All components shall be free from cracks, splits, cold flow, shrinkage, cold shuts, inclusions, porosity, or any similar characteristic.

3.3.2 Burrs. - Parts shall be free from burrs.

3.3.3 Foreign matter. - Parts shall be free from chips, dirt, grease, rust, corrosion, or any embedded foreign material.

3.3.4 Cleaning. - The cleaning method shall not be injurious to any of the parts, nor shall the parts be contaminated by the cleaning agent.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 First article inspection. - Not applicable.

4.3 Quality conformance inspection.

4.3.1 Lot formation.

4.3.1.1 Production lot. A lot shall consist of parts and assemblies produced by one manufacturer in one unchanged process, in accordance with the same drawing, same drawing revision, same specification and same specification revision. Drawing, specification and process changes not affecting safety, performance, storage, or interchangeability, as determined by the Government, shall not necessitate changing the lot interfix number. The criteria and procedures for the assignment of lot numbers shall be in accordance with MIL-STD-1168.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

4.3.1.2 Inspection lot. - A lot or batch and its formation, size, and presentation is described in MIL-STD-105, Section 5. Accordingly, a lot shall mean an inspection lot and a batch shall mean an inspection batch for the purpose of this specification. The manner in which each inspection lot or batch is to be presented and identified by the contractor, shall be designated or approved by the Government representative.

4.3.2 Product inspection examination. - Critical characteristics shall require 100 percent inspection of all items in the inspection lot. A sample shall be selected at random from each inspection lot in accordance with the applicable major or minor characteristic table (see Table I and Table II), and inspected for all characteristics in the applicable classification. Any characteristics in the sample found to be defective shall reject the inspection lot. Sequence for the inspection of characteristics in each classification need not be followed as long as all characteristic inspections are performed.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

Table I
Major Characteristics

| Lot Size | Sample Size | Lot Size | Sample Size | Lot Size | Sample Size | Lot Size | Sample Size |
|---|---|---|---|---|---|---|---|
| 1-72 | all | 140-141 | 124 | 256-259 | 177 | 541-549 | 230 |
| 73 | 72 | 142 | 125 | 260-262 | 178 | 550-559 | 231 |
| 74 | 73 | 143-144 | 126 | 263-265 | 179 | 560-569 | 232 |
| 75 | 74 | 145 | 127 | 266-268 | 180 | 570-579 | 233 |
| 76 | 75 | 146-147 | 128 | 269-271 | 181 | 580-590 | 234 |
| 77 | 76 | 148-149 | 129 | 272-275 | 182 | 591-601 | 235 |
| 78 | 77 | 150 | 130 | 276-278 | 183 | 602-613 | 236 |
| 79 | 78 | 151-152 | 131 | 279-282 | 184 | 614-625 | 237 |
| 80 | 79 | 153-154 | 132 | 283-285 | 185 | 626-637 | 238 |
| 81-82 | 80 | 155-156 | 133 | 286-289 | 186 | 638-649 | 239 |
| 83 | 81 | 157 | 134 | 290-293 | 187 | 650-662 | 240 |
| 84 | 82 | 158-159 | 135 | 294-296 | 188 | 663-676 | 241 |
| 85 | 83 | 160-161 | 136 | 297-300 | 189 | 677-690 | 242 |
| 86 | 84 | 162-163 | 137 | 301-304 | 190 | 691-704 | 243 |
| 87 | 85 | 164-165 | 138 | 305-308 | 191 | 705-719 | 244 |
| 88-89 | 86 | 166-167 | 139 | 309-312 | 192 | 720-735 | 245 |
| 90 | 87 | 168 | 140 | 313-316 | 103 | 736-751 | 246 |
| 91 | 88 | 169-170 | 141 | 317-320 | 194 | 752-768 | 247 |
| 92 | 89 | 171-172 | 142 | 321-324 | 195 | 769-785 | 248 |
| 93 | 90 | 173-174 | 143 | 325-329 | 196 | 786-804 | 249 |
| 94-95 | 91 | 175-176 | 144 | 330-333 | 197 | 805-823 | 250 |
| 96 | 92 | 177-178 | 145 | 334-338 | 198 | 824-842 | 251 |
| 97 | 93 | 179-180 | 146 | 339-342 | 199 | 843-863 | 252 |
| 98 | 94 | 181-182 | 147 | 343-347 | 200 | 864-884 | 253 |
| 99-100 | 95 | 183-184 | 148 | 348-352 | 201 | 885-907 | 254 |
| 101 | 96 | 185-187 | 149 | 353-356 | 202 | 908-930 | 255 |
| 102 | 97 | 188-189 | 150 | 357-361 | 203 | 931-955 | 256 |
| 103 | 98 | 190-191 | 151 | 362-366 | 204 | 956-981 | 257 |
| 104-105 | 99 | 192-193 | 152 | 367-372 | 205 | 982-1008 | 258 |
| 106 | 100 | 194-195 | 153 | 373-377 | 206 | 1009-1036 | 259 |
| 107 | 101 | 196-197 | 154 | 378-382 | 207 | 1037-1066 | 260 |
| 108-109 | 102 | 198-200 | 155 | 383-388 | 208 | 1067-1098 | 261 |
| 110 | 103 | 201-202 | 156 | 389-393 | 209 | 1099-1131 | 262 |
| 111 | 104 | 203-204 | 157 | 394-399 | 210 | 1132-1166 | 263 |
| 112-113 | 105 | 205-207 | 158 | 400-405 | 211 | 1167-1204 | 264 |
| 114 | 106 | 208-209 | 159 | 406-411 | 212 | 1205-1243 | 265 |
| 115 | 107 | 210-212 | 160 | 412-417 | 213 | 1244-1285 | 266 |
| 116-117 | 108 | 213-214 | 161 | 418-424 | 214 | 1286-1330 | 267 |
| 118 | 109 | 215-217 | 162 | 425-430 | 215 | 1331-1378 | 268 |
| 119 | 110 | 218-219 | 163 | 431-437 | 216 | 1379-1429 | 269 |
| 120-121 | 111 | 220-222 | 164 | 438-443 | 217 | 1430-1483 | 270 |
| 122 | 112 | 223-224 | 165 | 444-450 | 218 | 1484-1542 | 271 |
| 123-124 | 113 | 225-227 | 166 | 451-457 | 219 | 1543-1605 | 272 |
| 125 | 114 | 228-230 | 167 | 458-465 | 220 | 1606-1673 | 273 |
| 126-127 | 115 | 231-232 | 168 | 466-472 | 221 | 1674-1747 | 274 |
| 128 | 116 | 233-235 | 169 | 473-480 | 222 | 1748-1827 | 275 |
| 129-130 | 117 | 236-238 | 170 | 481-488 | 223 | 1828-1914 | 276 |
| 131 | 118 | 239-241 | 171 | 489-496 | 224 | 1915-2010 | 277 |
| 132-133 | 119 | 242-243 | 172 | 497-504 | 225 | 2011-2115 | 278 |
| 134 | 120 | 244-246 | 173 | 505-513 | 226 | 2116-2232 | 279 |
| 135-136 | 121 | 247-249 | 174 | 514-521 | 227 | 2233-2361 | 280 |
| 137 | 122 | 250-252 | 175 | 522-530 | 228 | over 2361 | 298 |
| 138-139 | 123 | 253-255 | 176 | 531-540 | 229 | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

Table II
Minor Characteristics

| Lot Size | Sample Size | Lot Size | Sample Size | Lot Size | Sample Size | Lot Size | Sample Size |
|---|---|---|---|---|---|---|---|
| 1-16 | all | 28-29 | 23 | 52-56 | 31 | 132-156 | 39 |
| 17 | 16 | 30-31 | 24 | 57-62 | 32 | 157-191 | 40 |
| 18 | 17 | 32-34 | 25 | 63-69 | 33 | 192-244 | 41 |
| 19-20 | 18 | 35-36 | 26 | 70-76 | 34 | 245-334 | 42 |
| 21 | 19 | 37-40 | 27 | 77-86 | 35 | 335-519 | 43 |
| 22-23 | 20 | 41-43 | 28 | 87-97 | 36 | 520-1120 | 44 |
| 24-25 | 21 | 44-47 | 29 | 98-112 | 37 | over 1120 | 45 |
| 26-27 | 22 | 48-51 | 30 | 113-131 | 38 | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

4.3.2.1 Classification of characteristics (see 3.2). Critical, major and minor characteristics are defined in MIL-STD-105. Inspection shall be conducted as follows:

4.3.2.1.1 Cover (see dwg 8861174)

| Categories | Characteristics | Method of Inspection |
|---|---|---|
| Critical: None defined | | |
| Major: | | |
| | 101. Location of holes | Gage |
| Minor: | | |
| | 201. Overall height (max) | Gage |
| | 202. Length | Gage |
| | 203. Width | Gage |
| | 204. Evidence of poor workmanship | Visual |

4.3.2.1.2 Preparation for delivery (see 5.1)

| Categories | Characteristics | Method of Inspection |
|---|---|---|
| Critical: None defined | | |
| Major: | | |
| | 101. Preservation, packaging, packing and marking in accordance with MIL-P-1169 | Visual |
| Minor: None defined | | |

4.3.2.1.3 Carton, packing, ammunition for cover, plastic (see dwg 8880586 and 5.2)

| Categories | Characteristics | Method of Inspection |
|---|---|---|
| Critical: None defined | | |
| Major: | | |
| | 101. Material (see 3.1) | Visual |
| | 102. Length before packing, min | *Measure |
| | 103. Width before packing, min | *Measure |
| | 104. Objective evidence (see 6.2) for heat seal in accordance with MIL-P-116 | Visual/Manual |
| | 105. Properly packed | Visual |
| | 106. No tear, split, or crack in bag | Visual |

*Measure with suitable **scale**



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

Minor:
201. Marking.....Visual
202. Workmanship(see 3.3).....Visual/Manual

4.3.2.4 Packing and marking for storage and shipments (see dwg 8808362 and 5.2)

| Categories | Characteristics | Method of Inspection |
|---|---|---|
| Critical: None defined | | |
| Major | | |
| | 101. Gross load weight, max..... | *Measure |
| | 102. Contents not tight in package..... | Visual/Manual |
| | 103. Contents not correctly packed..... | Visual/Manual |
| | 104. Package material(see 3.1)..... | Visual |

*Determine weight with suitable scale

| | | |
|---|---|---|
| Minor: | | |
| | 201. Marking..... | Visual |
| | 202. Workmanship(see 3.3)..... | Visual/Manual |

4.3.3 Testing - Not applicable.

4.3.4 Acceptance inspection equipment.

4.3.4.1 Major characteristics and tests. Inspection and testing shall be performed with the acceptance inspection equipment, operating instructions and calibration instructions designed or specified by the contractor. The contractor shall obtain approval of such designs, operating instructions and calibration instructions prior to use on the contract from Commander, Picatinny Arsenal, Dover, New Jersey 07801, ATTN: SARPA-QA-N-I as specified on DI-R-1714 (see 6.1.2).

4.3.4.2 Minor characteristics and tests. The acceptance inspection equipment, operating instructions and calibration instructions used by the contractor for minor classification inspection shall be approved by the Government representative authorized by the procuring agency.

4.4 Test methods. The tolerances specified herein are absolute with no allowance for test equipment inaccuracy. The tolerances used by the manufacturer shall be equal to the absolute tolerances less the accuracy tolerances of the test equipment used.



Source: https://assist.dla.mil -- Downloaded: 20261O-22T19:22Z
Check the source to verify that this is the current version before use.

## 5. PREPARATION FOR DELIVERY

5.1 Production items.
5.1.1 Preservation and packaging. Preservation and packaging shall be level A or C as specified (see 6.1).
5.1.1.1 Level A. The cover shall be preserved and packaged in accordance with instructions contained in MIL-STD-1169.
5.1.1.2 Level C. The cover shall be preserved and packaged in accordance with instructions contained in MIL-STD-1169.

5.1.2 Packing.
5.1.2.1 Levels A and C. The cover shall be packed in accordance with the applicable instructions contained in MIL-STD-1169.

5.1.3 Marking. Marking shall be in accordance with MIL-STD-1169.

5.2 Repair parts.
5.2.1 Preservation and packaging. Preservation and packaging shall be level A or C as specified (see 6.1).
5.2.1.1 Level A . The cover shall be packaged in accordance with Dwg 8880586 and 8808362 using the specified moisture barrier.
5.2.1.2 Level C. The cover shall be packaged in accordance with Dwg 8808362 except that the moisture barrier may be omitted.
5.2.2 Packing.
5.2.2.1 Level A and C. The cover shall be packed in accordance with Dwg 8880586 and 8808362.
5.2.3 Marking. Marking shall be as specified in accordance with 8880586 and 8808362 as applicable.

## 6. NOTES

6.1 Ordering data. Procurement documents should specify the following:
6.1.1 Procurement requirements.
a. Title, number, and date of this specification.
b. Production or Repair Parts.
c. Selection of applicable level of packaging and packing required (see 5.1 and 5.2).



Source: https://assist.dla.mil -- Downloaded: 20261O-22T19:22Z
Check the source to verify that this is the currentversion before use.

6.1.2 Contract data requirements (see 4.3.4.1). Data specified in 4.3.4.1 will be delivered as identified on a numbered DD Form 1664 or specification when specified on a DD Form 1423 incorporated in the contract.

6.2 Objective evidence. Records of contractor quality control and inspections which can be verified.

Custodian:
Army - PA

Preparing Activity:
Army - PA

Project No. 1135-A139



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.

# SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

MIL-C-48315(PA)

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:22Z
Check the source to verify that this is the current version before use.