
MILITARY SPECIFICATION SHEET

TOOL KITS, MECHANICAL MAINTENANCE AND REPAIR: TOOL KIT FOR F-100 ENGINE

This specification sheet is approved for use by the Air Force Acquisition Logistics Division, Directorate of Electronic Support (AFALD/PTS), Gentile AFS, Ohio 45444, Department of the Air Force, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the tool kit described herein shall consist of this document and the latest issue of Specification MIL-T-83507.



NOTES:

1. For drawing notes and metric equivalents see figure 14.
2. Part number MB3507/18-01 includes cabinet and tools.

FIGURE 1. Tool kit for F100 engine.

FSC 5180

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.

(1)	MB3723/18-02	- Tool case assembly
(1)	HX3-234P	- Crimping tool (11851)
(2)	RES810	- Ratchet wrench 1/4" x 5/16" (55719)
(1)	PPC110A	- Long pin punch (55719)
(1)	PPC6A	- Center punch (55719)
(1)	PPC206A	- Starter punch (55719)
(1)	PPC905A	- Blunt end punch (55719)
(1)	PPC205A	- Drift, 6" (55719)
(3)	TM75	- Ratchet, 1/4" drive (55719)
(2)	TMX140	- Extension, 1/4"x1/4"x16" (55719)
(2)	TMX60	- Extension, 1/4"x1/4"x6" (55719)
(2)	TMX2	- Extension, 1/4"x1/4"x2 (55719)
(2)	1250	- Pry bar (55719)
(1)	AW1020K	- Allen wrench set (55719)
(1)	FB325A	- Feeler gage set (55719)
(1)	YA853	- Knife (55719)
(1)	CM3031	- Scribe (55719)
(1)	GAM2	- Steel ruler, 6" (55719)
(1)	PK24	- Putty knife (55719)
(1)	YA116	- Screwdriver, Spiral Ratchet (55719)
(2)	CP3A	- Cotter pin extractor (55719)
(1)	030	- Screwdriver, offset common (55719)
(1)	STO34B	- Screwdriver, offset phillip's (55719)
(1)	46	- Pliers, common (55719)
(1)	E718	- Pliers, offset needlenose (55719)
(1)	96CP	- Pliers, needlenose (55719)
(2)	86	- Dykes (55719)
(3)	61CP	- Duckbills (55719)
(1)	90AP	- Pliers, channel lock (55719)
(2)	196	- Pliers, safety wire (55719)
(2)	OEXB0	- Wrench, 1/4"x1/4" open/box (55719)
(2)	OEX10	- Wrench, 5/16"x5/16" open/box (55719)
(2)	OEX12	- Wrench, 3/8"x3/8" open/box (55719)
(2)	OEX14	- Wrench, 7/16"x7/16" open/box (55719)
(2)	OEX16	- Wrench, 1/2"x1/2" open/box (55719)
(1)	OEX18	- Wrench, 9/16"x9/16" open/box (55719)
(1)	OEX20	- Wrench, 5/8"x5/8" open/box (55719)
(1)	OEX22	- Wrench, 11/16"x11/16" open/box (55719)
(1)	VO1820	- Wrench, 5/8"x9/16" open (55719)
(1)	VO1618	- Wrench, 1/2"x9/16" open (55719)
(1)	RXH1618	- Wrench, 9/16"x9/16" open offset (55719)
(2)	XID1415	- Wrench, 15/64"x7/32" box (55719)
(1)	J1214	- Wrench, 3/16"x1/4" open (55719)
(1)	DS2224	- Wrench, 11/32"x3/8" open (55719)
(1)	XDH1012A	- Wrench, 3/8"x5/16" box (55719)
(2)	XDH810A	- Wrench, 1/4"x5/16" box (55719)
(1)	XDH1214	- Wrench, 3/8"x7/16" box (55719)
(1)	XS1214	- Wrench, 7/16"x3/8" offset box (55719)
(2)	XS1012	- Wrench, 3/8"x5/16" offset box (55719)
(1)	OEX24	- Wrench, 3/4"x3/4" open/box (55719)
(1)	OEX30	- Wrench, 15/16"x15/16" open/box (55719)
(2)	TMS4D	- Speed handle, 1/4" drive (55719)
(2)	F4LA	- Speed handle, 3/8" drive (55719)
(1)	SL710	- Ratchet, 1/2" drive (55719)
(1)	F730	- Ratchet, 3/8" drive (55719)
(1)	F10LB	- Breaker bar, 3/8" drive (55719)
(2)	FX11	- Extension, 3/8"x3/8"x12" (55719)
(1)	SX5	- Extension, 1/2"x1/2"x5" (55719)
(1)	D712	- Wrench, 12" Adjustable (55719)
(1)	D76	- Wrench, 5" Adjustable (55719)
(1)	VP7R	- Vise grips, 7" (55719)
(1)	VP10R	- Vise grips, 10" (55719)
(1)	TMD7	- Socket, 1/4"x7/32" shallow (55719)
(3)	TMD8	- Socket, 1/4"x1/4" shallow (55719)
(2)	TMD11	- Socket, 1/4"x11/32" shallow (55719)
(2)	TMD10	- Socket, 1/4"x5/16" shallow (55719)
(2)	TMD12	- Socket, 1/4"x3/8" shallow (55719)
(3)	TMD14	- Socket, 1/4"x7/16" shallow (55719)
(3)	TMD16	- Socket, 1/4"x1/2" shallow (55719)
(2)	STMD6	- Socket, 1/4"x3/16" deep (55719)
(2)	STMD7	- Socket, 1/4"x7/32" deep (55719)
(4)	STMD8	- Socket, 1/4"x1/4" deep (55719)

FIGURE 1. Tool kit, mechanic, for F100 engine - Continued


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.

PARTS LIST - Continued.

(1)	STMD9	- Socket, 1/4"x9/32" deep (55719)
(2)	STMD10	- Socket, 1/4"x5/16" deep (55719)
(2)	TMU8	- Universal 1/4"x1/4" (55719)
(1)	TMU81	- Socket, 1/4"x1/4" universal (55719)
(2)	TMU101	- Socket, 1/4"x5/16" universal (55719)
(2)	TMU121	- Socket, 1/4"x3/8" universal (55719)
(2)	TMU141	- Socket, 1/4"x7/16" universal (55719)
(1)	FU12A	- Socket, 3/8"x3/8" universal (55719)
(1)	FU14A	- Socket, 3/8"x7/16" universal (55719)
(1)	FU16A	- Socket, 3/8"x1/2" universal (55719)
(1)	SF121	- Socket, 3/8"x3/8" deep (55719)
(1)	STMD14	- Socket, 1/4"x7/16" deep (55719)
(2)	SF141	- Socket, 3/8"x7/16" deep (55719)
(1)	SF161	- Socket, 3/8"x1/2" deep (55719)
(1)	STMD16	- Socket, 1/4"x1/2" deep (55719)
(3)	SF181	- Socket, 3/8"x9/16" deep (55719)
(1)	SF201	- Socket, 3/8"x5/8" deep (55719)
(2)	SF221	- Socket, 3/8"x11/16" deep (55719)
(1)	SF241	- Socket, 3/8"x3/4" deep (55719)
(1)	S301	- Socket, 1/2"x15/16" deep (55719)
(1)	F201	- Socket, 3/8"x5/8" shallow (55719)
(1)	F181	- Socket, 3/8"x9/16" shallow (55719)
(2)	F141	- Socket, 3/8"x7/16" shallow (55719)
(1)	F121	- Socket, 3/8"x3/8" shallow (55719)
(2)	F101	- Socket, 3/8"x5/16" shallow (55719)
(2)	F25D	- Apex, common (55719)
(4)	FP32A	- Apex, cross point (55719)
(2)	TMU8	- Universal primary actuator drive, 1/4" (55719)
(2)	TM1	- Adapter, 3/8" to 1/4" (55719)
(1)	TA3	- Adapter, 1/4" to 3/8" (55719)
(1)	A2	- Adapter, 3/8" to 1/2" (55719)
(1)	FC26	- Crow's foot, 3/8"x13/16" (55719)
(1)	SSD4160	- Screwdriver, 16" flat (55719)
(1)	SSD12A	- Screwdriver, 12" flat (55719)
(1)	SSD10	- Screwdriver, 10" flat (55719)
(1)	SSD6	- Screwdriver, 6" flat (55719)
(2)	SSD4	- Screwdriver, 4" flat (55719)
(1)	SSD1	- Screwdriver, 1½" flat (55719)
(1)	SSDP22	- Screwdriver, 1½" phillip's (55719)
(4)	SSDP42	- Screwdriver, 4" phillip's (55719)
(2)	ND108	- Screwdriver, 1/4" socket (55719)
(1)	CF143A	- Mirror, short (55719)
(1)	GA294	- Mirror, long (55719)
(2)	BP20A	- Hammer, ball peen (55719)
(1)	BC2A	- Mallet, rubber (55719)
(2)	ECF1	- Flashlight (55719)
(1 SET)	HBN120	- Files, swiss (55719)
(1)	PPC812A	- Chisel, cold (55719)
(1)	PPC824A	- Chisel, cold (55719)
(1)	DMC427-CC	- Contents chart (11851)
(1)	DMC427-NP	- Nameplate (11851)
(3)	DMC427-DP	- Dataplate, size and weight (11851)

FIGURE 1. Tool kit, mechanic, for F100 engine

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.



NOTES:
1. See figure 14, note 4.
2. Part number M83507/18-02 is for the cabinet only (tools not included).

FIGURE 2. Tool cabinet assembly.

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T08:24Z
Check the source to verify that this is the currentversion before use.




FIGURE 3. CONTENTS CHART, DRAWER "A".
(22.875 x 10.75)




FIGURE 4. CONTENTS CHART, DRAWER "B".
(22.875 x 10.75)

Source: https://assist.dla.mil -- Downloaded: 202610-23T08:24Z
Check the source to verify that this is the currenversion before use.




FIGURE 5. CONTENTS CHART, DRAWER "C".

(22.875 x 10.75)




FIGURE 6. CONTENTS CHART, DRAWER "D".

(23.0 x 16.5)

Source: https://assist.dla.mil -- Downloaded: 202610-23T08:24Z
Check the source to verify that this is the current version before use.




FIGURE 7. CONTENTS CHART, DRAWER "E".
(23.0 x 16.5)




FIGURE 8. CONTENTS CHART, DRAWER "F"
(23.0 x 16.5)

Source: https://assist.dla.mil -- Downloaded: 202610-23T08:24Z
Check the source to verify that this is the current version before use.




FIGURE 9. CONTENTS CHART, DRAWER G".
(23.0 x 16.5)




FIGURE 10. CONTENTS CHART, DRAWER "H".
(23.0 x 16.5)

Source: https://assist.dla.mil -- Downloaded: 202610-23T08:24Z
Check the source to verify that this is the current version before use.




FIGURE 11. CONTENTS CHART, DRAWER "I'.
(23.0 x 16.5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.




FIGURE 12. CONTENTS CHART, DRAWER "J".
(23.0 x 16.5)




FIGURE 13. CONTENTS CHART, DRAWER "K".
(23.0 x 16.5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and configuration: See figures 1 through 10.

Materials:
Case: Steel (Kennedy part numbers 263 and 378 or equivalent); color is red in accordance with FED-STD-595.
Insert: Fire retardant foamed polyethylene in accordance with PPP-C-1752, color optional.
Contents chart: White vinyl .020 inch (.51mm) thick.

Clasps, handles, hinges and lock: Suitably plated to resist corrosion.

Nameplate and drawer identification plate: In accordance with MIL-P-19834.

Contents Charts (See pages 4 through 10):
Lettering shall be legible and protected with a transparent coating. Charts (located below foam inserts in each drawer) shall have pressure sensitive adhesive backing, and shall be visible at the bottom of all tool cavities and show cavity number, quantity and part number of tool and tool description for tool contained in that cavity.

Content List (figure 2) shall be provided indicating the total kit contents by Drawer Letter, Tool Part Number, Cavity Number, Description and FSCM. The content list shall indicate all tools covered by warranty.

All tools and kit shall be serialized.

LIMITED WARRANTY

The supplier shall warrant all hand tools supplied in the M83507/18-01 maintenance/repair kit to be free from defects in material and workmanship, under normal use and service, for a period of five years from the date of purchase thereof.

This warranty is expressly limited to repair or replacement by the supplier of such hand tools as shall be returned to it with transportation charges prepaid, and which shall appear to its satisfaction, upon inspection by it, to have been defective in material or workmanship. The warranty need not cover any damage to such hand tools which, in the opinion of the supplier, was caused by normal wear, misuse, improper operation or accident. Furthermore, the supplier shall neither assume liability for loss of use of the product or equipment, time, or any other incidental and consequential damages incurred by the purchaser, nor shall he accept the responsibility for the results of using tools which have been abused or badly worn, such as chisels and punches mushroomed by hammer blows or tools repaired by others.

The contractor shall provide in the kit, information for return of broken or damaged hand tools to be replaced under the warranty.

Part number:
M83507/18-01 - Tool Kit
M83507/18 - 02 Tool case assembly

Source: https://assist.dla.mil -- Downloaded: 202640-23T08:24Z
Check the source to verify that this is the currentversion before use.

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.125 (3.18 mm).
4. Remove all burrs, break sharp edges and corners.

INCHES	MM	INCHES	MM	INCHES	MM
27.0	685				
18.0	457				
48.0	1219				

FIGURE 14. Drawing notes and metric equivalents.

Custodian:
Air Force - 85

Review activities:
Air Force - 11, 17, 99
DLA-ES

User activity:
Air Force - 19

Preparing activity:
Air Force - 85

(Project 5180-F125

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-T-83507(USAF)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 MAY BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:24Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE AIR FORCE

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73236 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE AIR FORCE

Directorate of Electronic Support
ATTN: AFALD/PTS
Gentile AFS OH 45444

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-23T08:24Z
Check the source to verify that this is the current version before use.