PPP-C-1128A
AMENDMENT-1
April 18, 1978

FEDERAL SPECIFICATION

CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING

This amendment, which forms a part of Federal Specification PPP-C-1128A, dated November 2, 1972, was approved by the Commissioner, Federal Supply Service, General Services Administration, for use of all Federal agencies.

PAGE 5

4.2 Delete and substitute "Quality conformance inspection. Except as otherwise specified herein, sampling for inspection shall be performed in accordance with MIL-STD-105.

PAGE 6

4.2.2.1 Delete title and substitute "Visual examination"

4.2.3 Delete and substitute "Packaging inspection. An examination shall be made to determine that packaging, packing and marking comply with section 5 requirements. Defects shall be as specified in table V. The sample unit shall be one shipping container fully prepared for delivery except it need not be closed. The lot shall be all shipping containers offered for inspection at one time. The inspection level shall be S-2 and the AQL shall be 4.0 expressed in terms of defects per hundred units."

PAGE 7

Table 5, after "Markings (exterior)" add "and interior)".

After "Materials". Delete and substitute "any component missing, damaged or not as specified."

After "Quantity per" add "interior package and".

After "Workmanship". Delete "loose strapping" and substitute "Inadequate strapping".

Add new paragraph "4.2.3.1 Inspection of shipping containers. When shipping containers are required to be in accordance with PPP-B-636, examination for defects in closure, waterproofing and strapping shall be in accordance with the appendix of PPP-B-636."

Add new paragraph "4.2.3.2 Inspection of interior packages. When interior packages are required to be in accordance with PPP-B-636, PPP-B-566 or PPP-B-676, examinations for defects in closure shall be in accordance with the appendix of the applicable box specification."

FSC 8110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:51Z
Check the source to verify that this is the current version before use.

PAGE 7 (Cont'd)

5. Delete title and substitute "PACKAGING"

5.1.1, line 4. Delete "IV" and "type B, class a" and insert after "VIII" the following: "Type G, class 1".

Line 6. Delete "(see 6.3)".

PAGE 8

5.1.2 Delete 2nd sentence and substitute "The package and quantity per package shall be the same as that normally used by the supplier for retail distribution."

5.2.1, 1st sentence. Delete "V3c, or V3s" and substitute "grade V2s".

2nd sentence. Delete and substitute "Each box shall be closed in accordance with Method III, waterproofed in accordance with Method V and reinforced in accordance with the appendix of PPP-B-636."

5.2.2, line 1. Delete "unless otherwise specified (see 5.2.2.1)".

5.2.2.1 Delete and substitute "Weather-resistant fiberboard containers. When specified (see 6.2), the shipping container shall be a grade V3c, V3s or V4s fiberboard box conforming to PPP-B-636 and closed in accordance with Method III as specified in the appendix of PPP-B-636."

5.2.3, line 1. After "assemblies" insert "Packaged as specified in 5.1,"

After 1st sentence. Insert "The quantity per shipping container shall be the same as that normally used by the supplier for retail distribution."

Line 4. Delete "rules" in two places.

PAGE 9

5.3.1, line 2. Delete "the" and substitute "interior packages and"

5.3.2, line 2. Delete "the" and substitute "interior packages and"

6.2 Delete "(d) Quantity of containers per package for level A (see 5.1.1)".

Add subparagraph "(d) When weather-resistant fiberboard shipping containers are required (see 5.2.2.1)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:51Z
Check the source to verify that this is the current version before use.

Figure 1. Delete and substitute new figure 1.

Custodians:

Army - GL
Air Force - 69

Review activities:

Army - MD, EA
Navy - MS
DLA - GS

User activities:

Army - SM
Air Force - 99

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
USDA - APS

Project No. 8110-0219

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:51Z
Check the source to verify that this is the current version before use.




FIGURE 1 TEST FIXTURE-STRIPPING, METAL END

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:51Z
Check the source to verify that this is the current version before use.