INCH-POUND
MIL-PRF-39006/22F
AMENDMENT 2
2 April 2003

PERFORMANCE SPECIFICATION SHEET

CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), 85°C (VOLTAGE DERATED TO 125°C), ESTABLISHED RELIABILITY, STYLE CLR79

This amendment forms a part of MIL-PRF-39006/22F, dated 17 April 2002, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGES 3 thru 9

Table I column headers, change from "PIN 39006/22- 4/ 5/ noncompression test" change to "PIN 39006/22- 4/ 5/ noncompression seal".

Table I compression part numbers for M, P, R, and S failure rates shall be deleted in there entirety, that is part numbers 1001 through 4280.

PAGE 9

Footnote 4, add the following sentence after deleted.: The acquiring activity may substitute an "H" designated part in place of a non "H" designated part at their option. Also in footnote 4 change 51 g's to 53.79 g's

Delete note 5.

PAGE 11

Thermal shock: After number of cycles: delete "300 for qualification and group C; 30 for group B." and replace with "In accordance with MIL-PRF-39006, the following shall apply."

PAGE 14

Resistance to soldering heat: change from condition "G" to condition "C".

After Marking: and after Example: but before Voltage groups insert the following: "Polarity: Series of plus (+) symbols encircling positive end (see figure 1)."

After voltage groups and before Substitutability data, add the following: "Substitution of H designated parts for non H designated parts: The acquiring activity may substitute an H designated part in place of a non H designated part at their option."

PAGE 15 TO 18

Table III delete entirely and replace with:

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal				Substitutable for dash number in MIL-C-39006/22A and /22				
				Failure rate level (%/1,000 hr)								
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
0001	0221	0441	0661	1001-	2011-	3041-	4061-	6001	6206	6411	6616	6821
0002	0222	0442	0662	1002-	2012-	3042-	4062-	6002	6207	6412	6617	6822
0003	0223	0443	0663	1003-	2013-	3043-	4063-	6003	6208	6413	6618	6823
0004	0224	0444	0664	1004-	2014-	3044-	4064-	6004	6209	6414	6619	6824
0005	0225	0445	0665	1005-	2015-	3045-	4065-	6005	6210	6415	6620	6825
0006	0226	0446	0666	1006-	2016-	3046-	4066-	6006	6211	6416	6621	6826
0007	0227	0447	0667	1007-	2017-	3047-	4067-	6007	6212	6417	6622	6827
0008	0228	0448	0668	1008-	2018-	3048-	4068-	6008	6213	6418	6623	6828
0009	0229	0449	0669	1009-	2019-	3049-	4069-	6009	6214	6419	6624	6829
0010	0230	0450	0670	1010-	2020-	3050-	4070-	6010	6215	6420	6625	6830
0011	0231	0451	0671	1011-	2021-	3051-	4071-	6011	6216	6421	6626	6831
0012	0232	0452	0672	1012-	2022-	3052-	4072-	6012	6217	6422	6627	6832
0013	0233	0453	0673	1013-	2023-	3053-	4073-	6013	6218	6423	6628	6833
0014	0234	0454	0674	1014-	2024-	3054-	4074-	6014	6219	6424	6629	6834
0015	0235	0455	0675	1015-	2025-	3055-	4075-	6015	6220	6425	6630	6835
---	---	---	---	1016-	2026-	3056-	4076-	7041	7123	7205	7287	7369
---	---	---	---	1017-	2027-	3057-	4077-	7042	7124	7206	7288	7370
---	---	---	---	1018-	2028-	3058-	4078-	7043	7125	7207	7289	7371
0016	0236	0456	0676	1019-	2029-	3059-	4079-	6016	6221	6426	6631	6836
0017	0237	0457	0677	1020-	2030-	3060-	4080-	6017	6222	6427	6632	6837
0018	0238	0458	0678	1021-	2031-	3061-	4081-	6018	6223	6428	6633	6838
---	---	---	---	1022-	2032-	3062-	4082-	7044	7126	7208	7290	7372
---	---	---	---	1023-	2033-	3063-	4083-	7045	7127	7209	7291	7373
---	---	---	---	1024-	2034-	3064-	4084-	7046	7128	7210	7292	7374
0019	0239	0459	0679	1025-	2035-	3065-	4085-	6019	6224	6429	6634	6839
0020	0240	0460	0680	1026-	2036-	3066-	4086-	6020	6225	6430	6635	6840
---	---	---	---	1027-	2037-	3067-	4087-	7047	7129	7211	7293	7375
---	---	---	---	1028-	2038-	3068-	4088-	7048	7130	7212	7294	7376
0021	0241	0461	0681	1029-	2039-	3069-	4089-	6021	6226	6431	6636	6841
0022	0242	0462	0682	1030-	2040-	3070-	4090-	6022	6227	6432	6637	6842
0023	0243	0463	0683	1031-	2041-	3071-	4091-	6023	6228	6433	6638	6843
0024	0244	0464	0684	1032-	2042-	3072-	4092-	6024	6229	6434	6639	6844
0025	0245	0465	0685	1033-	2043-	3073-	4093-	6025	6230	6435	6640	6845
0026	0246	0466	0686	1034-	2044-	3074-	4094-	6026	6231	6436	6641	6846
0027	0247	0467	0687	1035-	2045-	3075-	4095-	---	---	---	---	---
0028	0248	0468	0688	1036-	2046-	3076-	4096-	---	---	---	---	---
0029	0249	0469	0689	1037-	2047-	3077-	4097-	---	---	---	---	---
0030	0250	0470	0690	1038-	2048-	3078-	4098-	6027	6232	6437	6642	6847
0031	0251	0471	0691	1039-	2049-	3079-	4099-	6028	6233	6438	6643	6848
0032	0252	0472	0692	1040-	2050-	3080-	4100-	6029	6234	6439	6644	6849
---	---	---	---	1041-	2051-	3081-	4101-	7451	7457	7463	7469	7475
---	---	---	---	1042-	2052-	3082-	4102-	7452	7458	7464	7470	7476
---	---	---	---	1043-	2053-	3083-	4103-	7453	7459	7465	7471	7477
0033	0253	0473	0693	1044-	2054-	3084-	4104-	---	---	---	---	---
0034	0254	0474	0694	1045-	2055-	3085-	4105-	---	---	---	---	---
0035	0255	0475	0695	1046-	2056-	3086-	4106-	---	---	---	---	---
0036	0256	0476	0696	1047-	2057-	3087-	4107-	6030	6235	6440	6645	6850
0037	0257	0477	0697	1048-	2058-	3088-	4108-	6031	6236	6441	6646	6851
0038	0258	0478	0698	1049-	2059-	3089-	4109-	6032	6237	6442	6647	6852
---	---	---	---	1050-	2060-	3090-	4110-	7049	7131	7213	7295	7377
---	---	---	---	1051-	2061-	3091-	4111-	7050	7132	7214	7296	7378
---	---	---	---	1052-	2062-	3092-	4112-	7051	7133	7215	7297	7379
0039	0259	0479	0699	1053-	2063-	3093-	4113-	6033	6238	6443	6648	6853
0040	0260	0480	0700	1054-	2064	3094-	4114-	6034	6239	6444	6649	6854

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data - Continued. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal				Substitutable for dash number in MIL-C-39006/22A and /22				
				Failure rate level (%/1,000 hr)								
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
---	---	---	---	1055-	2065-	3095-	4115-	7052	7134	7216	7298	7380
---	---	---	---	1056-	2066-	3096-	4116-	7053	7135	7217	7299	7381
0041	0261	0481	0701	1057-	2067-	3097-	4117-	6035	6240	6445	6650	6855
0042	0262	0482	0702	1058-	2068-	3098-	4118-	6036	6241	6446	6651	6856
0043	0263	0483	0703	1059-	2069-	3099-	4119-	6037	6242	6447	6652	6857
0044	0264	0484	0704	1060-	2070-	3100-	4120-	6038	6243	6448	6653	6858
0045	0265	0485	0705	1061-	2071-	3101-	4121-	6039	6244	6449	6654	6859
0046	0266	0486	0706	1062-	2072-	3102-	4122-	6040	6245	6450	6655	6860
0047	0267	0487	0707	1063-	2073-	3103-	4123-	6041	6246	6451	6656	6861
0048	0268	0488	0708	1064-	2074-	3104-	4124-	6042	6247	6452	6657	6862
0049	0269	0489	0709	1065-	2075-	3105-	4125-	6043	6248	6453	6658	6863
0050	0270	0490	0710	1066-	2076-	3106-	4126-	6044	6249	6454	6659	6864
0051	0271	0491	0711	1067-	2077-	3107-	4127-	6045	6250	6455	6660	6865
0052	0272	0492	0712	1068-	2078-	3108-	4128-	6046	6251	6456	6661	6866
0053	0273	0493	0713	1069-	2079-	3109-	4129-	6047	6252	6457	6662	6867
0054	0274	0494	0714	1070-	2080-	3110-	4130-	6048	6253	6458	6663	6868
0055	0275	0495	0715	1071-	2081-	3111-	4131-	6049	6254	6459	6664	6869
---	---	---	---	1072-	2082-	3112-	4132-	7054	7136	7218	7300	7382
---	---	---	---	1073-	2083-	3113-	4133-	7055	7137	7219	7301	7383
---	---	---	---	1074-	2084-	3114-	4134-	7056	7138	7220	7302	7384
0056	0276	0496	0716	1075-	2085-	3115-	4135-	6050	6255	6460	6665	6870
0057	0277	0497	0717	1076-	2086-	3116-	4136-	6051	6256	6461	6666	6871
0058	0278	0498	0718	1077-	2087-	3117-	4137-	6052	6257	6462	6667	6872
---	---	---	---	1078-	2088-	3118-	4138-	7057	7139	7221	7303	7385
---	---	---	---	1079-	2089-	3119-	4139-	7058	7140	7222	7304	7386
---	---	---	---	1080-	2090-	3120-	4140-	7059	7141	7223	7305	7387
0059	0279	0499	0719	1081-	2091-	3121-	4141-	6053	6258	6463	6668	6873
0060	0280	0500	0720	1082-	2092-	3122-	4142-	6054	6259	6464	6669	6874
----	----	---	---	1083-	2093-	3123-	4143-	7060	7142	7224	7306	7388
----	----	---	---	1084-	2094-	3124-	4144-	7061	7143	7225	7307	7389
0061	0281	0501	0721	1085-	2095-	3125-	4145-	6055	6260	6465	6670	6875
---	---	---	---	1086-	2096-	3126-	4146-	---	---	---	---	---
0062	0282	0502	0722	1087-	2097-	3127-	4147-	6056	6261	6466	6671	6876
0063	0283	0503	0723	1088-	2098-	3128-	4148-	6057	6262	6467	6672	6877
0064	0284	0504	0724	1089-	2099-	3129-	4149-	6058	6263	6468	6673	6878
0065	0285	0505	0725	1090-	2100-	3130-	4150-	6059	6264	6469	6674	6879
0066	0286	0506	0726	1091-	2101-	3131-	4151-	6060	6265	6470	6675	6880
0067	0287	0507	0727	1092-	2102-	3132-	4152-	6061	6266	6471	6676	6881
0068	0288	0508	0728	1093-	2103-	3133-	4153-	6062	6267	6472	6677	6882
0069	0289	0509	0729	1094-	2104-	3134-	4154-	6063	6268	6473	6678	6883
0070	0290	0510	0730	1095-	2105-	3135-	4155-	6064	6269	6474	6679	6884
0071	0291	0511	0731	1096-	2106-	3136-	4156-	6065	6270	6475	6680	6885
0072	0292	0512	0732	1097-	2107-	3137-	4157-	6066	6271	6476	6681	6886
0073	0293	0513	0733	1098-	2108-	3138-	4158-	6067	6272	6477	6682	6887
0074	0294	0514	0734	1099-	2109-	3139-	4159-	6068	6273	6478	6683	6888
0075	0295	0515	0735	1100-	2110-	3140-	4160-	6069	6274	6479	6684	6889
---	---	---	---	1101-	2111-	3141-	4161-	7062	7144	7226	7308	7390
---	---	---	---	1102-	2112-	3142-	4162-	7063	7145	7227	7309	7391
---	---	---	---	1103-	2113-	3143-	4163-	7064	7146	7228	7310	7392
0076	0296	0516	0736	1104-	2114-	3144-	4164-	6070	6275	6480	6685	6890
0077	0297	0517	0737	1105-	2115-	3145-	4165-	6071	6276	6481	6686	6891
0078	0298	0518	0738	1106-	2116-	3146-	4166-	6072	6277	6482	6687	6892
---	---	---	---	1107-	2117-	3147-	4167-	7065	7147	7229	7311	7393
---	---	---	---	1108-	2118-	3148-	4168-	7066	7148	7230	7312	7394
---	---	---	---	1109-	2119-	3149-	4169-	7067	7149	7231	7313	7395

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data - Continued. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal Failure rate level (%/1,000 hr)				Substitutable for dash number in MIL-C-39006/22A and /22				
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
0079	0299	0519	0739	1110-	2120-	3150-	4170-	6073	6278	6483	6688	6893
0080	0300	0520	0740	1111-	2121-	3151-	4171-	6074	6279	6484	6689	6894
---	---	---	---	1112-	2122-	3152-	4172-	7068	7150	7232	7314	7396
---	---	---	---	1113-	2123-	3153-	4173-	7069	7151	7233	7315	7397
0081	0301	0521	0741	1114-	2124-	3154-	4174-	6075	6280	6485	6690	6895
0082	0302	0522	0742	1115-	2125-	3155-	4175-	6076	6281	6486	6691	6896
0083	0303	0523	0743	1116-	2126-	3156-	4176-	6077	6282	6487	6692	6897
0084	0304	0524	0744	1117-	2127-	3157-	4177-	6078	6283	6488	6693	6898
0085	0305	0525	0745	1118-	2128-	3158-	4178-	6079	6284	6489	6694	6899
0086	0306	0526	0746	1119-	2129-	3159-	4179-	6080	6285	6490	6695	6900
0087	0307	0527	0747	1120-	2130-	3160-	4180-	---	---	---	---	---
0088	0308	0528	0748	1121-	2131-	3161-	4181-	---	---	---	---	---
0089	0309	0529	0749	1122-	2132-	3162-	4182-	---	---	---	---	---
0090	0310	0530	0750	1123-	2133-	3163-	4183-	6081	6286	6491	6696	6901
0091	0311	0531	0751	1124-	2134-	3164-	4184-	6082	6287	6492	6697	6902
0094	0314	0534	0754	1125-	2135-	3165-	4185-	---	---	---	---	---
0095	0315	0535	0755	1126-	2136-	3166-	4186-	---	---	---	---	---
0096	0316	0536	0756	1127-	2137-	3167-	4187-	6084	6289	6494	6699	6904
0097	0317	0537	0757	1128-	2138-	3168-	4188-	6085	6290	6495	6700	6905
0098	0318	0538	0758	1129-	2139-	3169-	4189-	6086	6291	6496	6701	6906
---	---	---	---	1130-	2140-	3170-	4190-	7070	7152	7234	7316	7398
---	---	---	---	1131-	2141-	3171-	4191-	7071	7153	7235	7317	7399
---	---	---	---	1132-	2142-	3172-	4192-	7072	7154	7236	7318	7400
0099	0319	0539	0759	1133-	2143-	3173-	4193-	6087	6292	6497	6702	6907
0100	0320	0540	0760	1134-	2144-	3174-	4194-	6088	6293	6498	6703	6908
---	---	---	---	1135-	2145-	3175-	4195-	7073	7155	7237	7319	7401
---	---	---	---	1136-	2146-	3176-	4196-	7074	7156	7238	7320	7402
0101	0321	0541	0761	1137-	2147-	3177-	4197-	6089	6294	6499	6704	6909
0102	0322	0542	0762	1138-	2148-	3178-	4198-	6090	6295	6500	6705	6910
0103	0323	0543	0763	1139-	2149-	3179-	4199-	6091	6296	6501	6706	6911
0104	0324	0544	0764	1140-	2150-	3180-	4200-	6092	6297	6502	6707	6912
0105	0325	0545	0765	1141-	2151-	3181-	4201-	6093	6298	6503	6708	6913
0106	0326	0546	0766	1142-	2152-	3182-	4202-	6094	6299	6504	6709	6914
0107	0327	0547	0767	1143-	2153-	3183-	4203-	6095	6300	6505	6710	6915
0108	0328	0548	0768	1144-	2154-	3184-	4204-	6096	6301	6506	6711	6916
0109	0329	0549	0769	1145-	2155-	3185-	4205-	6097	6302	6507	6712	6917
0110	0330	0550	0770	1146-	2156-	3186-	4206-	6098	6303	6508	6713	6918
0111	0331	0551	0771	1147-	2157-	3187-	4207-	6099	6304	6509	6714	6919
0112	0332	0552	0772	1148-	2158-	3188-	4208-	6100	6305	6510	6715	6920
0113	0333	0553	0773	1149-	2159-	3189-	4209-	6101	6306	6511	6716	6921
0114	0334	0554	0774	1150-	2160-	3190-	4210-	6102	6307	6512	6717	6922
0115	0335	0555	0775	1151-	2161-	3191-	4211-	6103	6308	6513	6718	6923
---	---	---	---	1152-	2162-	3192-	4212-	7075	7157	7239	7321	7403
---	---	---	---	1153-	2163-	3193-	4213-	7076	7158	7240	7322	7404
---	---	---	---	1154-	2164-	3194-	4214-	7077	7159	7241	7323	7405
0116	0336	0556	0776	1155-	2165-	3195-	4215-	6104	6309	6514	6719	6924
0117	0337	0557	0777	1156-	2166-	3196-	4216-	6105	6310	6515	6720	6925
0118	0338	0558	0778	1157-	2167-	3197-	4217-	6106	6311	6516	6721	6926
---	---	---	---	1158-	2168-	3198-	4218-	7078	7160	7242	7324	7406
---	---	---	---	1159-	2169-	3199-	4219-	7079	7161	7243	7325	7407
---	---	---	---	1160-	2170-	3200-	4220-	7080	7162	7244	7326	7408
0119	0339	0559	0779	1161-	2171-	3201-	4221-	6107	6312	6517	6722	6927
0120	0340	0560	0780	1162-	2172-	3202-	4222-	6108	6313	6518	6723	6928

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data - Continued. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal Failure rate level (%/1,000 hr)				Substitutable for dash number in MIL-C-39006/22A and /22				
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
0092	0312	0532	0752	1163-	2173-	3203-	4223-	6083	6288	6493	6698	6903
---	---	---	---	1164-	2174-	3204-	4224-	7454	7460	7466	7472	7478
---	---	---	---	1165-	2175-	3205-	4225-	7455	7461	7467	7473	7479
---	---	---	---	1166-	2176-	3206-	4226-	7456	7462	7468	7474	7480
0093	0313	0533	0753	1167-	2177-	3207-	4227-	---	---	---	---	---
0124	0344	0564	0784	1168-	2178-	3208-	4228-	6112	6317	6522	6727	6932
0125	0345	0565	0785	1169-	2179-	3209-	4229-	6113	6318	6523	6728	6933
0126	0346	0566	0786	1170-	2180-	3210-	4230-	6114	6319	6524	6729	6934
0127	0347	0567	0787	1171-	2181-	3211-	4231-	6115	6320	6525	6730	6935
0128	0348	0568	0788	1172-	2182-	3212-	4232-	6116	6321	6526	6731	6936
0129	0349	0569	0789	1173-	2183-	3213-	4233-	6117	6322	6527	6732	6937
0130	0350	0570	0790	1174-	2184-	3214-	4234-	6118	6323	6528	6733	6938
0131	0351	0571	0791	1175-	2185-	3215-	4235-	6119	6324	6529	6734	6939
0132	0352	0572	0792	1176-	2186-	3216-	4236-	6120	6325	6530	6735	6940
0133	0353	0573	0793	1177-	2187-	3217-	4237-	6121	6326	6531	6736	6941
0134	0354	0574	0794	1178-	2188-	3218-	4238-	6122	6327	6532	6737	6942
0135	0355	0575	0795	1179-	2189-	3219-	4239-	6123	6328	6533	6738	6943
---	---	---	---	1180-	2190-	3220-	4240-	7083	7165	7247	7329	7411
---	---	---	---	1181-	2191-	3221-	4241-	7084	7166	7248	7330	7412
---	---	---	---	1182-	2192-	3222-	4242-	7085	7167	7249	7331	7413
0136	0356	0576	0796	1183-	2193-	3223-	4243-	6124	6329	6534	6739	6944
0137	0357	0577	0797	1184-	2194-	3224-	4244-	6125	6330	6535	6740	6945
0138	0358	0578	0798	1185-	2195-	3225-	4245-	6126	6331	6536	6741	6946
---	---	---	---	1186-	2196-	3226-	4246-	7086	7168	7250	7332	7414
---	---	---	---	1187-	2197-	3227-	4247-	7087	7169	7251	7333	7415
---	---	---	---	1188-	2198-	3228-	4248-	7088	7170	7252	7334	7416
0139	0359	0579	0799	1189-	2199-	3229-	4249-	6127	6332	6537	6742	6947
0140	0360	0580	0800	1190-	2200-	3230-	4250-	6128	6333	6538	6743	6948
---	---	---	---	1191-	2201-	3231-	4251-	7089	7171	7253	7335	7417
---	---	---	---	1192-	2202-	3232-	4252-	7090	7172	7254	7336	7418
0141	0361	0581	0801	1193-	2203-	3233-	4253-	6129	6334	6539	6744	6949
0142	0362	0582	0802	1194-	2204-	3234-	4254-	6130	6335	6540	6745	6950
0143	0363	0583	0803	1195-	2205-	3235-	4255-	6131	6336	6541	6746	6951
0144	0364	0584	0804	1196-	2206-	3236-	4256-	6132	6337	6542	6747	6952
0145	0365	0585	0805	1197	2207-	3237-	4257-	6133	6338	6543	6748	6953
0146	0366	0586	0806	1198-	2208-	3238-	4258-	6134	6339	6544	6749	6954
0147	0367	0587	0807	1199-	2209-	3239-	4259-	6135	6340	6545	6750	6955
0148	0368	0588	0808	1200-	2210-	3240-	4260-	6136	6341	6546	6751	6956
---	---	---	---	1201-	2211-	3241-	4261-	7081	7163	7245	7327	7409
---	---	---	---	1202-	2212-	3242-	4262-	7082	7164	7246	7328	7410
0121	0341	0561	0781	1203-	2213-	3243-	4263-	6109	6314	6519	6724	6929
0122	0342	0562	0782	1204-	2214-	3244-	4264-	6110	6315	6520	6725	6930
0123	0343	0563	0783	1205-	2215-	3245-	4265-	6111	6316	6521	6726	6931
0157	0377	0597	0817	1206-	2216-	3246-	4266-	6145	6350	6555	6760	6965
0158	0378	0598	0818	1207-	2217-	3247-	4267-	6146	6351	6556	6761	6966
---	---	---	---	1208-	2218-	3248-	4268-	7094	7176	7258	7340	7422
---	---	---	---	1209-	2219-	3249-	4269-	7095	7177	7259	7341	7423
---	---	---	---	1210-	2220-	3250-	4270-	7096	7178	7260	7342	7424
0159	0379	0599	0819	1211-	2221-	3251-	4271-	6147	6352	6557	6762	6967
0160	0380	0600	0820	1212-	2222-	3252-	4272-	6148	6353	6558	6763	6968
---	---	---	---	1213-	2223-	3253-	4273-	7097	7179	7261	7343	7425
---	---	---	---	1214-	2224-	3254-	4274-	7098	7180	7262	7344	7426
0161	0381	0601	0821	1215-	2225-	3255-	4275-	6149	6354	6559	6764	6969
0162	0382	0602	0822	1216-	2226-	3256-	4276-	6150	6355	6560	6765	6970
0163	0383	0603	0823	1217-	2227-	3257-	4277-	6151	6356	6561	6766	6971

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data - Continued. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal				Substitutable for dash number in MIL-C-39006/22A and /22				
				Failure rate level (%/1,000 hr)								
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
0164	0384	0604	0824	1218-	2228-	3258-	4278-	6152	6357	6562	6767	6972
0165	0385	0605	0825	1219-	2229-	3259-	4279-	6153	6358	6563	6768	6973
0166	0386	0606	0826	1220-	2230-	3260-	4280-	6154	6359	6564	6769	6974
0167	0387	0607	0827	---	---	---	---	6155	6360	6565	6770	6975
0168	0388	0608	0828	---	---	---	---	6156	6361	6566	6771	6976
0169	0389	0609	0829	---	---	---	---	6157	6362	6567	6772	6977
0170	0390	0610	0830	---	---	---	---	6158	6363	6568	6773	6978
0171	0391	0611	0831	---	---	---	---	6159	6364	6569	6774	6979
0172	0392	0612	0832	---	---	---	---	6160	6365	6570	6775	6980
0173	0393	0613	0833	---	---	---	---	6161	6366	6571	6776	6981
0174	0394	0614	0834	---	---	---	---	6162	6367	6572	6777	6982
0175	0395	0615	0835	---	---	---	---	6163	6368	6573	6778	6983
---	---	---	---	---	---	---	---	7099	7181	7263	7345	7427
---	---	---	---	---	---	---	---	7100	7182	7264	7346	7428
---	---	---	---	---	---	---	---	7101	7183	7265	7347	7429
0176	0396	0616	0836	---	---	---	---	6164	6369	6574	6779	6984
0177	0394	0617	0837	---	---	---	---	6165	6370	6575	6780	6985
0178	0398	0618	0838	---	---	---	---	6166	6371	6576	6781	6986
---	---	---	---	---	---	---	---	7102	7184	7266	7348	7430
---	---	---	---	---	---	---	---	7103	7185	7267	7349	7431
---	---	---	---	---	---	---	---	7104	7186	7268	7350	7432
0149	0369	0589	0809	---	---	---	---	6137	6342	6547	6752	6957
0150	0370	0590	0810	---	---	---	---	6138	6343	6548	6753	6958
0151	0371	0591	0811	---	---	---	---	6139	6344	6549	6754	6959
0152	0372	0592	0812	---	---	---	---	6140	6345	6550	6755	6960
0153	0373	0593	0813	---	---	---	---	6141	6346	6551	6756	6961
0154	0374	0594	0814	---	---	---	---	6142	6347	6552	6757	6962
0155	0375	0595	0815	---	---	---	---	6143	6348	6553	6758	6963
---	---	---	---	---	---	---	---	7091	7173	7255	7337	7419
---	---	---	---	---	---	---	---	7092	7174	7256	7338	7420
---	---	---	---	---	---	---	---	7093	7175	7257	7339	7421
0156	0376	0596	0816	---	---	---	---	6144	6349	6554	6759	6964
0188	0408	0628	0848	---	---	---	---	6176	6381	6586	6791	6996
0189	0409	0629	0849	---	---	---	---	6177	6382	6587	6792	6997
0190	0410	0630	0850	---	---	---	---	6178	6383	6588	6793	6998
0191	0411	0631	0851	---	---	---	---	6179	6384	6589	6794	6999
0192	0412	0632	0852	---	---	---	---	6180	6385	6590	6795	7000
0193	0413	0633	0853	---	---	---	---	6181	6386	6591	6796	7001
0194	0414	0634	0854	---	---	---	---	6182	6387	6592	6797	7002
0195	0415	0635	0855	---	---	---	---	6183	6388	6593	6798	7003
---	---	---	---	---	---	---	---	7107	7189	7271	7353	7435
---	---	---	---	---	---	---	---	7108	7190	7272	7354	7436
---	---	---	---	---	---	---	---	7109	7191	7273	7355	7437
0196	0416	0636	0856	---	---	---	---	6184	6389	6594	6799	7004
0197	0417	0637	0857	---	---	---	---	6185	6390	6595	6800	7005
0198	0418	0638	0858	---	---	---	---	6186	6391	6596	6801	7006
---	---	---	---	---	---	---	---	7110	7192	7274	7356	7438
---	---	---	---	---	---	---	---	7111	7193	7275	7357	7439
---	---	---	---	---	---	---	---	7112	7194	7276	7358	7440
0199	0419	0639	0859	---	---	---	---	6187	6392	6597	6802	7007
0200	0420	0640	0860	---	---	---	---	6188	6393	6598	6803	7008

See footnotes at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

TABLE III. Substitutability data - Continued. 1/

Dash number in MIL-C-39006/22B through /22E				PIN M39006/22- compression seal Failure rate level (%/1,000 hr)				Substitutable for dash number in MIL-C-39006/22A and /22				
M	P	R	S	M (1.0)	P (0.1)	R (0.01)	S (0.001)	2/ L	M	P	R	S
---	---	---	---	---	---	---	---	7113	7195	7277	7359	7441
---	---	---	---	---	---	---	---	7114	7196	7278	7360	7442
0201	0421	0641	0861	---	---	---	---	6189	6394	6599	6804	7009
0202	0422	0642	0862	---	---	---	---	6190	6395	6600	6805	7010
0203	0423	0643	0863	---	---	---	---	6191	6396	6601	6806	7011
0204	0424	0644	0864	---	---	---	---	6192	6397	6602	6807	7012
0179	0399	0619	0839	---	---	---	---	6167	6372	6577	6782	6987
0180	0400	0620	0840	---	---	---	---	6168	6373	6578	6783	6988
---	---	---	---	---	---	---	---	7105	7187	7269	7351	7433
---	---	---	---	---	---	---	---	7106	7188	7270	7352	7434
0181	0401	0621	0841	---	---	---	---	6169	6374	6579	6784	6989
0182	0402	0622	0842	---	---	---	---	6170	6375	6580	6785	6990
0183	0403	0623	0843	---	---	---	---	6171	6376	6581	6786	6991
0184	0404	0624	0844	---	---	---	---	6172	6377	6582	6787	6992
0185	0405	0625	0845	---	---	---	---	6173	6378	6583	6788	6993
0186	0406	0626	0846	---	---	---	---	6174	6379	6584	6789	6994
0187	0407	0627	0847	---	---	---	---	6175	6380	6585	6790	6995
0205	0425	0645	0865	---	---	---	---	6193	6398	6603	6808	7013
0206	0426	0646	0866	---	---	---	---	6194	6399	6604	6809	7014
0207	0427	0647	0867	---	---	---	---	6195	6400	6605	6810	7015
0208	0428	0648	0868	---	---	---	---	6196	6401	6606	6811	7016
0209	0429	0649	0869	---	---	---	---	6197	6402	6607	6812	7017
0210	0430	0650	0870	---	---	---	---	6198	6403	6608	6813	7018
0211	0431	0651	0871	---	---	---	---	6199	6404	6609	6814	7019
0212	0432	0652	0872	---	---	---	---	6200	6405	6610	6815	7020
0213	0433	0653	0873	---	---	---	---	6201	6406	6611	6816	7021
0214	0434	0654	0874	---	---	---	---	6202	6407	6612	6817	7022
0215	0435	0655	0875	---	---	---	---	6203	6408	6613	6818	7023
---	---	---	---	---	---	---	---	7115	7197	7279	7361	7443
---	---	---	---	---	---	---	---	7116	7198	7280	7362	7444
---	---	---	---	---	---	---	---	7117	7199	7281	7363	7445
0216	0436	0656	0876	---	---	---	---	6204	6409	6614	6819	7024
0217	0437	0657	0877	---	---	---	---	6205	6410	6615	6820	7025
0218	0438	0658	0878	---	---	---	---	6206	6411	6616	6821	7026
---	---	---	---	---	---	---	---	7118	7200	7282	7364	7446
---	---	---	---	---	---	---	---	7119	7201	7283	7365	7447
---	---	---	---	---	---	---	---	7120	7202	7284	7366	7448
0219	0439	0659	0879	---	---	---	---	7027	7030	7033	7036	7039
0220	0440	0660	0880	---	---	---	---	7028	7031	7034	7037	7040
---	---	---	---	---	---	---	---	7121	7203	7285	7367	7449
---	---	---	---	---	---	---	---	7122	7204	7286	7368	7450

1/ Substitutability data are unilateral; i.e., the dash number in MIL-C-39006/22B through MIL-C-39006/22E is substitutable for the dash number in MIL-C-39006/22 and MIL-C-39006/22A, and not vice versa.
2/ Failure rate level "L" is inactive for design. Use failure rate level "M" for replacement.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - EC
Air Force - 11
DLA – CC

Review activities:
Navy - AS, MC, OS
Air Force – 19

Preparing activity:
DLA - CC

(Project 5910-2207-01)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T16:18Z
Check the source to verify that this is the current version before use.