NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

DD FORM 672 1 OCT 52

CUSTODIANS
Army—O
Navy—BuAer
Air Force

OTHER INT.
A—C
N—OrPSh
AF—

Procurement Specifications: NONE

SUPERSEDES:

MILITARY STANDARD

COLOR CODE—GUIDED MISSILE TRAINING AIDS

MS 33546

SHEET 1 OF 3

FED. SUP CLASS 6910

METALS

ALUMINUM MAGNESIUM	STEEL	CAST IRON	BRASS BRONZE	COPPER
N 8/	N 6/	N 4/	10 YR 5/8	2½ YR 3½/4

AIR

ATMOSPHERIC PRESSURE	INCREASING PRESSURE	HIGH PRESSURE
5 BG 8/2	10 BG 6/6	2½ B 4/8

FUELS

LIQUID GAS	SOLID (PROPELLANT)
7½ R 5/12+	7½ R 5/12+

OIL

LOW PRESSURE	INCREASING PRESSURE	HIGH PRESSURE
10 Y 9/6	2½ GY 8/10	5 GY 5/6

OXIDIZER	CATALYST
5 G 6/6	5 G 6/6

INERT GASES

WATER	LIGHT	HEAVY
N 10	7½ BG 5/4	7½ BG 3/4

INSULATION	INSULATION, PLASTICS, RUBBER, GASKETS
FIBER GRANULAR	SOLID
	10 YR 4/1

(A) CANCELED AFTER 13 July 1972 NO SUPERSEDING STANDARD

APPROVED 20 Nov 53 REVISED (A) 13 July 1972

GPO 16—74000-1 U. S. GOVERNMENT PRINTING OFFICE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:04Z
Check the source to verify that this is the current version before use.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED. SUP CLASS 6910

MILITARY STANDARD

COLOR CODE—GUIDED MISSILE TRAINING AIDS

MS 33546

CUSTODIANS: Army—O; Navy—BuAer; Air Force

OTHER INT.: A—C; N—O; PSh; AF—


Procurement Specification: NONE

SUPERSEDES:

SHEET 2 OF 3

DD FORM 672 1 OCT 52

GPO 16—74000-1 U. S. GOVERNMENT PRINTING OFFICE



APPROVED 20 Nov 53 REVISED A CANCELED SEE SHEET 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:04Z
Check the source to verify that this is the current version before use.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED. SUP CLASS 6910

The attached color code represents designations primarily for graphic and demonstrator-type training aids utilized in operational and maintenance guided missile training.

Color code shall be applied as complete color coverage.

All graphic presentations shall be on black backgrounds to achieve fullest visibility.

Normally color code in itself will indicate function and content. In cases where positive identification is required, the specific name of the fluid, solid, gas, pressure, or function shall be used, such as nitric acid, PSI, liquid oxygen, crosshatching, etc. Small tags (illustrated or actual) should be used on piping and associated components using AND10375, MIL–STD–101, or other military standards as applicable.

Warning designation for liquid, high pressure, etc., shall be overprint of black skull and crossbones with contrasting outlines to background. Pressure lines shall be identified by the same colors as parts from which pressure is transmitted.

Filler, vent, and drain lines from functions or related functional equipment shall be identified by the same colors as the function lines.

Electronic circuits should be white on black backgrounds, with the exception of signal path, which shall be shown in yellow. For specific breakdown of circuits MIL–STD–122 should be used. Mechanical, electrical or electronic symbols should conform to applicable military standards.

Numbers below the various colors represent the value assigned to the color under the Munsell color system.

COLOR CODE—GUIDED MISSILE TRAINING AIDS

APPROVED 20 Nov 53 REVISED (A) CANCELED SEE SHEET 1

CUSTODIANS	OTHER INT.	MILITARY STANDARD	MS33546
Army—O Navy—BuAer Air Force	A—C N—OrPSh AF—	COLOR CODE—GUIDED MISSILE TRAINING AIDS	
Procurement Specification:		SUPERSEDES:	SHEET 3 OF 3

DD FORM 672 1 OCT 52 *U.S. GOVERNMENT PRINTING OFFICE: 1972-714-537/1548 GPO 16—74000-1 U. S. GOVERNMENT PRINTING OFFICE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:04Z
Check the source to verify that this is the current version before use.