MIL-C-44071C
21 March 1988
SUPERSEDING
MIL-C-44071B
15 January 1986

MILITARY SPECIFICATION

CAKES, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers thermostabilized cakes in flexible pouches for use as a component in the Meal, Ready-To-Eat, Individual.

1.2 Classification. The product shall be of the following types as specified (see 6.1).

Types

I	-	Maple nut cake
II	-	Chocolate nut cake
III	-	Fruitcake
IV	-	Orange nut cake
V	-	Pineapple nut cake
VI	-	Cherry nut cake

2. APPLICABLE DOCUMENTS

* 2.1 Government documents.

* 2.1.1 Documents. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8920

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

MIL-C-44071C
21 March 1988
SUPERSEDING
MIL-C-44071B
15 January 1986

MILITARY SPECIFICATION

CAKES, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers thermostabilized cakes in flexible pouches for use as a component in the Meal, Ready-To-Eat, Individual.

1.2 Classification. The product shall be of the following types as specified (see 6.1).

Types

I	-	Maple nut cake
II	-	Chocolate nut cake
III	-	Fruitcake
IV	-	Orange nut cake
V	-	Pineapple nut cake
VI	-	Cherry nut cake

2. APPLICABLE DOCUMENTS

* 2.1 Government documents.

* 2.1.1 Documents. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8920

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

MILITARY

MIL-P-44073 - Packaging and Thermoprocessing of Foods in Flexible Pouches

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks and Sugars Used in the Preparation of Thermostabilized Foods for the Armed Forces

(Copies of documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

2.1.2 Other Government documents. The following other Government documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Regulations Governing the Inspection of Egg and Egg Products (7 CFR Part 59)

(Application for copies should be addressed to the Poultry Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

U.S. Standards for Grades of Shelled Pecans

U.S. Standards for Grades of Shelled Almonds

(Application for copies should be addressed to the Chief, Fresh Products Inspection, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, P.O. Box 96456, Washington, DC 20090-6456.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

U.S. Standards for Grades of Processed Raisins

(Application for copies should be addressed to the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, P.O. Box 96456, Washington, DC, 20090-6456.)

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Primary Drinking Water Regulations

* (Application for copies should be addressed to the Office of Drinking Water Environmental Protection Agency, WH550D, 401 M Street, S.W., Washington, DC 20460.)

* 2.2 Other publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issues of the non-government documents which are current on the date of the solicitation.

NATIONAL ACADEMY OF SCIENCE

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, Washington, DC 20418.)

* AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

* ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

* 2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence. Nothing in this document, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.4, 6.1, and 6.2).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Sugar, white (for bakery). Sugars shall be white, refined cane, or beet sugars or a combination thereof. The particle size shall be a fine grind suited for use in bakery products and shall comply with MIL-STD-900.

3.2.2 Flour, Cake. Flour shall be of the type known as High Ratio Cake flour consisting of 100-percent soft wheat. The flour shall have an ash content of less than 0.45 percent and shall be chlorine treated to the pH of 4.5 to 5.0. The flour shall be bleached, be free flowing, and comply with MIL-STD-900.

3.2.3 Shortening, emulsified. Emulsified shortening shall be partially hydrogenated soybean oil with propylene glycol mono- and diesters of fats and fatty acids, mono- and diglycerides, and lecithin. The shortening shall conform to the following requirements (see 6.3):

Alpha-monoglyceride content	5.5 to 6.1 percent
Stability-(active oxygen method)	100 hours min.
Capillary melting point	108° to 115° F
Propylene glycol monoester (PGME)	7.9 to 8.5 percent
Color (Lovibond)	4.5 Red, 10.0 yellow max.
Free fatty acids (oleic)	0.5 percent max.
Flavor/odor	Bland
Form	Plastic

* 3.2.4 Whole eggs, liquid or frozen. Whole eggs may be liquid or frozen and shall be processed and labeled in accordance with the Regulations Governing the Inspection of Eggs and Egg Products (7 CFR Part 59). The whole eggs shall be egg whites and egg yolks in their natural proportions as broken directly from the shell eggs, as evidenced by a USDA Egg Products Inspection Certificate. For liquid whole eggs, the certificate shall state the date and time of pasteurization. Liquid whole eggs shall be held at a temperature of 40°F or lower and shall be held for not more than 72 hours from the time of pasteurization until the start of formulation of the product in which they are

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

used. Frozen whole eggs shall be held at 10°F or lower and used within 120 days from the date of production. The whole eggs shall be free from off-odors and off-flavors, free from foreign odors and flavors such as metallic, musty, sour, or fruity, and free from foreign materials.

* 3.2.5 Whole eggs, dried. Dried whole eggs or free-flowing dried whole eggs may be used. The anticaking ingredient in the free-flowing dried whole eggs may be either silicon dioxide or sodium silicoaluminate. The amount of silicon dioxide shall be not more than 1 percent by weight of the dried whole eggs and the amount of sodium silicoaluminate shall be less than 2 percent by weight of the dried whole eggs. The dried whole eggs and free-flowing dried whole eggs shall contain not less than 95 percent by weight total egg solids, and shall be processed and labeled in accordance with the Regulations Governing the Inspection of Eggs and Egg Products (7 CFR Part 59), as evidenced by the USDA egg products inspection shield on the label. Dried whole eggs and free-flowing dried whole eggs shall be smooth and free from lumps that do not fall apart under light pressure, free from foreign materials, and free of scorched, burnt, sulfurous, or other pronounced off-odors and off-flavors.

3.2.6 Starch, waxy maize, modified, pregelantinized, instant. The starch shall be pure, off-white, odorless, slightly coarse ground powder. It shall be modified, pre-gelantinized, cross-linked and stabilized. The starch shall have maximum moisture content of 9.0 percent and pH of 4.0 to 6.5. The starch shall be resistant to breakdown under high temperature heating conditions, has good low temperature stability and does not set to a gel. The starch shall display good clarity and a smooth, short textured, heavy body. The starch shall be bland with no objectionable off-notes. The starch shall comply with MIL-STD-900.

* 3.2.7 Salt. Salt shall be noniodized, white, refined, sodium chloride with or without anticaking agent and shall comply with the purity standards for sodium chloride of the Food Chemicals Codex.

3.2.8 Baking powder. Baking powder shall be of the type known as "Double Acting". The baking powder shall be prepared from highly purified food grade materials. The baking powder shall be a white, free-flowing mixture of sodium bicarbonate, corn starch, and one or more of the acid-reacting substances monocalcium phosphate, sodium acid pyrophosphate, and sodium aluminum phosphate. The baking powder shall have an available carbon dioxide level of not less than 13 percent, by weight, and shall comply with MIL-STD-900.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

3.2.9 Nuts, shelled. Shelled nuts may be either almonds or pecans as described below. At time of use, the nuts shall be evaluated by sensory methods for evidence of rancidity and other off flavors.

a. Nuts, almonds, shelled. Shelled almond pieces shall be of the small piece size classification and shall be U.S. No. 1 Pieces of the U.S. Standards for Grades of Shelled Almonds. A minimum of 95 percent, by weight, of the pieces shall pass through a 4/16-inch diameter round hole screen and not more than 5 percent, by weight, shall pass through a 2/16-inch diameter round hole screen. The shelled almonds shall be coated with an approved food grade antioxidant and shall be of the latest season's crop.

b. Nuts, pecans, shelled. Shelled pecan pieces shall be of the small piece size classification, shall be of a light color, and shall be U.S. No. 1 Pieces of the U.S. Standards for Grades of Shelled Pecans. A minimum of 90 percent, by weight, of the pieces shall pass through a 4/16-inch diameter round hole screen and not more than 2 percent, by weight, shall pass through a 2/16-inch diameter round hole screen. The shelled pecans shall be coated with an approved food grade antioxidant and shall be of the latest season's crop.

3.2.10 Water. Water used for formulation and washing shall conform to the National Primary Drinking Water Regulations.

* 3.2.11 Flavoring, maple imitation. Imitation maple flavoring shall be a single strength product which possess a flavor and odor characteristic of maple flavoring. Caramel coloring not permitted.

3.2.12 Imitation flavoring, vanilla. The imitation vanilla flavoring shall be a single strength imitation vanilla extract. It shall possess a flavor and odor typical of vanilla flavoring.

3.2.13 Chocolate drops. Chocolate drops shall be semi-sweet chocolate having a count per pound of not less than 1800 nor more than 2200. They shall be free of dextrose and contain not less than 28 percent fat.

3.2.14 Raisins. Raisins shall be bleached Thompson seedless, select size, U.S. Grade B or better of the U.S. Standards for Grade of Processed Raisins.

* 3.2.15 Cherries, glace' candied, diced. Candied cherries shall be sweet, pitted cherries processed with sugars and/or syrups to a soluble solids content of approximately 73 to 77 percent and shall be flavored with wild cherry flavor. The cherries shall be artificially colored with a practically colorfast red dye and may contain preservatives. The preservatives and dye shall be food grade. The candied cherries shall be approximately 1/4 inch dices.

* 3.2.16 Pineapple, glace' candied, diced. Candied pineapple shall be processed with sugar and/or syrups to a soluble solids content of 73 to 77 percent. The pineapple pieces shall be approximately 1/4 inch dices. Food grade preservatives may be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

* 3.2.17 Orange peel, glace' candied. Candied orange peel shall be processed with sugar and/or corn syrup to a soluble solids content of 73 to 77 percent. The candied peel shall have a good orange color characteristic of the fruit from which derived. Artificial coloring is not permitted, however, food grade preservatives may be used. The pieces shall be approximately 1/4 inch dices.

3.2.18 Orange oil. Orange oil shall be a two-fold concentration level or equivalent concentration if other than two-fold and shall be cold pressed from Valencia oranges. The orange oil shall comply with the Food Chemicals Codex.

3.2.19 Imitation pineapple flavoring. The imitation flavoring shall have a flavor color and odor characteristic of pineapple (see 6.5).

* 3.2.20 Oil of bitter almonds. Oil of bitter almonds shall be a single strength concentration and shall comply with the Food Chemicals Codex. Alternatively, imitation or a combination of natural and imitation oil of bitter almonds may be used.

3.2.21 Cloves, ground. Ground cloves shall be prepared from the dried, unopened flower buds of Carophyllus aromatic L. The ground cloves shall be dark reddish-brown in color and shall possess a strong aromatic odor with a hot pungent taste. The product shall contain not less than 15.0 mL of volatile oil per 100 grams of ground cloves and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 30 seive.

3.2.22 Nutmeg, ground. The ground nutmeg shall be derived from dried kernal of Myristica fragrans Houtt. The nutmeg shall have a dull brown color. It shall contain not less than 7.5 mL of volatile oil per 100 grams of ground nutmeg and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 20 sieve.

3.2.23 Cinnamon, ground. Ground cinnamon shall be the dried bark of Cinnamomum burmanii Blume commonly known as "Korintz Cinnamon". The cinnamon shall contain not less than 1.5 mL of volatile oil per 100 grams of ground cinnamon and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 60 sieve.

3.2.24 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The spices and seasonings in the mixture shall comply with the individual requirements specified in this document. The containers used for the spice and seasoning blend shall be labeled with each ingredient and the percentage of each ingredient in the blend. The ingredients shall be in the same proportions as specified in the ingredient formula.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

3.3 Preparation and processing. Processing shall be on a continuous basis.

3.3.1 Batter formulation.

Ingredient	Percent by weight
Sugar, white	38.40
Flour, cake	27.40
Shortening,emulsified	15.40
Eggs, whole (wet basis)	14.80
Starch, pregelatenized, instant	2.10
Salt	0.95
Baking powder	0.95

3.3.2 Cake formulations.

3.3.2.1 Maple nut cake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	76.00
Nuts	19.50
Water	3.66
Imitation maple flavoring	0.84

3.3.2.2 Chocolate nut cake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	65.50
Nuts	14.00
Chocolate drops	14.00
Water	6.26
Imitation vanilla flavoring	0.24

3.3.2.3 Fruitcake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	47.800
Raisins	17.000
Nuts	13.500
Pineapple	10.300
Cherries	7.000
Water	4.380
Cinnamon	0.010
Clove, ground	0.005
Nutmeg	0.005

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

3.3.2.4 Orange nut cake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	61.70
Candied orange peel	22.90
Nuts	11.00
Water	4.34
Orange oil (two-fold or equivalent concentration if other than two-fold)	0.06

3.3.2.5 Pineapple nut cake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	55.8
Pineapple	24.8
Nuts	15.0
Water	4.2
Imitation pineapple flavoring	0.2

3.3.2.6 Cherry nut cake.

Ingredient	Percent by weight
Batter ingredients (see 3.3.1)	55.635
Cherries	25.000
Nuts	15.000
Water	4.330
Oil of bitter almonds	0.035

3.3.3 Cake preparation.

a. Cream emulsified shortening with sugar until the mass is fully aerated.

b. Prepare a flour mixture, consisting of the flour, starch, salt, and baking powder.

c. Prepare an egg mixture, consisting of the egg, appropriate flavoring, and water. Frozen whole eggs shall be thawed and held at a temperature of 40°F or lower and shall be held for not more than 24 hours prior to use in the formula.

d. Starting with the creamed shortening and sugar, mix in 20 percent of the flour mixture followed by 20 percent of the egg mixture. Continue mixing in remainder of flour and egg mixtures in alternating 20 percent increments.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

e. Continue mixing until a density of 0.73 to 0.85 g/mL is achieved. (Note: a higher mixing velocity may be needed in this step). The density shall be determined as described in 4.5.2.1.

f. Combine nuts and/or candied fruit or chocolate drops, as applicable, and add to prepared batter. Mix to uniformly distribute, but DO NOT OVERMIX! (overmixing will create a gummy product).

3.4 Pouch filling and sealing. Each pouch shall be filled with product such as to conform to the finished product requirements and to the following requirements:

a. Each pouch shall be filled and sealed in accordance with the pouch filling and sealing requirements specified for class 5 of MIL-P-44073.

b. Each filled and sealed pouch shall be in the retort process within 2 hours after sealing.

3.5 Pouch thermoprocessing. The filled and sealed pouches shall be thermoprocessed for sufficient time to assure compliance with the finished product requirements. The thermoprocessing operation shall be in compliance with the requirements for class 5 of MIL-P-44073.

3.6 Finished product requirements. The finished product shall comply with the following requirements.

a. There shall be no foreign material, such as, but not limited to, dirt, insect parts, hair, wood, glass, or metal.

b. There shall be no foreign odor or flavor, such as, but not limited to, burnt, scorched, stale, sour, rancid, musty, or moldy.

c. The average net weight shall not be less than 3.2 ounces.

d. No individual pouch shall have a net weight less than 2.8 ounces.

e. The product shall not show evidence of excessive heating (materially darkened or scorched.)

f. The product shall not be soggy or gummy.

g. The product shall not crumble or be dry.

h. The surface of the product shall not be excessively oily.

i. The surface of the product shall be light tan in color.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

j. When split parallel to the flat surface, the exposed interior of the cake shall exhibit a uniform distribution of nuts and/or fruits or distinct chocolate pieces.

k. The interior crumb shall exhibit a characteristic cellular cake crumb texture.

l. Inner surface of pouch shall not exhibit extreme stickiness.

3.6.1 Palatability. The product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.7 Plant qualification. The product shall be prepared, processed, and packaged in establishments meeting the requirements of Title 21, Code of Federal Regulations, Part 110, "Current Good Manufacturing Practice in Manufacturing, Processing, Packaging or Holding of Human Foods", and the plant sanitation requirements of the appropriate Government inspection agency.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all the requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by USDA. The USDA will determine the degree of inspection necessary to assure compliance with the requirements of this document.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4.).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, or compliance be verified by examination of pertinent labels, markings, U.S. Grade Certificates, certificates of analyses, or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods, such as the standard methods described in the Official Methods of Analysis of the Association of Official Analytical Chemists and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.2.1 In-process examination of batter density. The cake batter shall be examined once per shift as follows for conformance to the density requirement in 3.3.3e:

Determine the volume of a cup by weighing the amount of water it contains at ambient temperture. Then half-fill the cup with the batter to be tested. Hold the cup between a thumb and the first two fingers of a hand. Tap it down 12 times on a folded towel placed on a solid bench. Between each two taps, rotate cup 30° on the vertical axis. Fill cup more than full and peak excess batter toward center. Tap cup once more 12 times, rotating as before. Using a spatula, scrape off half of the excess, starting with spatula in the center. Then scrape off toward edge half of remaining excess and, finally, remove last quarter. Wipe spatula clean and draw it across top of cup once more. Weigh the filled cup. Determine the batter fill weight by subtracting the tare weight of the container from the weight of the container plus batter. Calculate the batter density as follows:

$$\frac{\text{Batter fill weight (g)}}{\text{Volume of tared container (mL)}} = \text{Batter density g/mL}$$

Failure to comply with the batter density requirement shall be cause for rejection of the involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

4.5.3 Filled and sealed pouch inspection. Inspection of filled and sealed pouches shall be in accordance with the quality assurance provisions of MIL-P-44073.

4.5.4 Net weight inspection. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Any individual net weight of less than 2.8 ounces shall be scored as a minor defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. Results shall be reported to the nearest 0.1 ounce. In addition, the lot shall be rejected if the sample average net weight is less than 3.2 ounces.

4.5.5 Product inspection. The filled and sealed sample pouches shall be brought to room temperature (65° to 75°F), opened, and inspected for defects indicated in table I. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 1.5 for major defects.

TABLE I. Product defects 1/ 2/

Category	Defect
Major	
101	Product shows evidence of excessive heating (materially darkened or scorched.)
102	Product soggy or gummy.
103	Product is dry or crumbly.
104	Surface of product excessively oily.
105	Surface of product is other than light tan in color.
106	Fruits, nuts, or distinct chocolate pieces not distributed evenly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

TABLE I. Product defects 1/ 2/ (cont'd)

Category	Defect
Major	
107	Product has an interior crumb that does not exhibit a characteristic cellular cake crumb texture.
108	Inner surface of pouch exhibits extreme stickiness.

1/ Presence of foreign material (e.g. glass, dirt, insect part, hair, wood, metal), foreign odor or flavor (e.g. burnt, scorched, stale, sour, rancid, moldy, musty), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by an Agricultural Marketing Service agent).

4.5.6 Packaging inspection. Inspection of packaging shall be in accordance with the quality assurance provisions of MIL-P-44073.

5. PACKAGING

5.1 Packaging. Packaging shall be in accordance with the requirements of MIL-P-44073.

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. Type of product required (see 1.2).
c. When a first article is required (see 3.1, 4.4, and 6.2).
d. Provisions for approved preproduction samples (see 3.6.1 and 6.2).

6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

6.3 Shortening, emulsified. It has been found that Durkee's Cake Mix 96 emulsified shortening meets the requirements in 3.2.3 and performs satisfactorily in cake formulations.

6.4 Starch, waxy maize, modified, pregelatenized, instant. It has been found that National Starch's Instant Pure Flow meets the requirements in 3.2.6 and performs satisfactorily in cake formulations.

6.5 Imitation pineapple flavoring. It has been found that Virginia Dare's Confex Artificial Pineapple flavoring meets the requirement in 3.2.19 and performs satisfactorily in cake formulations.

* 6.6 Subject term (key word) listing.

Cakes
Meal, Ready-to-Eat, individual
Thermostabilized

6.7 Changes from previous issue. The margins of this document are marked with asterisks (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the reuqirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD, TS
Navy - MC
DP - SS

Preparing activity:

Army - GL

Project No. 8920-0511

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

U.S. ARMY NATICK RESEARCH, DEVELOPMENT
and ENGINEERING CENTER
ATTN: STRNC-ES
Natick, MA 01760-5014

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Natick Research, Development
and Engineering Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-44071C	Cakes, Thermostabilized, For Meal, Ready-To-Eat

3a. NAME OF SUBMITTING ORGANIZATION

b. ADDRESS *(Street, City, State, ZIP Code)*

4. TYPE OF ORGANIZATION *(Mark one)*

- ☐ VENDOR
- ☐ USER
- ☐ MANUFACTURER
- ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP-1, Feb 86

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:42Z
Check the source to verify that this is the current version before use.