INCH-POUND

MIL-F-44067D
9 June 1992
SUPERSEDING
MIL-F-44067C
2 April 1987

MILITARY SPECIFICATION

FRUITS, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers thermostabilized fruits in flexible pouches for use as a component of the Meal, Ready-to-Eat, Individual.

1.2 Classification. The fruits shall be of the following types (see 6.1):

Type I	- Applesauce, natural color and flavor, sweetened, regular style
Type II	- Pineapple, sweetened, tidbits or chunks
Type III	- Peaches, sweetened, sliced or diced
Type IV	- Pears, sweetened, sliced or diced
Type V	- Mixed fruit, sweetened

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.1).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5018, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8915

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

SPECIFICATION

MILITARY

MIL-P-44073 - Packaging and Thermoprocessing of Foods in Flexible Pouches

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks, and Sugars Used in the Preparation of Thermostabilized Foods for the Armed Forces

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES (HHS)

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof, and Certain Other Processed Food Products

U.S. Standards for Grades of Canned Applesauce
U.S. Standards for Grades of Canned Pineapple
U.S. Standards for Grades of Canned Peaches
U.S. Standards for Grades of Canned Pears
U.S. Standards for Grades of Canned Fruit Cocktail

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

(Copies are available from the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 0709, South Building, P.O. Box 96456, Washington, DC 20090-6456.)

U.S. Standards for Grades of Apples for Processing

(Copies are available from the Head, Standardization Section, Fresh Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 2506, South Building, P.O. Box 96456, Washington, DC 20090-6456.)

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Primary Drinking Water Regulations

(Copies are available from the Office of Drinking Water, Environmental Protection Agency, WH550D, 401 M Street, S.W., Washington, DC 20460.)

2.2 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.1).

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 2200 Wilson Boulevard, Suite 400-CD, Arlington, VA 22201-3301.)

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

ASSOCIATION OF VITAMIN CHEMISTS, INC.

Methods of Vitamin Assay

(Application for copies should be addressed to the Association of Vitamin Chemists, 3413 Commercial Avenue, Northbrook, IL 60062.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.1), a sample shall be subjected to first article inspection (see 6.2) in accordance with 4.4.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Applesauce, canned. The canned applesauce shall meet the requirements for natural color, and flavor type, sweetened, regular (or comminuted) style, U.S. Grade A of the U.S. Standards for Grades of Canned Applesauce. The canned applesauce shall be of the latest season's crop.

3.2.2 Apples, fresh. Fresh apples used for applesauce shall be U.S. No. 2 or better of the U.S. Standards for Grades of Apples for Processing.

3.2.3 Pineapple. The pineapple shall meet the requirements for tidbits or chunks style, U.S. Grade A of the U.S. Standards for Grades of Canned Pineapple. The liquid media for the pineapple shall be sugar (sucrose) syrup. The pineapple shall be of the latest season's crop.

3.2.4 Peaches.

3.2.4.1 Peaches, fresh. The peaches shall be of a yellow Clingstone variety suitable for canning. The peaches shall have a hardness reading of not less than 3 nor greater than 6 on a fruit pressure tester (see 6.3). The fresh peaches shall be of the latest season's crop.

3.2.4.2 Peaches, frozen. The sliced or diced style peaches shall be of a yellow Clingstone variety suitable for canning and shall be individually quick frozen (IQF). The frozen peaches shall be of sufficient quality to meet end item requirements. The peaches shall have a hardness reading of not

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

less than 3 nor greater than 6 on a fruit pressure tester (see 6.3) prior to peeling, pitting, cutting, blanching, and freezing. The frozen peaches shall be of the latest season's crop.

3.2.5 Pears.

3.2.5.1 Pears, fresh. The pears shall be of a Bartlett variety suitable for canning. The pears shall have a hardness reading of not less than 5 nor greater than 8 on fruit pressure tester (see 6.3). The fresh pears shall be of the latest season's crop.

3.2.5.2 Pears, canned. The canned sliced or diced style pears shall be of a Bartlett variety and shall be packed in sucrose syrup. Alternatively, Bartlett pears packed in light syrup containing sugars other than sucrose, but less than 1.5 percent (1.5 grams/100 ml syrup) maltose, may be used (see 6.4). The canned pears shall be of sufficient quality to meet end item requirements. The pears shall be packed in tin cans for not less than one month nor greater than nine months.

3.2.6 Fruit cocktail, canned. The fruit cocktail shall be U.S. Grade B of the U.S. Standards for Grades of Canned Fruit Cocktail. The fruit cocktail shall be packed in sucrose syrup. Alternatively, fruit cocktail packed in light syrup containing sugars other than sucrose, but less than 1.5 percent (1.5 grams/100 ml syrup) maltose may be used (see 6.4). The canned fruit cocktail shall be of sufficient quality to meet end item requirements. The fruit cocktail shall be packed in tin cans for not less than one month nor more than nine months.

3.2.7 Sodium citrate. Sodium citrate shall comply with the Food Chemicals Codex.

3.2.8 Sugar, white. Sugar shall be white, refined, cane or beet sugar (sucrose) or a combination thereof. The sugar may be in the form of granulated or liquid syrup and shall comply with MIL-STD-900.

3.2.9 Acids. Ascorbic, citric, and malic acids shall comply with the Food Chemicals Codex.

3.2.10 Water. Water used for formulation, ice making and washing shall conform to the National Primary Drinking Water Regulations.

3.3 Preparation and further processing. Processing shall be on a continuous basis.

3.3.1 Applesauce preparation.

3.3.1.1 Canned applesauce preparation. The pH of the canned applesauce shall be adjusted to 4.0 or less, when necessary, by the addition of food grade malic or citric acid. To retard oxidation, 0.25 percent by weight of ascorbic acid shall be blended with the applesauce.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

3.3.1.2 Fresh applesauce preparation. Fresh apples shall be sorted, washed, peeled, trimmed, and cut into small pieces. The fresh cut apple pieces shall be heated to an internal temperature of 200°F to 240°F. The cooked apples shall be sweetened with sucrose and passed through a pulper or finisher. The applesauce shall meet the finished product requirements for grade as specified in 3.6. The pH of the applesauce shall be adjusted to 4.0 or less with malic or citric acid. To retard oxidation, 0.25 percent by weight of ascorbic acid shall be blended with the applesauce. The color of the fresh applesauce shall be a typical yellow to tan color, even when fresh green apples are used. Artificial colors shall not be used.

3.3.2 Peach, pear, pineapple, and mixed fruit preparation.

3.3.2.1 Fresh peach preparation. Fresh peaches shall be peeled, pitted, and cut into slices or dices. The fresh peach slices shall be dipped in an ascorbic acid solution to prevent oxidation, and rinsed as necessary to meet end item requirements (200-800 ppm). The liquid packing medium shall be sucrose syrup of sufficient brix to meet end item brix and drained weight requirements (see 3.6). The pH shall be adjusted, if necessary, to meet end item requirements (pH 4.00 ± 0.15) by addition of citric acid and/or sodium citrate.

3.3.2.2 Fresh pear preparation. Fresh pears shall be peeled, cored, and cut into slices or dices. The fresh pear slices shall be dipped in an ascorbic acid solution to prevent oxidation, and rinsed as necessary to meet end item requirements (200-800 ppm). The liquid packing medium shall be sucrose syrup of sufficient brix to meet end item brix and drained weight requirements (see 3.6). The pH shall be adjusted, if necessary, to meet end item requirements (pH 4.00 ± 0.15) by addition of citric acid and/or sodium citrate.

3.3.2.3 Frozen peach preparation. Frozen peach slices or dices shall be dipped in an ascorbic acid solution to prevent oxidation, and rinsed as necessary to meet end item ascorbic acid requirements (200-800 ppm). The frozen peaches may be thawed to the extent necessary for preparation. The liquid packing medium shall be sucrose syrup of sufficient brix to meet end item brix requirements (see 3.6). The pH shall be adjusted, if necessary, to meet end item requirements (pH 4.00 ± 0.15) by addition of citric acid and/or sodium citrate.

3.3.2.4 Canned peaches, pears, pineapple, and mixed fruit preparation. Mixed fruit shall be prepared using the fruit cocktail ingredient (see 3.2.6). All other fruits shall be prepared using the specified ingredient. The fruit shall be separated from the liquid packing medium. The liquid packing medium shall be retained and used in preparation of the finished product. The liquid packing medium shall be adjusted, if necessary, with refined sugar or sucrose syrup to meet end item brix and drained weight requirements (see 3.6). The liquid packing medium may also be supplemented with sucrose syrup to allow for production spills provided that end item

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

requirements are met. However, the total amount of added refined sugar and/or sucrose syrup shall be 33.3 percent or less of the weight of the original liquid packing medium. Ascorbic acid shall be added to the liquid packing medium to meet end item requirements (200-800 ppm). The pH shall be adjusted, if necessary, to meet end item requirements (pH 4.00 ± 0.15) by addition of citric acid and/or sodium citrate.

3.4 Pouch filling and sealing. Each pouch (see 5.1) shall be filled with product such as to conform to the finished product requirements and to the following requirements:

a. Each pouch shall be filled and sealed in accordance with the pouch filling and sealing requirements specified for class 4 of MIL-P-44073.

b. A hot-fill process is permitted for applesauce (type I) provided the product is filled by a single-stage operation at a product temperature of not less than 195°F and, immediately after sealing, the pouches are oriented or manipulated such that the hot fruit comes in contact with all interior surfaces of the pouch for such time as specified in 3.5b.

c. Pineapple (type II), peaches (type III), pears (type IV), and mixed fruit (type V) may be filled into pouches using a double-stage or a single-stage filling operation.

d. Each filled and sealed pouch (except those hot-filled) shall be in the retort process within two hours after sealing.

3.5 Pouch thermoprocessing. The filled and sealed pouches shall be thermostabilized by heating in a retort or atmospheric cooker until the internal temperature of the product reaches 195°F. The thermoprocessing operation shall be in compliance with the thermoprocessing requirements for class 4 of MIL-P-44073.

a. Fruit that has been thermostabilized by a hot-fill method (see 3.4b) is exempt from the retort processing requirement.

b. After completion of the thermostabilization operation (heating or hot-fill process), the filled and sealed pouches shall be held for a minimum of thirty seconds when using a canned fruit ingredient or a minimum of two minutes when a fresh or frozen ingredient is used and then rapidly cooled to an internal product temperature of 100°F or less.

3.6 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as, but not limited to, dirt, insect parts, hair, wood, paper, paint, glass, or metal.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

b. There shall be no foreign odor or flavor such as, but not limited to, burnt, scorched, stale, sour, rancid, musty, or moldy.

c. There shall be no color foreign to the product.

d. The lot average net weight shall be not less than 4.5 ounces.

e. No individual pouch shall contain less than 4.0 ounces of product.

f. No individual pouch shall contain less than 3.0 ounces of drained fruit (not applicable to applesauce).

g. The lot average drained weight of the fruit shall be not less than 3.5 ounces (not applicable to applesauce).

h. The pineapple, peaches, and pears shall meet the requirements for U.S. Grade B or better of the applicable U.S. Standards for Grades. Applesauce shall meet the requirements for U.S. Grade A of the U.S. Standards for Grades of Canned Applesauce.

i. The mixed fruit shall meet the clearness of liquid media, color, and uniformity of size requirements for U.S. Grade B of the U.S. Standards for Grades of Canned Fruit Cocktail.

j. The character of the mixed fruit shall meet the requirements for U.S. Grade B of the U.S. Standards for Grades of Canned Fruit Cocktail, except for peaches. No individual pouch shall contain greater than 40 percent, by weight, excessively frayed, mushy, or firm peaches, and the average shall be not greater than 20 percent, by weight, excessively frayed, mushy or firm peaches.

k. The "cut-out" brix measurements for the liquid packing media of the pineapple, peaches, pears, and mixed fruit shall be 18° to 22° brix.

l. The pH of the applesauce in any individual pouch shall be not greater than 4.00.

m. The pH of the pineapple, peaches, pears, and mixed fruit in any individual pouch shall be 4.00 ± 0.15.

n. The "cut out" ascorbic acid content of the pineapple, peaches, pears, and mixed fruit shall be 200-800 ppm.

o. The product shall show no evidence of excessive heating (materially darkened or scorched).

3.6.1 Palatability. The finished product shall be equal to or better than the preproduction sample (see 6.1) in palatability and overall appearance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

3.7 Plant qualification. The product shall be prepared, processed and packaged in establishments meeting the requirements of Title 21, Code of Federal Regulations, Part 110, "Current Good Manufacturing Practice in Manufacturing, Packing or Holding Human Food", and the plant sanitation requirements of the appropriate Government inspection agency.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall ensure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by USDA. The USDA will determine the degree of inspection and supervision necessary to ensure compliance with the requirements of this specification.

4.3 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this specification or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, and compliance shall be verified by examination of pertinent labels, markings, U.S. Grade Certificates, certificates of analyses, or other such valid documents acceptable to the inspection agency. If necessary, each

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

ingredient shall be examined organoleptically or inspected according to generally recognized test methods, such as the standard methods described in the Official Methods of Analysis of the Association of Official Analytical Chemists and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to any identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Filled and sealed pouch examination. Examination of filled and sealed pouches shall be in accordance with the quality assurance provisions of MIL-P-44073.

4.5.4 Net weight examination. The net weight of the filled and sealed pouches shall be determined by weighing each sample unit on a suitable scale tared with a representative empty pouch. Any individual net weight of less than 4.0 ounces shall be scored as a minor defect. The lot size shall be expressed in pouches. The sample unit shall be one filled and sealed pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. Results shall be reported to the nearest 0.1 ounce. In addition, the lot shall be rejected if the sample average net weight is less than 4.5 ounces.

4.5.5 Product examination. The filled and sealed sample pouches shall be held for a minimum of 72 hours at room temperature (65°F to 75°F) after completion of the thermostabilization operation. The pouches shall then be examined for the defects indicated in table I. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 1.5 for major defects.

TABLE I. Product defects 1/ 2/ 3/

Category	Defect
Major	
101	Drained weight of fruit in a pouch is less than 3.0 ounces. 4/ 5/
102	Product shows evidence of excessive heating (materially darkened or scorched).

1/ The presence of foreign material (for example, dirt, insect parts, hair, wood, paper, paint, glass, or metal), foreign odor or flavor (for

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

example, burnt, scorched, stale, sour, rancid, musty, or moldy), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance shall be cause for rejection of the lot (see 3.6.1).

3/ The U.S. Grade of a lot shall be determined by the procedures set forth in the Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof, and Certain Other Processed Food Products. Failure to meet the finished product grade requirement specified in 3.6 shall be cause for rejection of the lot.

4/ The drained weight shall be determined in accordance with the drained weight method described in the applicable U.S. Standards for Grades. The drained weight shall be reported to the nearest 0.1 ounce and the lot shall be rejected if the sample average drained weight is less than 3.5 ounces.

5/ Not applicable to applesauce.

4.5.6 Brix testing (not applicable to applesauce). The contents of each pouch in the sample shall be individually tested for density of the packing media (degrees Brix) in accordance with Official Methods of Analysis of the Association of Official Analytical Chemists Method No. 932.12 utilizing test methods prescribed by 21 CFR Part 145. Results shall be reported to the nearest whole number. The lot size shall be expressed in pouches. The sample unit shall be the contents of one filled and sealed pouch. The sample size shall be the number of sample units indicated by inspection level S-2. Any result failing to conform to the brix requirement specified in 3.6 shall be cause for rejection of the lot.

4.5.7 pH testing. Three pouches shall be selected at random from the lot and individually tested for pH in accordance with Official Methods of Analysis of the Association of Official Analytical Chemists Method No. 981.12. The results shall be reported to the nearest 0.01. Any individual pouch of applesauce having a pH greater than 4.00 shall be cause for rejection of the lot. Any individual pouch of pineapple, peaches, pears, and mixed fruit having a pH greater than 4.15 or less than 3.85 shall be cause for rejection of the lot.

4.5.8 Ascorbic acid testing (not applicable to applesauce). Three pouches shall be selected at random from the lot and individually tested for ascorbic acid with the method described in Methods of Vitamin Assay of the Association of Vitamin Chemists, Incorporated: Vitamin A Carr Price Blue Colorimetric Method and Ascorbic Acid 2,6 Dichloroindophenol Photometric Method with the Loeffler and Ponting modification. Any individual pouch having an ascorbic acid content less than 200 ppm or greater than 800 ppm shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

4.5.9 Packaging examination. Examination of packaging shall be in accordance with the quality assurance provisions of MIL-P-44073.

5. PACKAGING

5.1 Packaging. Packaging shall be in accordance with the requirements of MIL-P-44073.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Type of product required (see 1.2).
c. Issue of DODISS to be cited in the solicitation and, if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).
d. When a first article is required (see 3.1, 4.4, and 6.2).
e. Provisions for approved preproduction samples (see 3.6.1 and 6.2).

6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209-4. The first article should be a preproduction sample. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should also include specific instructions in acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

6.3 Fruit pressure tester. McCormick fruit pressure tester, model FT 011, equipped with a 5/16 inch plunger, supplied by McCormick Fruit Tech, has been found to perform satisfactorily in the determination for hardness of pears and peaches.

6.4 Canned fruit ingredients. Del Monte light canned fruit ingredients were used in the development of pears and mixed fruit. Other equivalent canned ingredients may be used.

6.5 Subject term (key word) listing.

Combat field feeding
Operational ration
Pouch food
Shelf stable

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

6.6 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Preparing activity:

Army - GL

(Project 8915-0855)

Review activities:

Army - MD, QM
Navy - MC
DP - SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-F-44067D	1992 June 9

3. DOCUMENT TITLE
FRUITS, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible Attach extra sheets as needed)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON/DSN
U.S. Army Natick RD&E Center	508-651-4501	256-4501
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: STRNC-WTP Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT. Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 NATICK OP4, JUL 91 Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:41Z
Check the source to verify that this is the current version before use.