NOTICE OF
CHANGE

DOD-STD-35-112(MI)
NOTICE 2
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

LUBRICANTS, OIL AND GREASE

TO ALL HOLDERS OF DOD-STD-35-112(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-112(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
3	18 SEPTEMBER 1992	3	5 MAY 1978
4	18 SEPTEMBER 1992	4	5 MAY 1978
5	18 SEPTEMBER 1992	5	5 MAY 1978
6	18 SEPTEMBER 1992	6	5 MAY 1978
7	18 SEPTEMBER 1992	7	5 MAY 1978
8	18 SEPTEMBER 1992	8	5 MAY 1978
9	18 SEPTEMBER 1992	9	5 MAY 1978
10	18 SEPTEMBER 1992	10	5 MAY 1978
11	18 SEPTEMBER 1992	11	5 MAY 1978
12	5 MAY 1978	(Reprinted without change)	

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-112(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A451)

AMSC N/A AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GREASE, AIRCRAFT	610001	VV-G-632	GENERAL PURPOSE
		MIL-G-81322	HIGH TEMP
		MIL-G-4343	PNEUMATIC
		MIL-G-23827	INSTRUMENT
		MIL-G-24139	MULTIPURPOSE
		MIL-G-25013	BALL AND ROLL BEARING
		MIL-G-25537	HELICOPTER OSC BEARING
		MIL-G-81322	GENERAL PURPOSE
		MIL-G-81827	HIGH LOAD CAP
		MIL-G-83261	EXTREME PRESS
		MIL-G-83363	TRANSMISSION
		MIL-G-83414	GUNMOUNT
GREASE, AIRCRAFT AND INSTRUMENT	610002	MIL-G-81322	HIGH TEMP
		MIL-G-23827	GEAR AND ACT SCREW
		MIL-G-24139	QUIET SERV
		MIL-G-27617	FUEL AND OIL RESISTANT
		MIL-G-81937	ULTRA CLEAN
GREASE, AIRCRAFT ORDANCE	610003	VV-G-632	INDUST GENERAL PURPOSE
		MIL-G-81322	HIGH TEMP
		MIL-G-10924	AUTO AND ARTIL
		MIL-G-23827	GEAR AND ACT SCREW
		MIL-G-25013	BALL AND ROLL BEARING

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GREASE, AIRCRAFT ORDNANCE	610003 (CONT)	MIL-G-25537	HELICOPTER OSC BEARING
		MIL-G-47219	LUBRICATING
		MIL-G-83414	GUNMOUNT
GREASE, AUTOMOTIVE	610004	MIL-G-10924	MULTIPURPOSE
		MIL-G-21164	MOLYBDENUM LOW AND HIGH TEMP
		MIL-G-23549	GENERAL PURPOSE
		MIL-G-46003	RIFLE
		MIL-G-46886	SILICONE
GREASE, AUTOMOTIVE AND ARTILLERY	610005	MIL-G-10924	MULTIPURPOSE
		MIL-G-21164	MOLYBDENUM LOW AND HIGH TEMP
		MIL-G-23549	GENERAL PURPOSE
		MIL-G-46003	RIFLE
		MIL-G-46886	SILICONE
		MIL-G-83424	GUNMOUNT
GREASE, BALL AND ROLLER BEARING	610006	DOD-G-24508	HIGH PERFORM
		MIL-G-25013	LOW TORQUE EQ
		MIL-G-25537	HELICOPTER OSC BEARING
		MIL-G-27617	HIGH SPEED
		MIL-G-83261	EXTREME PRESS. ANTI-WEAR
GREASE, GENERAL PURPOSE	610007	VV-G-632	INDUSTRIAL
		MIL-G-4343	PNEUM SYSTEM

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GREASE, GENERAL PURPOSE	610007 (CONT)	MIL-G-23549	MOLYBDENUM DISULFIDE
		MIL-G-23827	INSTRUMENT AND ACTUATOR SCREW
		MIL-G-46886	LUBRICATING SILICONE
		MIL-G-47219	LUBRICATING
		MIL-G-81322	AIRCRAFT, WIDE TEMP RANGE
GREASE, INSTRUMENT	610010	MIL-G-23827	INSTRUMENT AND ACTUATOR SCREW
		MIL-G-46886	SILICONE
		MIL-G-81937	ULTRA CLEAN
GREASE, LAB. APPARATUS STOPCOCK	610011	MIL-G-6032	PLUG VALVE GAS AND OIL RESISTANT
GREASE, MOLYBDENUM DISULFIDE	610012	MIL-G-21164	LOW AND HIGH TEMP
		MIL-G-23549	GENERAL PURPOSE
		MIL-G-81827	HIGH LOAD CAP WIDE TEMP RANGE
GREASE, ORDNANCE BEARING AND AMMUNITION	610013	MIL-G-24139	MULTIPURPOSE
		DOD-G-24508	HIGH PERFORM
		MIL-G-25013	AIRCRAFT
		MIL-G-25537	AIRCRAFT, HEL
		MIL-G-27617	HI. SPEED

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GREASE, ORDNANCE BEARING AND AMMUNITION	610013 (CONT)	MIL-G-81322	WIDE TEMP RAN
GREASE, ORDNANCE, EXTREME PRESSURE	610014	MIL-G-83261	TEMP -100°F TO 450°F
GREASE, OUTBOARD MOTOR	610015	MIL-G-23549	GENERAL PURPOSE
		MIL-G-24139	MULTIPURPOSE
		MIL-G-46886	SILICONE
GREASE, PLUG VALVE	610016	MIL-G-6032	GASOLINE AND OIL RESISTANT
GREASE, RAILWAY	610017	VV-G-679	FRICTION TYPE, DRIVING JOURNAL, CRANKPINS
		MIL-G-18458	EXPOSED GEAR
		MIL-G-27617	ANTIFRICTION -40° TO +400°F
GREASE, RIFLE	610018	MIL-G-46003	SUSTAINED RAIN
GREASE, SILICONE INSULATED ELECTRIC MOTOR	610019	MIL-G-24139	MULTIPURPOSE
		MIL-G-46886	LIGHT AND MED CONSISTENCE
		MIL-G-81937	ULTRA CLEAN
GREASE, TORPEDO TAIL	610020	MIL-G-23549	GENERAL PURPOSE
GREASE, WIRE ROPE EXPOSED GEAR	610021	MIL-G-18458	EXTERNALLY APPL
		MIL-G-81827	HIGH LOAD CAP., WIDE TEMP RANGE
		MIL-G-83414	GUNMOUNT, AIRC

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
LUBRICATING OIL, AIR COMPRESSOR	610022	VV-L-800	GENERAL PURPOSE (LIGHT)
		MIL-L-1733	SHIPBOARD RECI
		MIL-L-46152	SPARK-IGNITION AND COMPRESS IGN TYPE
		MIL-L-46167	INTERNAL COMB ENGINE
		MIL-L-83767	PUMP, VAC MEC EJECTOR AND DIFFUS-EJECTOR
LUBRICATING OIL, AIRCRAFT PISTON ENGINE	610023	MIL-L-22851	ASHLESS DISPER TWO STROKE CYC
LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC	610025	MIL-L-7808	TEMP 24°C TO 93°C
		MIL-L-23699	TEMP -40°C TO 200°C
		MIL-L-27502	TEMP -40°C TO 220°C
LUBRICATING OIL, AIRCRAFT TURBOSHAFT ENGINE, SYNTHETIC	610026	MIL-L-7808	TEMP 24°C TO 93°C
		MIL-L-23699	TEMP -40°C TO 200°C
		MIL-L-27502	TEMP -40°C TO 220°C

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
LUBRICATING OIL, COLLOIDAL	610027	MIL-L-24131	METAL PARTS, LIMITED CLEARANCES
		DOD-L-25681	SILICONE
		MIL-L-46014	SPINDLE
LUBRICATING OIL, COMPOUNDED	610028	MIL-G-18458	ENVIRONMENTAL CONDITIONS
		VV-L-800	GENERAL PURPOSE
		MIL-L-3150	PRESERVATIVE, MEDIUM
LUBRICATING OIL, ENGINE	610029	MIL-L-2104	SPARK-IGN AND COMPRESSION ENGINES
		MIL-L-9000	HIGH OUTPUT DIESEL
		MIL-L-21260	BREAK-IN
		MIL-L-46152	COMMERCIAL-TYPE VEHICLE
LUBRICATING OIL, EXPOSED GEAR	610030	MIL-G-18458	EXPOSED UNDER MOST ENVIRON CONDITIONS
		MIL-L-2105	LOCOMOTIVE TRACTION
LUBRICATING OIL, GEAR	610031	MIL-L-2105	SUB-ZERO
		MIL-L-2105	MULTIPURPOSE

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
LUBRICATING OIL, GENERAL PURPOSE	610032	VV-L-800	WATER-DISPLAC, LOW TEMP
LUBRICATING OIL, HYDRAULIC	610033	MIL-H-17672	LIGHT TURBINE, NONCORROSIVE
LUBRICATING OIL, INSTRUMENT	610034	MIL-L-3918	LOW TEMP NON-SPREADING
		DOD-L-81846	HIGH FLASH POINT
LUBRICATING OIL, MINERAL, STEAM CYLINDER	610035	MIL-L-53074	SATURATED AND SUPERHEATED
		MIL-L-17331	NONCORROSIVE
LUBRICATING OIL, MOLYBDENUM	610036	DOD-L-25680	AIRCRAFT, HIGH TEMP
LUBRICATING OIL, PRESERVATIVE, CORROSION INHIBITED	610037	VV-L-800	WATER-DISPLAC, LOW TEMP
		MIL-L-3150	MEDIUM
		MIL-L-21260	BREAK-IN
LUBRICATING OIL, RAILWAY CAR AND LOCOMOTIVE	610038	MIL-L-2105	TRACTION MT GEARS
LUBRICATING OIL, REFRIGERANT	610039	VV-L-825	COMPRESSION UNIT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
LUBRICATING OIL, SEMIFLUID	610040	MIL-L-19701	-54°C TO 71°C
		MIL-L-2105	AUTOMOTIVE, HEAVY DUTY IND TYPE, AND STEER
		MIL-L-46000	-54°C TO +127°C
LUBRICATING OIL, STEAM TURBINE	610041	MIL-L-17331	NONCORROSIVE
		MIL-H-17672	ANTICORROSION AND ANTIOXID
		MIL-L-1733	MAIN PROP. AND AUXILIARY MACH.
LUBRICATING OIL, VACUUM PUMP	610042	MIL-L-83767	VISCOSITY; LIGHT MEDIUM, HEAVY, AND EXTRA HEAVY
LUBRICATING OIL, WATCH	610043	MIL-L-3918	JEWEL BEARING
LUBRICATING OIL, WEAPONS	610044	MIL-L-14107	LOW TEMP
		MIL-L-46000	-54°C TO +127°C

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

MIL-G-18458	Grease, Wire Rope-exposed Gear

STANDARDS

FEDERAL

FED-STD-141	Paint, Varnish, Lacquer and Related Materials, Methods of Inspection, Sampling and Testing
FED-STD-791	Lubricant, Liquid Fuel and Related Products, Methods of Testing

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM D 88	Saybolt Viscosity
ASTM D 92	Flash and Fire Points by Cleveland Open Cup
ASTM D 95	Water in Petroleum Products and Bituminous Materials by Distillation
ASTM D 97	Pour Point of Petroleum Oils

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

ASTM D 129	Sulfur in Petroleum Products by the Bomb Method
ASTM D 217	Cone Penetration of Lubricating Grease
ASTM D 287	API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method)
ASTM D 445	Kinematic Viscosity of Transparent and Opaque Liquids (And The Calculation of Dynamic Viscosity)
ASTM D 524	Ramsbottom Carbon Residue of Petroleum Products
ASTM D 566	Dropping Point of Lubricating Grease
ASTM D 664	Neutralization Number by Potentiometric Titration
ASTM D 808	Chlorine in New and Used Petroleum Products (Bomb Method)
ASTM D 877	Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes
ASTM D 892	Foaming Characteristics of Lubricating Oils
ASTM D 941	Density and Specific Gravity of Liquids by Lipkin Bicapillary Pycnometer
ASTM D 942	Oxidation Stability of Lubricating Greases by the Oxygen Bomb Method
ASTM D 974	Neutralization Number by Color Indicator Titration
ASTM D 1092	Apparent Viscosity of Lubricating Greases
ASTM D 1264	Water Washout Characteristics of Lubricating Greases

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.