FED. SUP CLASS. 6750

DASH	CLASS	WIDTH	LENGTH OR EXPOSURE	SUPPLEMENTARY DATA	SUPPLY STATUS CODE	FIIN
1	H	16mm	100'	DL Spooled for recordak	1	260-1262
2	H	16mm	200'	Recordak - microcopy	1	292-7078
3	A	35mm	36 exp.	Cartridge	1	260-1252
4	H	35mm	100'	Spooled (Recordak)	1	174-5435
5	H	35mm	36 exp.	Leica Type Cartridge	1	174-5436
6	H	35mm	100'	DL Spooled Recordak	1	252-6836
7	H	35mm	100'	Perf - for microcopy	1	252-6838
8	H	35mm	100'	Unperf. for microcopy	1	255-0425
9	N	35mm	36 exp.	Perf	1	292-9666
10	H	35mm	100'	For microfilming	1	260-1250
11	H	35mm	100'	Unperf. microcopy - DL Loading - Mfg. Processed	1	370-2827
12	A	2¼	8 exp.	120 Spool	1	250-2617
13	A	2¼	8 exp.	620 Spool	1	664-0412
14	N	2¼	8 exp.	120 Spool	1	664-0340
15	N	2¼	8 exp.	620 Spool	1	664-0492
16	A	70mm	100'		1	292-7080
17	A	70mm	50 exp.	Perf both sides - Cassette EK-SD3701	1	297-1624
18	A	70mm	100'	Perf both sides - Spooled SC-B-83310	1	356-5824
19	D	70mm	100'	Perf	1	531-7985
20	N	70mm	15'	Perf. Cassette	1	200-2791
21	N	70mm	100'	Perf.	1	664-1830
22		70mm	15'	Perf. Shell Burst Pan - USAF 520-17891 Spool	1	201-2058
23		70mm	100'	Perf. Shell Burst Pan - USAF 520-17891 Spool	1	290-1073
24	A	3½	20'	Recording Cathoid Ray Trace	1	264-5856
25		[illegible]	40'	Recording Cathoid Ray Trace	1	264-5855
26		3½ x 4¼	8 exp.	Polaroid	1	537-9300

APPROVED 25 Aug 1958 REVISED

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIANS	OTHER INT.
Navy - BuAer	A -
Air Force	N -
Army - SigC	AF -

MILITARY STANDARD

Supply Limitation
Miscellaneous, Roll, Type IV

MS 16825

Procurement Specification L-F-335

SUPERSEDES:

SHEET 1 OF 5

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:00Z
Check the source to verify that this is the current version before use.

DD FORM 672

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED. SUP CLASS. 6750

DASH	CLASS	WIDTH	LENGTH OR EXPOSURE	SUPPLEMENTARY DATA	SUPPLY STATUS CODE	FIIN
27	H	16mm	200'	For microcopy Type A-2	2	201-1276
28	H	16mm	200'	For microcopy - Mfg. Process.	2	291-3732
29	H	16mm	100'	For microcopy	2	356-5818
30	H	16mm	100'	For microcopy Type A-4 Mfg. Processed	2	370-2825
31	H	16mm	100'	For microcopy Type B-4	2	370-2826
32	C	28mm	8 exp.	828 Spool	2	408-5961
33	L	28mm	8 exp.	828 Spool	2	246-8361
34	K	35mm	20 exp.	Perf.	2	246-8360
35	A	70mm	100'	EKCO #10 Spool L/T DL	2	664-3996
36	C	70mm	100'	EKCO #10	2	285-7842
37	C	70mm	100'	SC-B-84310	2	598-7676
38	E-1	70mm	100'	EKCO #10 Mod	2	545-4623
39	N	70mm	15'	Emulsion out on spool	2	543-4051
40	K	70mm	100'	Perf	2	664-4328
41	L	5"	66"	Gen Purpose	2	664-5081
42	C	5.451"	56'	#1 Strawboard Core	2	283-0470
43	L	35mm	36 exp.	Cartridge	3	260-1253
44	L	35mm	20 exp.	Gen. indoor and Outdoor work	3	597-5779
45	H	35mm	1000'	For microcopy	3	558-7040
46	H	35mm	100'	Perf for Microcopy	3	260-1251
47	A	2½	8 exp.	120 spool	3	252-3740
48	L	2¼	8 exp.	620 spool	3	250-2613
49	L	2½	8 exp.	120 spool	3	252-3738
50	L	2¼	8 exp.	120 spool	3	297-1623
51	C	70mm	100'	Perf	3	201-2055
52	C	70mm	15'	Perf	3	290-1072
53	D	70mm	100'	Perf	3	598-9399
54	P	70mm	100'	Positive - Perf both sides Bulk spool	3	285-7831

APPROVED 25 Aug 1958 REVISED

CUSTODIANS: Navy - BuAer; Air Force; Army - SigC

OTHER INT.: A - ; M - ; AF -

MILITARY STANDARD

Supply Limitation

Miscellaneous, Roll, Type IV

MS16825

Procurement Specification L-F-335

SUPERSEDES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:00Z
Check the source to verify that this is the current version before use.

DD FORM 672

FED. SUP CLASS. 6750

DASH	CLASS	WIDTH	LENGTH OR EXPOSURE	SUPPLEMENTARY DATA	SUPPLY STATUS CODE	FIIN
55	D	3 5/8	100'	Emulsion In #1 Strawboard	3	598-5883
56	D	3 5/8	50'	Core Emulsion in #1 Straw.	3	664-1811
57	A	3 21/32	63'	Spool 122	3	597-5350
58	A	3 21/32	36 7/8"	Spool 218	3	597-5352
59	D	3 15/16	61"	1 in. Strawboard core	3	283-0466
60	L	5	10'	For recording Cathoid Ray trace	3	597-5351
61	L	5	66"	For recording Cathoid Ray trace	3	598-5898
62	C	5½	56'	Metal flanged spool	3	285-7841
63	L	5 13/16	40"	Spool - Recording Cathoid ray trace	3	597-5353
64	L	5 13/16	63"	Spool - Recording Cathoid ray trace	3	664-2715
65	L	6"	15'	Regarding Cathoid Ray Trace	3	597-5354
66	D	7"	100'	#1 Straw. Core w/o L/T	3	283-0463
67	D	7	125	#1 Straw. Core w/o L/T	3	283-0468
68	D	7	550	1A 3in. Strawboard Core	3	283-0469
69	D	7	600	#2 wood core	3	283-0471
70	D	7	425	3in. strawboard core	3	283-0472
71	D	7	250	2in. wood core	3	285-7832
72	D	7	600		3	291-3731
73	D	7	100	3in. strawboard core	3	298-1987
74	D	7	125	#1 strawboard core	3	664-2732
75	P	7	250	14-A paper board tube	3	598-5884
76		7	250	Type Linagraph Ortho.	3	598-5879
77		7	550	Type Linagraph Survey - Emul. in 3in. Strawboard	3	598-5880
78		7	125	3in. Strawboard Emulsion in	3	598-5882
79	D	9"	200'	1in. wood core	3	286-7891
80	D	9½	100	#1 Strawboard core	3	283-0465
81	D	9½	200	2in. wood core	3	283-0473

APPROVED 25 Aug 1958 REVISED

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIANS: Navy - BuAer; Air Force; Army - SigC
OTHER INT.: A - N - AF -

MILITARY STANDARD

Supply Limitation
Miscellaneous, Roll, Type IV

MS16825

Procurement Specification: L-F-335

SUPERSEDES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:00Z
Check the source to verify that this is the current version before use.

DD FORM 672

FED. SUP CLASS. 6750

DASH	CLASS	WIDTH	LENGTH OR EXPOSURE	SUPPLEMENTARY DATA	SUPPLY STATUS CODE	FIIN
82	D	9½	100'	#1 core w/o L&T	3	285-4422
83	E	9½	200	#1 paper board core	3	285-7838
84	E	9½	100	#1 paper board core	3	285-7839
85		9½	200	Linagraph (Type)	3	598-5886
86		12"	120'	Linagraph (Type) lin. Strawboard core	3	537-9307
87	D	12"	250'	2in. wood core	3	283-0467
88	D	12	250	Emul. in #1 Strawboard	3	664-1596
89		12	100	Emul. in - Linagraph survey (Type)	3	598-5881
90		3¼ x 4¼	8 exp.	Poloroid	3	200-7263
91	H	16mm	200'	Spooled for recordak mfg. processed	3	260-1260
92	H	16mm	200'	Mfg. Processed	3	292-7079
93	A	35mm	100'	DL load	3	250-2614
94	A	35mm	36 exp.	Perf	3	250-2616
95	A	35mm	36 exp.	Cartridge Perf.	3	252-6833
96	L	35mm	36 exp.		3	250-2612
97	L	35mm	100'	Perf	3	250-2615
98	L	35mm	36 exp.	Cartridge perf.	3	252-3737
99	H	35mm	100	For microcopy	3	292-7077
100	H	35mm	36 exp.	For microcopy	3	408-5950
101	L	2"	4 exp.	120 spool	3	250-2611
102	A	2 7/16	8 exp.	620 spool	3	174-7909
103	A	2¼	8 exp.	620 spool	3	252-3739
104	A	2¼	8 exp.	616 spool	3	255-0424
105	D	2½	8 exp.	120 spool	3	285-7829
106	A	70mm	30'	SigC SC-B-84310	3	260-1259
107	B	70mm	100'	SigC SC-B-84310	3	570-6120
108	B	70mm	30'	SigC DL SC-B-84310	3	260-1257
109	L	70mm	100'	DL SC-B-84310	3	283-0462

APPROVED 25 Aug 1958 REVISED

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIANS	OTHER INT.
Navy - BuAer	A -
Air Force	N -
Army - SigC	AF -

Procurement Specification: I-F-335

MILITARY STANDARD

Supply Limitation
Miscellaneous, Roll, Type IV

MS16825

SUPERSEDES:

SHEET 4 OF 5

Downloaded from: https://assist.dla.mil -- Downloaded: 2026-10-23T14:00:02
Check the source to verify that this is the current version before use.

DD FORM 672

FED. SUP CLASS. 6750

DASH	CLASS	WIDTH	LENGTH OR EXPOSURE	SUPPLEMENTARY DATA	SUPPLY STATUS CODE	FIIN
110	L	70mm	30'	DL SC-B-84310	3	285-4421
111	L	70mm	50 exp.	Perf both sides	3	297-1625
112	L	70mm	15'	unperf	3	597-0868
113	N	70mm	15'	Cassette	3	537-9301
114	N	70mm	100'	Cassette	3	598-7206
115	C	3¼	6 exp.	122 spool	3	297-1628
116	L	5.481	100'	Core w/L&T	3	250-0916
117	C	5½	100'	#1 Strawboard core	3	285-7840
118		6"	20'	High green sensitive for recording cathoid ray trace	3	297-1629
119	P	9½"	150'		3	297-0996

NOTES

1. STANDARDIZATION STATUS CODE

CODE 1 Item of supply listed in a Military or Federal Standard, or in an Aeronautical (AN) Standard not duplicating and not in conflict with a Military or Federal Standard. Item is standard within DOD for procurement and use in new design.

CODE 2 Item of supply determined by DOD Standardization action as authorized for procurement only to support inservice materiel, and so designated in an official publication of "Limitation Standardization" actions.

CODE 3 Item of supply determined by DOD Standardization action as not authorized for use in new design or for procurement, and so designated in an official publication of "Limitation Standardization" actions. Item will be discontinued when stock is exhausted.

2. This document has been promulgated by the Department of Defense as the military standard to limit the selection of the item, product, or design covered herein in engineering, design, and procurement. This standard shall become effective not later than 90 days after the latest date of approval shown.

APPROVED 25 Aug 1958 REVISED

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIANS	OTHER INT.
Navy - BuAer	A -
Air Force	N -
Army - SigC	AF -

Procurement Specification LeFw335

SUPERSEDES

MILITARY STANDARD

Supply Limitation

Miscellaneous, Roll, Type IV

MS16825

SHEET 5 OF 5

DD FORM 672

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:00Z
Check the source to verify that this is the current version before use.