MILITARY SPECIFICATION

TABLE, OFFICE, VEHICULAR MOUNTING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers a vehicular mounted table with one drawer.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

AA-T-91	- Table, Steel, General Office.
QQ-S-698	- Steel, Sheet and Strip, Low-Carbon.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-640	- Boxes, Fiberboard, Corrugated, Triple-Wall.

Military

MIL-T-704	- Treatment and Painting of Materiel.

STANDARDS

Federal

FED. STD. No. 595	- Colors.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-130	- Identification Marking of US Military Property.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

MIL-STD-1186 - Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; with Appropriate Test Methods.

DRAWINGS

ME

TA13217E7428 - Table, Office, Vehicular Mounting.

(Copies of specifications, standards, and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

A 36 - Standard Specification for Structural Steel.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

3. REQUIREMENTS

3.1 Description. The table shall be in accordance with Top Assembly TA13217E7428 and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

3.1.1 Drawings. The drawings forming a part of this specification are end product drawings. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. Any data (e.g. shop drawings, layouts, flow sheets, processing procedures, etc.) prepared by the supplier or obtained from a vendor to support fabrication and manufacture of the production item shall be made available, upon request for inspection by the contracting officer or his designated representative.

3.2 Material. Material shall be as specified herein.

3.2.1 Sheet steel. Sheet steel shall conform to QQ-S-698, cold rolled and normalized, Composition 1020.

3.2.2 Structural steel. Structural steel shall conform to ASTM A 36.

3.3 Design.

3.3.1 Table. The table shall conform to AA-T-91, Size 3, Class A or B as specified (see 6.2). The drawer shall be furnished with a push button or lever latch and a drawer pull.

3.3.2 Drawer latch. Each drawer shall have an automatic latch which is released by a finger controlled mechanism. The mechanism may be a button or lever and shall be located so that it can be released when the user's hand is in position on the drawer pull. The latch shall automatically hold the drawer in a closed position. The latch shall prevent the drawer from opening, even when the loaded drawer is subjected to the shock and vibration encountered when the table is mounted in a motorized van traversing rough terrain, unless the latch is released by the finger control mechanism. The latching mechanism, except for the locking hook, shall be concealed between the drawer pans. The catch may be formed from the drawer suspension member or the front interior vertical reinforcing member in such a way as to positively and automatically engage the hook, and in a manner to prevent shearing or tearing of the catch by the hook. The button or lever shall be fabricated from satin finished anodized aluminum; Type 302 corrosion-resistant steel; satin finished chromium on steel; die-cast zinc, brass or bronze.

3.3.3 Treatment and painting. The portions of the desk normally painted shall be cleaned, treated, and painted in accordance with MIL-T-704, Type A, Color No. 24525 of FED. STD. No. 595.

3.3.4 Identification marking. Identification marking shall be in accordance with MIL-STD-130.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

3.3.5 Workmanship. Workmanship shall be in accordance with AA-T-91.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Component and material inspection. The supplier is responsible for insuring that components and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of preparation for delivery (see 4.4).

4.3 Quality conformance inspection.

4.3.1 Examination and tests. The tables shall be examined and tested in accordance with AA-T-91.

4.4 Inspection of preparation for delivery.

4.4.1 Quality conformance inspection of pack.

4.4.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials and containers not as specified. Each incorrect material or container shall be considered one defect.
102. Packaging not in accordance with AA-T-91 for Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

103. Blocking, bracing, and cushioning not as specified for Level A or B.
104. Closure and strapping of shipping containers not as specified for Level A or B.
105. Marking illegible, incorrect, or incomplete.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be Level A or C as specified (see 6.2).

5.1.1 Level A. The table shall be packaged in accordance with the Level A requirements of AA-T-91.

5.1.2 Level C. The table shall be packaged to afford protection against deterioration and damage during shipment from the supplier to the initial destination.

5.2 Packing. Packing shall be Level A, B, or C as specified (see 6.2).

5.2.1 Level A. The tables shall be packed in boxes conforming to PPP-B-601, Overseas Type, Grade B or PPP-B-621, Class 2. Blocking, bracing, and cushioning of the tables shall be in accordance with MIL-STD-1186. Closure and strapping shall be in accordance with the appendix of the applicable box specification.

5.2.2 Level B. The tables shall be packed as specified in 5.2.1 for Level A except the boxes shall be Domestic Type; or in accordance with PPP-B-636, V2s, V11c, or V13c or PPP-B-640, Class 2. Fiberboard boxes shall be waterproof sealed in accordance with the appendix of the applicable box specification.

5.2.3 Level C. The tables shall be packed in a manner to insure carrier acceptance and safe delivery to destination at the lowest rating in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

5.3 Marking. Marking of packages and shipping containers shall be in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. The table is intended for use in a mobile-control-section, surveying equipment, motorized van. NSN 2540-00-720-1224 which is used in Equipment Set 6675-97-CL-E45 applies thereto. This specification in intended to replace CE PD 457 dated 10 September 1957.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Whether Class A or Class B table is required (see 3.3.1).
(c) Level of packaging and level of packing required (see 5.1 and 5.2).

Custodians:

Army - ME

Preparing activity:

Army - ME

Project No. 2540-A240

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Center
ATTN: STSFB-DS
Fort Belvoir, Virginia 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-T-52812(ME) - TABLE, OFFICE, VEHICULAR MOUNTING

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.