FEDERAL SPECIFICATION SHEET

FEDERAL SPECIFICATION

DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL:

ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE AND NON-REVERSIBLE

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

(This specification forms a part of the latest issue of Federal Specification 00-D-1297).

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the detail requirements for one door, end loading tumblers.

1.2 Classification. The tumblers shall be reversible or non-reversible and of size and kind of heat as specified (see 6.2).

Reversible and non-reversible
Size: 20-30, 40-50, or 100 (dry-weight pounds)
Kind of heat: steam or gas

2. APPLICABLE DOCUMENTS

2.1 Specifications. The following Federal Specification of the issue in effect on date of invitation for bids or request for proposal, forms a part of the specification to the extent specified herein:

00-D-1297 - Drying and Conditioning Tumblers, Laundry, Commercial: General Specification For

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers, at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

FSC 3510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

(Federal Government activities may obtain copies of Federal Specification, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

3. REQUIREMENTS

3.1 Design and construction. The tumblers shall be in accordance with table I and shall contain an arrangement for non-recirculation of heated air.

TABLE I - Design requirement

Size	Reversibility	Evaporation	Cylinder size	
Minimum dry weight capacity (pounds)		Water evaporated per minute, minimum (pounds)	Approximate interior dimensions (inches) Diameter	Length
20-30	reversible	0.50	28 (min.)	26 (min.)
20-30	non-reversible	0.55	28 (min.)	26 (min.)
40-50	reversible	0.80	36	30
40-50	non-reversible	0.88	36	30
100	reversible	1.60	42	42
100	non-reversible	1.76	42	42

3.1.1 Cylinder. The cylinder shall be of open-end construction without a door and shall consist of a circular solid back sheet, a formed front sheet with a minimum diameter opening of 22 inches and perforated side sheets of a thickness as identified in table II. The cylinder shall be fitted with not less than three tumbling ribs with through tie rods to increase cylinder rigidity. The circular back sheet of the cylinder shall be securely fastened to a substantial ferrous metal transmitter and trunnion. The trunnion shall rotate in suitable ball or roller bearings.

3.1.2 Door. The door shall be suitable hinged and provided with a heavy duty latch and door handle.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

TABLE - II - Cylinder metal thickness, minimum (inches)

Cylinder diameter (inches)	Solid back sheet	Front sheets and perforated side sheets
36	0.0438	0.0324
42	0.0543	0.0438

3.1.3 Heat conditioning system. For the cooling cycle, means shall be provided for the admission of air by-passing the heater on steam dryers.

3.1.4 Optional equipment. When specified (see 6.2), the tumblers shall be equipped with a solenoid operated valve on the steam line and an automatic temperature control with a visual signal light and settings graduated from 100 to 200 F. The timing device shall provide a minimum drying cycle of 30 minutes, adjustable to a cool-down cycle. When specified (see 6.2), the tumbler shall be equipped with durable press controls.

3.1.5 Lint screen. A lint screen of adequate size, fitted with screens of corrosion-resistant metal, brass wire mesh, or metal painted with heat-resistant enamel, heat-resistant treated synthetic fibers, through which all of the air shall be exhausted, shall be provided. Means shall be provided for cleaning the lint screens without removing the collector from the unit.

4. QUALITY ASSURANCE PROVISIONS

4.1 Test items, functional testing. During functional testing, operation of the automatic temperature control shall be checked for compliance with the specified requirements.

5. PREPARATION FOR DELIVERY (See 00-D-1297)

6. NOTES

6.1 General notes. In addition to the notes contained in the general specification, the following ordering data peculiar to these tumblers are specified.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.

(a) The reversibility (see 1.2).
(b) The size and kind of heat (see 1.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

(c) When a solenoid operated temperature valve is required (see 3.1.4).
(d) When durable press controls are required (see 3.1.4).

Custodians:

Army - GL
Navy - YD
Air Force - 84

User activities:

Army - ME, CE
Navy - MC

Preparing activity:

Army - GL

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS

Project No. 3510-0201-1

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE Drying and Conditioning Tumblers, Laundry, Commercial: One Door Type, End Loading Style, Reversible and Non-Reversible 00-D-1297/1

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
US ARMY NATICK LABORATORIES
NATICK, MA 01760

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

STSNLT-EQS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

U.S. MAIL

Commander
US Army Natick Laboratories
ATTN: STSNLT-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.