INCH-POUND

MIL-P-48093A (AR)
AMENDMENT 3
6 April 1991
SUPERSEDING
AMENDMENT 2
30 November 1988

MILITARY SPECIFICATION

PROJECTILE, 8 INCH, HE, M509A1
HARDWARE NON METALLIC FOR

This amendment forms a part of Military Specification MIL-P-48093A (AR), dated 3 October 1979, and is approved for use by the US Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

Change "ARRADCOM" to "US Army Armament Research and Development Center (ARDEC)" and "DRDAR" to "AMSMC" wherever applicable.

PAGE 1

Title: Change "HE, M509E1" to "HE: M509A1".

1.1: Change "HE, M509E1" to "HE: M509A1".

PAGE 3

4.3.1: Add the following new parts to the list:

"Spacer, Large (alternate)	12551676-1	25
Spacer, Large (alternate)	12551676-2	25
Spacer, Small (alternate)	12551677-1	25
Spacer, Small (alternate)	12551677-2	25"

PAGE 4

4.3.2, Table I: Add the following new parts to the list:

"Spacer, Large (ALTERNATE: 12551676-1 & -2)			
Examination for defects	25	3.2	4.4.2.5
Spacer, Small (ALTERNATE: 12551677-1 & -2)			
Examination for defects	25	3.2	4.4.2.6"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

PAGE 6

4.4.2.1: Add Major Defect 103 and Note (a) as follows:

"103 Improper Color (a) 3.2 Visual

Note (a) One (1) Sample from each mold representing the batch of raw material used"

PAGE 8

4.4.2.3: Add Major Defect 105 and Note (b) as follows:

"105 Improper Color (b) 3.2 Visual

Note (b) One (1) sample from each mold representing the batch of raw material used"

Change "Visual (see note)" to "Visual (see note (a))" in the Inspection Method column for Minor Defect 203.

Add "(a)" before "when" in the notes block."

PAGE 9

4.4.2.4: Add Major Defect 105 and Note (b) as follows:

"105 Improper Color (b) 3.2 Visual

Note (b) One (1) sample from each mold representing the batch of raw material used"

Change "Visual (see note)" to "Visual (see note (a))" in the Inspection Method column for Minor Defect 203.

Add "(a)" before "when" in the notes block.

* Insert new included paragraphs 4.4.2.5 and 4.4.2.6.

(Paragraphs 4.4.2.5 and 4.4.2.6 were added in Amendment 2. However, Amendment 3 makes one small change to each paragraph. Minor 208 "Major radius of spacer" is deleted on both classification of defects. The remaining Minor defects have been re-numbered from 208 to 213.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 12551676
4.4.2.5	Spacer, Large (ALTERNATE)				NEXT HIGHER ASSEMBLY 9241400
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Profile outside of tolerance zone		0.40%	3.2	Gage
102	Dimension "A" improper	See	0.40%	3.2	Gage
103	Thickness of rib improper	4.5.2	0.40%	3.2	Gage
104	Width of rib improper		0.40%	3.2	Gage
105	Improper color		(a)	3.2	Visual
106	Overall height		0.40%	3.2	Gage
Minor					
201	Surface variations outside permitted zone		0.65%	3.2	Visual
202	Blends at ends of ribs not present		0.65%	3.2	Visual
203	Excess gating		0.65%	3.2	Visual (b)
204	Distance from center of rib to cavity		0.65%	3.2	Gage
205	Distance from outside of rib to cavity		0.65%	3.2	Gage
206	Width of cavity		0.65%	3.2	Gage
207	Overall width of spacer		0.65%	3.2	Gage
208	Distance from top of part to cavity		0.65%	3.2	Gage
209	Wall thickness		0.65%	3.2	Gage
210	Thickness of cross members (3 places)		0.65%	3.2	Gage
211	Dimension "B" improper		0.65%	3.2	Gage
212	Radii's and bevels improper		0.65%	3.2	Visual
213	Evidence of poor workmanship		0.65%	3.2	Visual

NOTES: (a) One (1) sample from each mold representing the batch of raw material used.
(b) When this characteristic is in doubt, gaging may be used to determine acceptability.

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T19:13Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.6	Spacer, Small (ALTERNATE)	1 OF 1	12551677
			NEXT HIGHER ASSEMBLY 9241400

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Profile outside of tolerance zone		0.40%	3.2	Gage
102	Dimension "A" improper	See	0.40%	3.2	Gage
103	Thickness of rib improper	4.5.2	0.40%	3.2	Gage
104	Width of rib improper		0.40%	3.2	Gage
105	Improper color		(a)	3.2	Visual
106	Overall height		0.40%	3.2	Gage
Minor					
201	Surface variations outside permitted zone		0.65%	3.2	Visual
202	Blends at ends of ribs not present		0.65%	3.2	Visual
203	Excess gating		0.65%	3.2	Visual (b)
204	Distance from center of rib to cavity		0.65%	3.2	Gage
205	Distance from outside of rib to cavity		0.65%	3.2	Gage
206	Width of cavity		0.65%	3.2	Gage
207	Overall width of spacer		0.65%	3.2	Gage
208	Distance from top of part to cavity		0.65%	3.2	Gage
209	Wall thickness		0.65%	3.2	Gage
210	Thickness of cross members (3 places)		0.65%	3.2	Gage
211	Dimension "B" improper		0.65%	3.2	Gage
212	Radii's and bevels improper		0.65%	3.2	Visual
213	Evidence of poor workmanship		0.65%	3.2	Visual

NOTES:
(a) One (1) sample from each mold representing the batch of raw material used.
(b) When this characteristic is in doubt, gaging may be used to determine acceptability.

Source: https://assist.dla.mil - Downloaded: 2026-02-22T19:13Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1320-AC23)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:13Z
Check the source to verify that this is the current version before use.