
INCH-POUND
MIL-DTL-28840/24D
w/AMENDMENT 1
11 July 2019
SUPERSEDING
MIL-DTL-28840/24D
31 October 2013

DETAIL SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, CIRCULAR, GASKET, FLANGE MOUNTING, FLUOROSILICONE AND EMI SHIELDING (FOR MIL-DTL-28840)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-28840.



Inches	mm
.010	0.25
.026	0.66
.036	0.91

FIGURE 1. Dimensions and configurations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:43Z
Check the source to verify that this is the current version before use.

Shell size designator (see note 1)	A	B dia	C	D dia	F radius
A (11)	.760 (19.30) .740 (18.80)	.766 (19.46) .750 (19.05)	1.039 (26.39) 1.023 (25.98)	.130 (3.30) .110 (2.79)	.151 (3.84) .131 (3.33)
B (13)	.853 (21.67) .833 (21.16)	.891 (22.63) .875 (22.22)	1.154 (29.31) 1.138 (28.90)	.130 (3.30) .110 (2.79)	.151 (3.84) .131 (3.33)
C (15)	.978 (24.84) .958 (24.33)	1.078 (27.38) 1.062 (26.97)	1.274 (32.36) 1.258 (31.95)	.130 (3.30) .110 (2.79)	.151 (3.84) .131 (3.33)
D (17)	1.025 (26.04) 1.005 (25.53)	1.141 (28.98) 1.125 (28.58)	1.399 (35.53) 1.383 (35.13)	.130 (3.30) .110 (2.79)	.166 (4.22) .146 (3.71)
E (19)	1.150 (29.21) 1.130 (28.70)	1.338 (33.98) 1.312 (33.32)	1.524 (38.71) 1.508 (38.30)	.130 (3.30) .110 (2.79)	.182 (4.62) .162 (4.11)
F (23)	1.291(32.79) 1.271 (32.28)	1.516 (38.51) 1.500 (38.10)	1.734 (44.04) 1.718 (43.64)	.130 (3.30) .110 (2.79)	.198 (5.03) .178 (4.52)
G (25)	1.402 (35.61) 1.382 (35.10)	1.641 (41.68) 1.625 (41.28)	1.834 (46.58) 1.818 (46.18)	.157 (3.99) .137 (3.48)	.198 (5.03) .178 (4.52)
H (29)	1.578 (40.08) 1.558 (39.57)	1.891 (48.03) 1.875 (47.62)	2.154 (54.71) 2.138 (54.30)	.157 (3.99) .137 (3.48)	.229 (5.82) .209 (5.31)
J (33)	1.744 (44.30) 1.724 (43.79)	2.078 (52.78) 2.062 (52.37)	2.344 (59.54) 2.328 (59.13)	.183 (4.65) .163 (4.14)	.229 (5.82) .209 (5.31)

NOTES:

1. Shell sizes are provided within parentheses for information and are not a part of the designator.
2. Dimensions are in inches.
3. Metric equivalents are given for information only.

FIGURE 1. Dimensions and configurations - Continued.

REQUIREMENTS:

Dimensions and configuration: See figure 1.


Material types:

Type A, fluorosilicone: Material shall be fluorosilicone rubber in accordance with MIL-DTL-25988 (50 shore). Color: Blue.
(This type of rubber gasket material is assigned to FSC 5330.)

Type B, silicone, EMI shielding: Material shall be silicone rubber in accordance with A-A-59588, class 3A, grade 30, embedded with Monel™ wires in accordance with QQ-N-281. Color: Grey.
(This type of miscellaneous EMI gasket is assigned to FSC 5999.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:43Z
Check the source to verify that this is the current version before use.

Part or Identifying Number (PIN) example:



Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Administrative note: Federal stock class (FSC) 5935, for electrical connectors, is the primary FSC assigned to the MIL-DTL-28840 family of documents. FSC 5330, “Packing and gasket materials”, is intended for National Stock Numbers (NSNs) referencing PINs that specify material designator “A”, fluorosilicone gaskets. FSC 5999, “Miscellaneous electrical and electronic components”, is intended for NSNs referencing material designator “B”, silicone, EMI shielding gaskets.

Referenced documents. In addition to MIL-DTL-28840, this document references the following:

A-A-59588
QQ-N-281
MIL-DTL-25988

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - EC
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2019-087)

Review activities:
Army – AV, MI
Navy - SH
NASA - NA

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:43Z
Check the source to verify that this is the current version before use.