MILITARY SPECIFICATION
TELEPHONE SETS, TA-970/U, TA-980/U, AND TA-990/U

This amendment forms a part of Military Specification, MIL-T-28842A(EC) dated 11 May 1981, and is approved for use by the Naval Electronic Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 5

3.8.2.1 b., line 2, after "speaker": Delete "ampere (A)" and substitute "amplifier".

3.8.2.2 b., line 2, after "speaker": Delete "A" and substitute "amplifier".

* 3.8.2.3 d., after "(kHz)" Add: "at +25 degrees Celsius (C). The input impedance may vary from 520 ohms to 780 ohms over the temperature range of -28 to +65 degrees C."

* 3.8.2.3 e. Delete the text in its entirety and substitute the following new text:

"15 ohms ±10 percent at 1 kHz unbalanced to ground at +25 degrees C. The output impedance may vary from 12 ohms to 20 ohms over the temperature range of -28 to +65 degrees C."

PAGE 6

* 3.8.2.3 f. Delete the text in its entirety and substitute the following new text:

"Flat within "+0 dB to -3 dB from 200 hertz (Hz) to 4 kHz as compared to the response at 1 kHz."

* 3.8.2.4 f. Delete the text in its entirety and substitute the following new text:

"Flat within +1 dB to -5 dB from 200 Hz to 4 kHz as compared to the response at 1 kHz. The roll off below 200 Hz and above 4 kHz shall be 12 dB ±3 dB per octave. The gain at 100 Hz and 8 kHz shall be -15 dB maximum."

PAGE 8

* 3.8.2.13, line 2: Delete: "terminal A" and substitute "pin A".

Second sentence: Delete in its entirety and substitute the following new sentence:

"The minimum voltage measured across pins A and B with the handset connected and the PTT switch depressed shall be 4.75 VDC and the maximum voltage shall be 8.5 VDC."

PAGE 9

* 3.10.1 a., after "tests": Delete "CE07", after "d" Add the following new item:

"e. Test methods CE01, CE02, RE01, and RE02 shall apply except for switch transient measurements."

FSC 5805

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:47Z
Check the source to verify that this is the current version before use.

* 3.10.2 a., after "tests": Delete "CE07", after "e" Add the following new item:

"f. test methods CE01, CE02, RE01, and RE02 shall apply except for switch transient measurements."

PAGE 10

4.4.1 Add the following new sentence: "The workmanship screen shall be the first inspection performed."

PAGE 11

TABLE I. "Workmanship Screen: Delete entry and substitute the following:

Examination or test	Requirement paragraph	Test paragraph	First article inspection	Quality conformance inspection Group A	Group B	Group C
"Workmanship screen	3.13.2	4.5.6		X		"

TABLE I. "Auxiliary output": Delete "3.8.2.5" and substitute "3.8.2.10".

TABLE I. "Crosstalk": Delete "4.7" and substitute "4.5.7".

TABLE I. "Humidity": Delete "4.8" and substitute "4.5.8".

TABLE I. "Shock": Delete "4.8.3" and substitute "4.5.9".

TABLE I. Add the following new entry:

Examination or test	Requirement paragraph	Test paragraph	First article inspection	Quality conformance inspection Group A	Group B	Group C
"Channel select switch Type II	3.8.1	4.5.2	X	X		"

PAGE 12

4.5.3 Delete text and substitute the following new text:

"Temperature tests. Temperature tests shall be conducted in accordance with MIL-E-16400 except that lower non-operating temperature for Range 4 shall be as specified in 3.9.1."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:47Z
Check the source to verify that this is the current version before use.

4.6 through 4.11: Delete paragraph numbers and substitute new paragraph numbers as follows:

Delete	Substitute
"4.6	4.5.6
4.6.1	4.5.6.1
4.6.2	4.5.6.2
4.7	4.5.7
4.8	4.5.8
4.8.1	4.5.8.1
4.8.2	4.5.8.2
4.8.3	4.5.9
4.9	4.6
4.9.1	4.6.1
4.9.2	4.6.2
4.9.3	4.6.3
4.9.4	4.6.4
4.9.5	4.6.5
4.10	4.7
4.10.1	4.7.1
4.10.2	4.7.2
4.10.3	4.7.3
4.11	4.8 "

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing Activity:
NAVY - EC
(Project 5805-N253)

☆U.S. GOVERNMENT PRINTING OFFICE: 1982 — 505-022/3613

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:47Z
Check the source to verify that this is the current version before use.