MILITARY SPECIFICATION SHEET

FLANGES, WAVEGUIDE (CHOKE) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY))

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the flanges described herein shall consist of this document and the latest issue of Specification MIL-F-3922.





FIGURE 1. Flange configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.



INCHES	MM
.002	.05
.003	.08
.004	.10
.005	.13
.015	.41
.094	2.39
.250	6.35

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are in parentheses.
3. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
4. Roughness of mating surfaces, including seal groove, shall not exceed 63 microinches in accordance with ANSI - B46.1 - 1962, except that flaws shall be included in the roughness height measurement.

FIGURE 1. Flange configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.

TABLE I. Dash numbers and dimensions.


Part No. M3922/62-			Dimensions 1/					
Dash No.	Used with Waveguide M85/1-	Used with Mating flange M3922/57-	A ±.005 (.13)	B ±.005 (.13)	C ±.015 (.38)	D BSC.	E Max.	F
001 2/	053	001	1.872 (47.55)	.872 (22.15)	3.625 (92.08)	3.250 (82.55)	.016 (.41)	.190-32 UNF-2A
002 3/	055	002						

	Dimensions 1/ (Continued)								
Dash No.	G ±.016 (.41)	H ±.015 (.38)	J +.015 (.38) -.016 (.41)	K ±.015 (.38)	L +.003 (.08) -.000	M ±.005 (.13)	N ±.003 (.08)	P ±.005 (.13)	Q ±.001 (.03)
001 2/	2.750 (69.85)	.250 (6.35)	.938 (23.83)	2.500 (63.50)	2.005 (50.93)	.168 (4.27)	2.190 (55.63)	.687 (17.45)	.025 (.64)
002 3/									

	Dimensions 1/ (Continued)							
Dash No.	R ±.003 (.08)	S ±.005 (.13)	T ±.005 (.13)	U ±.003 (.08)	V ±.015 (.38)	W ±.015 (.38)	Y +.003 (.08) -.000	Z Max R
001 2/ 002 3/	2.556 (64.92)	3.019 (76.68)	.083 (2.11)	.570 (14.48)	.687 (17.45)	1.500 (38.10)	1.005 (25.53)	.016 (.41)

1/ Dimensions are in inches (millimeters are in parentheses).
2/ Aluminum alloy.
3/ Copper alloy.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.



INCHES	MM
.005	.13
.015	.38
.115	2.92
2.683	68.15

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Gasket used with flanges M3922/62-001 and M3922/62-002.
4. Formerly MS part number MS90064-16.

FIGURE 2. Gasket dimensions and configuration.

TABLE II. Materials supplied with flange.

Item	Description	Quantity
Gasket - - - - - - - - - - - -	Silicone rubber (see figure 2)	1
Socket-head cap screw - - -	.190-32, UNF-2A, .625 (15.88) long	8
Lockwasher - - - - - - - - -	#10-.047 (1.19) thick	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration:
Flange - See figure 1 and table I.
Gasket - See figure 2.

Material: Metallic alloy as specified in table I.

Material supplied with flange: See table II.

Marking: See figure 1.
Part number: M3922/62- (and dash number from table I).

TABLE III. Cross reference and engineering information.

Part number M3922/62-	AN nomenclature	Frequency range (GHz)
001	UG-406B/U	3.95 - 5.85
002	UG-148C/U	3.95 - 5.85

Custodians:
Army - EL
Navy - EC
Air Force - 85

Review activities:
Army - MI, SG
Navy - OS
Air Force - 11, 80
DSA - ES

User activities:
Army - AV
Navy - AS, MC, SH
Air Force - None

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 5985-0818-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND (ELEX 8111)
WASHINGTON, DC 20360

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*. ____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording

c. Reason/Rationale for Recommendation.

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:07Z
Check the source to verify that this is the current version before use.