MILITARY SPECIFICATION SHEET

FLANGES, WAVEGUIDE COVER (BUTT MOUNT)

(SQUARE, 4 HOLE)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirement for procuring the flanges described herein shall consist of this document and the latest issue of Specification MIL-F-3922.





FIGURE 1. Part numbers M3922/68-001, M3922/68-002, and M3922/68-003.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:09Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM	INCHES	MM
.0007	.02	.056	1.42	.265	6.73
.001	.03	.0700	1.78	.2800	7.11
.0014	.04	.081	2.06	.362	9.19
.002	.05	.111	2.82	.3750	9.53
.0025	.06	.1400	3.56	.412	10.46
.005	.13	.156	3.96	.468	11.89
.016	.41	.181	4.60	.469	11.91
		.250	6.35	.750	19.05



SECTION A-A

PART NUMBER
M3922/68-003

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Mating surfaces, including seal groove, shall not exceed 63 microinches in accordance with ANSI-B46.1-1962, except that flaws shall be included in the roughness height measurement.

FIGURE 1. Part numbers M3922/68-001, M3922/68-002, and M3922/68-003 - Continued.

TABLE I. Dimensions.

PART NUMBER M3922/68-		DIMENSIONS	
DASH NUMBER	WAVEGUIDE USED WITH	A	DETAIL
001	M85/3-006 M85/3-007 M85/3-008	.116 DIA $^{+.002}_{-.000}$ (2.95 $^{+.05}_{-.00}$)	A
002	M85/3-006 M85/3-007 M85/3-008	.112-40 UNC-2B	A
003	M85/3-006 M85/3-007 M85/3-008	.112-40 UNC-2B	B

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Millimeters are in parentheses.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:09Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:


Dimensions and configuration: See figures 1 and 2, and table I.

Material: Copper alloy.

Part number: See table I.

ENGINEERING INFORMATION:

Frequency range: 26.5-40.0 GHz.



GASKET TO BE FURNISHED WITH PART NUMBER
M3922/68-003

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Millimeters are in parentheses.

FIGURE 2. Gasket.

Custodians:
Army - EL
Navy - EC
Air Force - 85

Review activities:
Army - MI, MU
Navy - OS
Air Force - 11, 80
DSA - ES

User activities:
Army - ME, AV
Navy - AS, MC, SH
Air Force - None

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 5985-0755)

☆U.S. GOVERNMENT PRINTING OFFICE: 1974-603-109/1066

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:09Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Chief of Naval Material
ATTN: MAT 0434
Washington, DC 20360

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-16 22:09Z
Check the source to verify that this is the current version before use.