QUALIFICATIONS CERTIFIED
February 1984

QPL-00-W-891-68
23 February 1984
SUPERSEDING
QPL-00-W-891-67
24 December 1981

QUALIFIED PRODUCTS LIST

OF

FSC 5130

PRODUCTS QUALIFIED UNDER FEDERAL SPECIFICATION

00-W-891

WRENCH, IMPACT, PNEUMATIC, PORTABLE

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not connote indorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specification requirements.

The activity responsible for this Qualified Products List is USA Belvoir Research and Development Center, ATTN: STRBE-NC, Fort Belvoir, VA 22060.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
3/8 inch (1/4-inch capacity) (Straight Drive)	2270-06	NAVSHIPYD, PHILA Rpt. TT-476	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
3/8 inch (1/4-inch capacity) (Straight Drive)	2275	NAVSHIPYD, PHILA Rpt. TT-476	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
3/8 inch (1/4-inch capacity) (Straight Drive)	CP-9525	NAVSHIPYD, PHILA Rpt. TT-449	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
3/8 inch (1/4-inch capacity) (Straight Drive)	CP-9530	NY 5409-W-4 & NAVSHIPYD, PHILA Rpts, TT-50 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
3/8 inch (1/4-inch capacity) (Straight Drive)	CP-9530RS	NAVSHIPYD, PHILA Rpts. TT-44 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
3/8 inch (1/4-inch capacity) (Straight Drive)	K-20M	NAVSHIPYD, PHILA Rpts. TT-73 & TT-377	Stanley Air Tools Div. The Stanley Works 700 Beta Drive Cleveland, OH 44143 Plant: Same address
1/2 inch (3/8-inch capacity) (Straight Drive)	8103 APC-1	NAVSHIPYD, PHILA Rpts. TT-38 & TT-337	The Aro Corporation One Aro Center Bryan, OH 43506 Plant: Same address

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
1/2 inch (3/8-inch capacity) (Straight Drive)	WG044A-D3	Aro Corporation Rpts. P-4535-A	The Aro Corporation One Aro Center Bryan, OH 43506 Plant: Same address
1/2 inch (3/8-inch capacity) (Straight Drive)	2292	NAVSHIPYD, PHILA Rpts. TT-321 & TT-377	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
1/2 inch (3/8-inch capacity) (Straight Drive)	2298	NAVSHIPYD, PHILA Rpts. TT-321 & TT-377	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
1/2 inch (3/8-inch capacity) (Straight Drive)	CP-9547	NAVSHIPYD, PHILA Rpt. TT-426	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
1/2 inch (3/8-inch capacity) (Straight Drive)	CP-9545	NY 5409-W-4 & NAVSHIPYD, PHILA Rpt. TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
1/2 inch (3/8-inch capacity) (Straight Drive)	CP-9540	NAVSHIPYD, PHILA Rpts. TT-44 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plants: 2200 Bleecker Street Utica, NY 13503 Consolidated Pneumatic Tool Co. Greenwell Road Aberdeen, Scotland AB9 2JQ
1/2 inch (3/8-inch capacity) (Straight Drive)	CP-3440RSHP	NY 5409-W-4 & NAVSHIPYD, PHILA Rpts. TT-41 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
1/2 inch (3/8-inch capacity) (Straight Drive)	Size 2905	NAVSHIPYD, PHILA Rpts. TT-56 & TT-377	Ingersoll-Rand Company Power Tool Div. P.O. Box 1776 Liberty Corner, NJ 07938 Plant: 101 N. Main Street Athens, PA 18810
1/2 inch (3/8-inch capacity) (Straight Drive)	2705	NAVSHIPYD, PHILA Rpt. TT-361	Ingersoll-Rand Company Power Tool Div. P.O. Box 1776 Liberty Corner, NJ 07938 Plant: 101 N. Main Street Athens, PA 18810

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
1/2 inch (3/8-inch capacity) (Straight Drive)	K-40M	NAVSHIPYD, PHILA Rpts. TT-67 & TT-377	Stanley Air Tools Div. The Stanley Works 700 Beta Drive Cleveland, OH 44143 Plant: Same address
5/8 inch (5/8-inch capacity)	2294	NAVSHIPYD, PHILA Rpts. TT-321 & TT-377	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
3/4 inch (3/4-inch capacity)	Model 8106-APC-1	NAVSHIPYD, PHILA Rpts. TT-134 & TT-377	The Aro Corporation One Aro Center Bryan, OH 43506 Plant: Same address
3/4 inch (3/4-inch capacity)	2321	NAVSHIPYD, PHILA Rpt. TT-439	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
3/4 inch (3/4-inch capacity)	CP-606 RSP	NAVSHIPYD, PHILA Rpts. TT-44 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503
3/4 inch (3/4-inch capacity)	CP-9560	NAVSHIPYD, PHILA Rpts. TT-404 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
3/4 inch (3/4-inch capacity)	6401lAA8	NAVSHIPYD, PHILA Rpts. TT-296 & TT-377	Cooper Air Tool Div. 666 Industrial Road Lexington, SC 29072 Plant: Same address
3/4 inch (3/4-inch capacity)	2910	NAVSHIPYD, PHILA Rpt. TT-391	Ingersoll-Rand Company Power Tool Div. P.O. Box 1776 Liberty Corner, NJ 07938 Plant: 101 N. Main Street Athens, PA 18810
3/4 inch (3/4-inch capacity)	Model 4038	NAVSHIPYD, PHILA Rpt. TT-434	Sioux Tools, Inc. 2901 Floyd Boulevard Sioux City, IA 51102 Plant: Same address
3/4 inch (3/4-inch capacity)	K-60M	NAVSHIPYD, PHILA Rpts. TT-260 & TT-377	Stanley Air Tools Div. The Stanley Works 700 Beta Drive Cleveland, OH 44143 Plant: Same address
1 inch (1-1/4 inch capacity)	6574	NAVSHIPYD, PHILA Rpts. TT-154 & TT-377	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
1 inch (1-1/4 inch capacity)	2335	NAVSHIPYD, PHILA Rpt. TT-454	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
1 inch (1-1/4 inch capacity)	CP0610-GALED	NAVSHIPYD, PHILA Rpts. TT-291 & TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
DRIVE SIZE			
1 inch (1-1/4 inch capacity)	2330	NAVSHIPYD, PHILA Rpts. TT-154 & TT-377	Black & Decker (U.S.) Inc. 626 Hanover Pike Hampstead, MD 21074 Plant: Same address
1 inch (1-1/4 inch capacity)	64013AA4	NAVSHIPYD, PHILA Rpts. TT-296 & TT-377	Cooper Air Tool Div. 666 Industrial Road Lexington, SC 29072 Plant: Same address
1 inch (1-1/4 inch capacity)	Model 2934	NAVSHIPYD, PHILA Rpt. TT-360	Ingersoll-Rand Company Power Tool Div. P.O. Box 1776 Liberty Corner, NJ 07938 Plant: 101 N. Main Street Athens, PA 18810
1-1/2 inches (Standard Duty)	CP-6120-GASED	NY 5409-W-4 & NAVSHIPYD, PHILA Rpt. TT-377	Chicago Pneumatic Tool Co. P.O. Box 2346 80 Wesley Street So. Hackensack, NJ 07606 Plant: 2200 Bleecker Street Utica, NY 13503

NOTE: Approvals shown hereon are for basic tools. Approval includes all handle and throttle styles of listed tools. Purchasing activities should specify type of handle and throttle required.

NOTE: As of 23 February 1984, no wrench, impact size 3/8 inch (1/4-inch capacity) angle drive, 1/2 inch (3/8-inch capacity), angle drive or 1-1/2 inch (1-3/4 inch capacity) heavy duty, portable pneumatic impact wrenches have been tested and qualified. Pending the approval of these wrenches on the Qualified Products List, the qualification requirements (see 3.2 and 6.3) of Federal Specification 00-W-891 shall be waived for acquisition of these size wrenches. However, contracting agencies should require first article inspection invoking tests of paragraphs 4.4, 4.6, and 4.7 of 00-W-891. A copy of the first article test data, as certified to by the responsible government inspector, shall be forwarded to the applicable qualifying activity.

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:27Z
Check the source to verify that this is the current version before use.