QUALIFICATIONS VALIDATED ANNUALLY

QPL-QQ-S-571-110
28 April 1995
SUPERSEDING
QPL-QQ-S-571-109
3 March 1995

FEDERAL QUALIFIED PRODUCTS LIST

OF

FSC 3439

PRODUCTS QUALIFIED UNDER FEDERAL SPECIFICATION

QQ-S-571

SOLDER, ELECTRONIC (96 to 485°C)

This list has been prepared for use by or for the Government in the acquisition of products covered by Federal Specification QQ-S-571. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE U.S. ARMY RESEARCH LABORATORY. The activity designated as agent for all contacts relative to this QPL is the Defense Electronics Supply Center (DESC-ELS), Dayton, OH 45444-5764.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
SOLID FLUX CORED SOLDER			
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65 Form: B, I, R Flux Type: S	Arthur Brady	571-1069-87	ABA Industries, Inc.
Sn99, Sn96Ag04, Sn95Sb05, Sn90Pb10, Sn70Pb18In12, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn35Pb65, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30Pb68Sb02, Sn30Pb70, Sn20Pb80, Sn20Pb79Sb01, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In05Pb92Ag03, AG06Pb94, Ag03Pb97 Form: B, I, R, S, W Flux Type: S	Lectra-Bar	571-159-91	ACME Alloys
Sn96Ag04, Sn95Sb05, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn35Pb65, Sn30Pb70, Sn30Pb68Sb02, Sn20Pb80, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn01Pb97Ag02, Form: B, I, R, S, W Flux Type: WSF-0 Core Condition: P Percentage Symbol: 1, 2, 3, 4, 5, 6	Alpha Metals	571-144-94	Alpha Metals, Inc. (1)
Sn99, Sn96Ag04, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb18In12, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40 Sn60Pb38Cu02, Sn50Pb50, Sn50Pb49Cu01, Sn50Pb32Cd18, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb63Sb02, Sn35Pb65, Sn34Pb20Bi46, Sn30Pb70, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In99, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Au88Ge12, AG06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Percentage Symbol: 1, 2, 3, 4	Alpha Metals	571-27-89 571-28-89 571-987-82 571-988-82 571-74-73 571-76-73 571-77-73 571-78-73 571-79-73	Alpha Metals, Inc. (1, 3)

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLID FLUX CORED SOLDER		
Sn99, Sn96Ag04, Sn95Sb05, Sn95Ag04Cd01, Sn70Pb30, Sn70Pb18In12, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb50, Sn50Pb49Cu01, Sn50Pb32Cd18,Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30Pb70, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In99, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97S103, Au88Ge12, AG06Pb94, Ag03Pb97 Form: B, I, R, S, W Flux Type: S	Alpha Metals	571-97-92(4) 571-99-92(5)	Alpha Metals, Sn90Pb10, Inc. (4, 5)
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: W Flux Type: R, RMA, RA Percentage Symbol: 1, 2, 3, 4	AIM Continue Core	571-44-89 571-45-89 571-46-89	American Iron & Metal, Inc.
Sn99, Sn96Ag04, Sn95Cu04Sb01, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn35Pb65, Sn35Pb63Sb02, Sn30PbSn70Pb30, Sn30Pb68Sb02, Sn20Pb80, Sn20Pb79Sb01, Sn18Pb80Ag02, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb94Ag01, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, AG06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S	Amerway	571-593-90	Amerway, Inc.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Core Condition: P Percentage Symbol: 1, 2, 3, 4	Bow Solder	571-24-73 571-22-73 571-704-85	Bow Solder Products, Inc.
Sn96Ag04, Sn95Sb05, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn70Pb30, Sn30Pb68Sb02, Sn20Pb80, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn01Pb97Ag02, AG06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: RMA, RA Core Condition: P Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Cramco	571-141-94	Cramco, Inc.
Sn63Pb37 Form: B, I Flux Type: S	Alcomet Electrolytic 63/37	571-1485-85	Dexter/Alcomet
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Percentage Symbol: 1, 2, 3, 4	Federated Fry	571-715-80 571-736-86 571-740-86	Federated Fry Metals, Inc.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLID FLUX CORED SOLDER		
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S	G. A. Avril	571-430-87	G. A. Avril Co.
Sn60Pb40 Form: W Core Condition: P Flux Type: RMA	#36 Solder Perfect	571-575-74	Distributed by: GSP Metals & Chemicals
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Percentage Symbol: 1, 2, 3, 4	Solderlastic WW-300 XM-200 XM-214 XM-45 X-100	571-1220-87 571-1221-87 571-796-82 571-880-82 571-881-82 571-882-82 571-16-82 571-212-73 571-213-73 571-217-73 571-219-73 571-220-73	Gardiner Solder Co. (1)
Sn96Ag04, Sn95Sb05, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb65, Sn30Pb70, Sn30Pb68Sb02, Sn20Pb80, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn01Pb97Ag02, AG06Pb94, AG03Pb97 Form: B, I, W Flux Type: S	MTABS	571-1533-85	Distributed by: Hirsch Metals Corp.
Sn99, Sn96Ag04, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb18In12, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb50, Sn50Pb49Cu01, Sn50Pb32Cd18, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30Pb70, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Au88Ge12, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S	Indium ()()()	571-566-80	Indium Corp. of America
Sn99, Sn96Ag04, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb30, Sn70Pb18In12, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb49Cu01, Sn50Pb32Cd18, Sn50Pb50, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn30Pb70, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In99, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Au88Ge12, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA, LR, WSF-0 Percentage Symbol: 1, 2, 3, 4	44 Plastic Plastic 44 44 281 282 282 282 285 285 285 285 44 282 245 H-F-1189-CF	571-52-73(3) 571-57-73(1) 571-59-73(2) 571-60-73(1) 571-62-73(2) 571-637-73(2) 571-308-74(1) 571-309-74(2) 571-311-74(4) 571-1095-79(1) 571-1081-85(2) 571-1083-85(3) 83503(4) 83507(4) 83508(4) 571-310-93(1,2) 571-311-93(1,2)	Kester Solder Division
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn05Pb95 Form: B Flux Type: S	Electro-Lee()() V-Lee()()	571-885-82	Lee Solder, Inc.

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:27Z
Check the source to verify that this is the currenversion before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLID FLUX CORED SOLDER		
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: W Flux Type: RMA, RA Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	()8 Mil(), ()12 Mil()	571-45-89 571-46-89	Distributed by: London Chemical Co.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Percentage Symbol: 1, 2, 3, 4	M. C. Canfield	571-22-73 571-24-73	Distributed by: M. C. Canfield & Sons
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40,Sn50Pb50, Sn40Pb60, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I W Flux Type: S	MTABS	571-1533-85	Metal-Tech Alloys, Inc.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn05Pb95 Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, W Flux Type: S	Electronic Grade	571-562-82	Metallic Resources, Inc.
Sn60Pb40 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA	Elsold Solder	571-604-79 571-605-79	Metallwerk Goslar GmbH & Co.KG
Sn60Pb40 Form: B, I, R, S, W Flux Type: S, RMA Percentage Symbol: 1, 2, 3, 4	HQ2-RMA	571-100-94	Nihon Genma Mfg. Co., Ltd.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, RMA, RA Percentage Symbol: 1, 2, 3, 4	P. Kay	571-840-85 571-859-86 571-41-89	P. Kay Metal Supply
Sn99, Sn96Ag04, Sn95Cu04Sb01, Sn95Sb05, Sn95, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb30, Sn70Pb18In12, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb49Cu01, Sn50Pb50, Sn50Pb32Cd18, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30PbSn70Pb30, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb79Sb01, Sn20Pb80, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32B152, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Ag88Ge12, AG06Pb94, Ag03Pb97 Form: B, I, R, S, W Flux Type: RMA, RA Percentage symbol: 1, 2, 3, 4	Delta Solder (Types 230, 250, 260, 350)	571-594-90 571-595-90 571-596-90 571-241-91	Qualitek International
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S	RFE Electralloy	571-1132-77	RFE Industries, Inc.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLID FLUX CORED SOLDER		
Sn63Pb37, Sn60Pb40, Sn10Pb88Ag02 Form: W Flux Type: RMA, RA Core Condition: P Percentage Symbol: 1, 2, 3, 4	Almit KR-19RA Almit KR-19RMA Superflow Almit KR-19RMA KR-19SHRMA	571-55-83 571-696-83 571-434-86 571-55-93	Distributed by: Seika Machinery, Inc.
Sn60Pb40 Form: W Flux Type: RMA Core Condition: P Percentage Symbol: 1, 2, 3, 4	Sparkle RMA22	571-443-88	Senju Metal Industry Co., Ltd.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: W Flux Type: RMA, RA Core Condition: P Percentage Symbol: 1, 2, 3, 4	Wire Solder	571-582-89 571-283-89	Soladuras Omega S.A. de C.V.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02 Form: B, I, P, R, S, W Flux Type: S, RMA Percentage Symbol: 1, 2, 3, 4	Supersold	571-122-92	Supersold, Ltd.
SN96Ag04, Sn63Pb37BS Form: B, I, R, S, W Flux Type: S	Sn63QQS	571-285-92 571-143-94	Taracorp Industries, Inc.
Sn60Pb40 Flux Type: R, RMA, RA Core Condition: D, P Percentage Symbol: 1, 2, 3, 4	WW, 4 Rosin, 4B-P	571-954-73 571-955-73	The Torrey S. Crane Co.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Pb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, R, S, W Flux Type: S	Victory White Metal	571-1400-86	Victory White Metal Co.
Sn60Pb40 Form: B Flux Type: S	Viper	571-741-84	Distributed by: Viper Industries
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: B, I, P, R, S, W Flux Type: S, RMA	Willard	571-1073-86 571-209-88	Willard Industries, Inc.
Sn96Ag04, Sn96Sb05, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn43Pb43Bi14, Sn05Pb94Ag02 Form: B, I, P, R, S, W Flux Type: S, R, RMA, RA Core Condition: P Percentage Symbol: 1, 2, 3, 4	CW-RS1, CW-RS2, CW-RS3, CW-RS4, CW-S	571-1015-79 571-167-74 571-414-87 571-415-87 571-416-87 571-417-87	Witmetaal B.V. BW/D4

Source: https://assist.dla.mil -- Downloaded: 202610-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLDER PASTE		
Sn99, Sn96Ag04, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb18In12, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb50, Sn50Pb49Cu01, Sn50Pb32Cd18, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30Pb70, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32Bi52, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, Sn01Pb97Ag02, In99, In80Pb15Ag05, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Au88Ge12, AG06Pb94, Ag03Pb97 Form: P Flux Type: RMA Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Alpha Metals	571-1134-84 571-1136-84 571-1020-86 571-1019-86 571-1018-86	Alpha Metals, Inc. (1, 3)
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn35Pb65, Sn30Pb68Sb02, Sn30Pb70, Sn20Pb79Sb01, Sn20Pb80, Sn10Pb88Ag02, Sn05Pb95, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: P Flux Type: RMA Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	RMA 201	571-47-89	American Iron & Metal, Inc.
Sn99, Sn96Ag04, Sn95Sb05, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn43Pb43Bi14, Sn10Pb88Ag02, Sn05Pb95 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	SN-(63,62,60,etc)-(200,201,205,211,221,230,235,260,265,270,275)-G		571-136-93 ESP Solder Plus 571-313-88
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: P Flux Type: RMA, RA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Federated	571-502-81 571-503-81	Federated-FRY Metals, Inc.
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02 Form: P Flux Type: R, RMA, RA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	WW-30 R-229-D X-10 XM-21	571-1233-84 571-1134-84 571-1134-73 571-1134-84	Gardiner Solder Co. (1)
Sn95Sb05, Sn62Pb36Ag02, Sn60Pb40 Form: P, S Flux Type: S, RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	C130-6347A	571-231-92	Heraeus, Inc.
Sn63Pb37 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	MSC3301S MSC3330	571-158-91	Heraeus, Inc.
Sn63Pb37PRMAA2 Sn63Pb37PRMAB2	IPN 81501 IPN 81512	571-136-93 571-226-93	Indium Corp. of America

Source: https://assist.dla.mil -- Downloaded: 202640-26T13:27Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
	SOLDER PASTE		
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02 Sn30Pb68Sb02, Sn20Pb79Sb01, Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: P Flux Type: R, RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	R-174 R-274 R-374 R-229 R-229D R-229-25	571-768-83 571-769-83 571-770-83 571-1450-86 571-444-89 571-282-89	Kester Solder Co. (1)
Sn60Pb40 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	MMA-327	571-101-94	Nihon Genma Mfg. Co., Ltd.
Sn99, Sn96Ag, Sn95Cu04Sb01, Sn95, Sn95Sb05, Sn95Ag04Cd01, Sn90Pb10, Sn70Pb30, Sn70Pb18In12, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn60Pb38Cu02, Sn50Pb50, Sn50Pb49Cu01, Sn50Pb32Cd18, Sn48In52, Sn43Pb43Bi14, Sn42Bi58, Sn40Pb60, Sn35Pb65, Sn35Pb63Sb02, Sn34Pb20Bi46, Sn30PbSn70Pb30, Sn30Pb68Sb02, Sn30Cd70, Sn20Pb80, Sn20Pb79Sb01, Sn20Au80, Sn18Pb80Ag02, Sn16Pb32B152, Sn10Pb88Ag02, Sn05Pb95, Sn05Pb94Ag02, Sn05Pb93Ag03, Sn03Pb97, Sn03Pb95Ag02, Sn02Pb96Sb02, In70Pb30, In60Pb40, In50Pb50, In40Pb60, In25Pb75, In19Pb81, In18Au82, In05Pb92Ag03, Au97Si03, Ag88Ge12, AG06Pb94, Ag03Pb97 Form: P Flux Type: RMA, RA Mesh Size: A, B, C Percentage symbol: 1, 2, 3, 4, 5, 6, 7	Delta Solder Paste ()() (Types 230, 250, 260, 350)	571-594-90 571-595-90 571-596-90 571-241-91	Qualitek International
Sn96Ag04, Sn70Pb30, Sn63Pb37, Sn62Pb36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn35Pb63Sb02, Sn30Pb68Sb02, Sn20Pb79Sb01 Sn10Pb88Ag02, Sn05Pb95, Sn95Sb05, Sn20Pb80, Sn30Pb70, Sn35Pb65, Sn01Pb97Ag02, Ag06Pb94, Ag03Pb97 Form: P Flux Type: RMA, RA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Q-( )-(D-7755, P-7018, D-7715, 7725, 7817, 7545) Q-( )-(D-755A, P-7219M, D-755B, D-7625, D-7128)	571-1149-86 571-1122-87 571-1123-87 571-166-89 571-168-89 571-519-91	SCM Metal Products
Sn63Pb37 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Almit KRC Solder Cream SN63 FM2	571-612-91	Seika Machinery, Inc.
Sn63Pb37, Sn60Pb40 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Sparkle Paste 63-201C-50-10	571-422-90	Senju Metal Industry Co., Inc.
Sn63Pb37, Sn62Pb36Ag02, Sn95Sb05 Form: P Flux Type: RMA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	RMA-010T-321	571-57-94	Tamura Kaken Corp.
Sn96Ag04, Sn95Sb05, Sn63Pb37, Sn62PB36Ag02, Sn60Pb40, Sn50Pb50, Sn40Pb60, Sn43Pb43Bi14, Sn05Pb94Ag02 Form: P Flux Type: RMA, RA Powder Mesh Size: A, B, C Percentage Symbol: 1, 2, 3, 4, 5, 6, 7	Billiton SCRM3 Billiton SCRM2	571-179-91 571-155-91	Witmetaal B.V. BW/D4

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
ABA Industries, Inc. 164 Fernwood Avenue Edison,, NJ 08837 Plant: Same Address	4Y524
ACME Alloys NE Corner 18th & Washington Avenue Philadelphia, PA 19146-3801 Plant: Same Address	6L787
Alpha Metals, Inc. 600 Route 440 Jersey City, NJ 07304 Plants: 1. Same Address 2. 3401-B Tremley Point Rd. Linden, NJ 07036 3. 4404 South Kildare Blvd. Chicago, IL 4. Alpha Metals, Ltd. 21 Tung Yuen Street Yau Tong Bay, Kowloon Hong Kong 5. Alpha Metals, Ltd. 1, The Broadway Tolworth/ Surbiton Surrey, England KT6 7D0	96613 28175
American Iron & Metal, Inc. 9100 Henri Bourassa EST Montreal, Quebec H1E 2S4 Canada Plant: Same Address	3AC97
Amerway, Inc. 3701 Beale Avenue Altoona, PA 16602 Plant: Same Address	0J598
Bow Solder Products Company, Inc. 900 Hobson Street, Box 488 Union, NJ 07083 Plant: Same Address	52329
Cramco, Inc. 80 Sinnott Road Scarborough, Ontario M1L 4M7 Canada Plant: Same Address	0ET24
Dexter/Alcomet 160 Tanner Street Lowell, MA 01852 Plant: Same Address	
ESP Solder Plus 14 Blackstone Valley Place Lincoln, RI 02865-1145 Plant: Same Address	
Federated-FRY Metals, Inc. 6th Avenue Altoona, PA 16602 Plant: Same Address	65172

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
G. A. Avril Company Lead Products Division 2108 Eagle Court, P.O. Box 12050 Cincinnati, OH 45212 Plant: Same Address	3H480
Distributed by: GSP Metals & Chemicals 2535 East 28th Street Los Angeles, CA 90058 Manufactured by: Federated-FRY Metals, Inc. 6th Avenue & 41st Street Altoona, PA	
Gardiner Solder Company 4820 South Campbell Ave. Chicago, IL 60632 Plants: 1. Same Address 2. Johnson Mfg. Co. 114 Lost Grove Princeton, IA	56244
Heraeus, Inc. 24 Union Hall Road West Conshocken, PA 19428 Plant: Same Address	18325
Distributed by: Hirsch Metals Corp. 445 Franklin Center 29100 Northwestern Highway Southfield, MI 48034 Manufactured by: Metal-Tech Alloys, Inc. 27 Judd Street Waterbury, CT 06722	
Indium Corporation of America 36 Robinson Road Clinton, NY 13323 Plant: Same Address	74858
Kester Solder Division Litton Systems, Inc. 515 E. Touhy Avenue Des Plaines, IL 60018 Plants: 1. Same Address 2. 1730 Orangethorpe Park Anaheim, CA 3. Litton Components PTE, Ltd 500 Chai Chee Lane Singapore 1646 4. Litton Canada, Ltd. Kester Solder Division 68 Prince Charles Raod P.O. Box 474 Brantford, Ontario N3T 5N9 Canada	75297 14597 02DG3 10178
Lee Solder, Inc. 300 Tunnell Street Seagoville, TX 75159-0455 Plant: Same Address	

Source: https://assist.dla.mil - Downloaded: 202610-26T13:27Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Distributed by: London Chemical Co. 240 Foster Avenue Bensenville, IL 60106 Manufactured by: American Iron & Metals, Inc. 9100 Henri Bourassa EST Montreal, Quebec H1E 927 Canada	
Distributed by: M.C. Canfield Sons 1000 Brighton Street Union, NJ 07083 Manufactured by: Bow Solder Products Company, Inc. 900 Hobson Street Union, NJ	57191
Metal-Tech Alloys, Inc. 27 Judd Street Waterbury, CT 06722-2472 Plant: Same Address	1DV67
Metallic Resources, Inc. 2116 Enterprise Parkway Twinsburg, OH 44087 Plant: Same Address	60502
Metallwerk Goslar GmbH & Co.KG IM Schleeke 8 P.O. Box 21 29 D-38611 D-38642 Goslar Germany Plant: Same Address	
Nihon Genma Mfg. Co., Ltd. 16-4, Mitsuya-Kita-2 Yodogawa-ku, Osaka, Japan 532	
P. Kay Metal Supply Company 2448 East 25th Street Los Angeles, CA 90058 Plant: Same Address	2Z403
Qualitek International, Inc. 418 W. Belden Avenue Addison, IL 60101 Plant: Same	
RFE Industries, Inc. Foot of Jersey Avenue Jersey City, NJ 07302 Plant: Same Address	
SCM Metal Products 11000 Cedar Avenue Cleveland, OH 44106 Plant: 2601 Weck Drive Research Triangle Park, NC 27709	3T572

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Distributed by: Seika Machinery, Inc. 20000 Mariner Avenue, Suite 500 Torrance, CA 90503 Manufactured by: Nihon Almit Company, Ltd. 1-3 Yoyogi Shibuya-Ku, Tokyo, Japan	0AVR9
Senju Metal Industry Co., Ltd. 23, Senju-Hashido-Cho Adachi-Ku, Tokyo 120, Japan Plant: Tochigi Factory 1, Matsuyama-Cho Monka City, Tochigi Pref. 321-43, Japan	
Soladuras Omega S.A. de C.V. Apartado Postal 798 San Luis Potosi 78090, Mexico Plant: Same Address	
Stannol Lotmittelfabrik Wilhelm Paff Gmbh & Co. P.O. Box 20.20 2 D-5600 Wuppertal 2, West Germany Plant: Same Address	C0600
Supersold, Ltd. Kibbutz Beit Oren Israel 30044 Plant: Same Address	
Tamura Kaken Corp. 16-2 Sayamagahara, Iruma-Shi Saitama, Japan Plant: Same Address	
Taracorp Industries, Inc. 1200 16th Street Granite City, IL 62040 Plant: Same Address	
The Torrey S. Crane Company 492 Summer Street Plantsville, CT 06479 Plant: Same Address	
Victory White Metal Company 6100 Roland Avenue Cleveland, OH 44127-1353 Plant: Same Address	87687
Distributed by: Viper Industries 2914 Ladybird Lane Dallas, TX 75220 Manufactured by: Talco Division Thermal Reduction Corp. 5201 Unruh Avenue Philadelphia, PA 19135	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE	
Willard Industries 101 New Bern Street Charlotte, NC 28203 Plant: Same Address	22303	
Witmetaal B.V. BW/D4 Postbus 5018 (Amsterdamsestraatweg 5) 1410 AA Naarden The Netherlands Plant: Amsterdamsestraatweg 5 1411 AW Naarden, Netherlands		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:27Z
Check the source to verify that this is the current version before use.