INCH-POUND
MIL-C-22249/26B(SH)
29 September 1989
SUPERSEDING
MIL-C-22249/26A(SH)
15 August 1977

MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation: MIL-C-22249(SH).




FIGURE 1. Plug assembly, 208-pin, compartment side. (01)

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 2. Plug body M22249/26-1. 02

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 2. Plug body M22249/26-1 - Continued. (02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 3. Insert assembly M22249/26-2. 08

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 4. Coupling nut M22249/26-3. (03)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 5. Thrust washer M22249/26-5. 04



FIGURE 6. Conductor clamp M22249/26-6 12

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 7. Locking clip M22249/26-7 (MAIL STA. STL.TY-316). 06





FIGURE 8. Locking clip screw M22249/26-8. 07

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.






FIGURE 9. Retaining ring M22249/26-9 (10)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.




FIGURE 10 Protective cover M22249/26-10. (11)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.

TABLE I Parts list.

Item No.[1]	Description[2]	Qty[3]	Material/ Specification	Remarks
01	Plug assembly, 208-pin, compartment side			Figure 1
02	Plug body	1	CRES/Class 316 QQ-S-763	Figure 2
03	Nut, coupling		Manganese bronze, Class A QQ-B-728	Figure 4
04	Washer, thrust	1	CRES/Class 316 QQ-S-763	Figure 5
05	Retaining ring, coupling nut	1	Spirolox RST-475 (or equal)	
06	Locking clip, coupling nut	1	CRES/Class 316 QQ-S-766	Figure 7
07	Screw, locking clip	1	CRES/Class 302 to 305 QQ-S-763	Figure 8
08	Insert assembly	1	Diallyl Phthalate Type GDI-30, MIL-M-14	Figure 3
09	O-ring	1	MS28775-237	
10	Retaining ring, insert assembly	1	Phosphor bronze, QQ-S-750	Figure 9
11	Cover, protective	1	Aluminum casting material alloy A380, 413, or 384 of QQ-A-591	Figure 10
12	Clamp, conductor	1	CRES/Class 316 QQ-S-763	Figure 6
13	Grip, cable	1	CRES/Class 316 QQ-A-763	Kellems Co part 044-20-1004, or equal
14	Screw, .112-40NC-2Axl 3/4	2	CRES/Class 302 to 305 QQ-A-763	Fillister head for conductor C
15	Nut, .112-40NC-2B	2	Nylok E9CR440-P (or equal)	For conductor clamp 5CRE Figure 10, cover
16[4]	Rope, wire, assembly	1	M22249/1-14	
17	Insert, size to suit	1	Nylon, COML	Use with item OT

See footnotes on next page

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.

[1]Item numbers are the same as shown on figures.
[2]See applicable figure listed in remarks column for part numbers and dimensions.
[3]Quantity is for one complete assembly of each size.
[4]Item 16, only when required by acquisition document.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Preparing activity:
Navy - SH
(Project 5935-N278-26)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:38Z
Check the source to verify that this is the current version before use.