
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE, (45° ORIENTATION)

(A)

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the connector sets described herein shall consist of this document and the latest issue of MIL-C-22249(SH).




(A) DENOTES CHANGES

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.

PLUG BODY
M22249/29-1




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.

PLUG BODY
END VIEW A-A
M22249/29-1




ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE ± 1/64 INCH FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE SHALL BE ± 1/2 DEGREE.



VIEW 13-13

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.


CABLE SUPPORT CLAMP BODY - M22249/29-4
CABLE CLAMP - M22249/29-3
(END VIEW OF COMBINED ASSEMBLY)




MATERIAL: CAST ALUMINUM (ALLOY 356) IN ACCORDANCE WITH QQ-A-601.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.

CABLE SUPPORT CLAMP BODY
M22249/29-4




CABLE CLAMP
M22249/29-3



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.

INSERT ASSEMBLY
M22249/29-2



NOTE:
SEE M22249/27-2 FOR SOCKET CONTACT LAYOUT. SOCKET CONTACTS TO BE FURNISHED WITH INSERT ASS'Y BUT NOT IN PLACE. INSERT MAY BE FABRICATED IN TWO PART & FASTENED TOGETHER.

Preparing activity:
Navy-SH
(Project 5935-N069-5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:39Z
Check the source to verify that this is the current version before use.