A-A-51644
9 March 1987

COMMERCIAL ITEM DESCRIPTION

BELT, ROUND, (Engine)

The General Services Administration has authorized the use of the Commercial Item Description in preference to Interim Federal Specification JJ-B-00178C (DSA-DM).

This Commercial Item Description covers four round, all cord, dental engine belts suitable for power transferred from dental engines to dental handpieces. These belts will be designated by size numbers.

Size No. 1 - 11 foot, 0 inch
Size No. 2 - 9 foot, 4 inch
Size No. 3 - 9 foot, 10 inch
Size No. 4 - 6 foot, 6 inch

Salient Characteristics:

Material. The belts shall be fabricated from linen or semi-glazed cotton cord, composed of 3-ply or 4-ply number 16 thread, and suitable for the purpose intended.

Description. The belts shall be round, all-cord belts, suitable for transferring power from dental engines to dental handpieces. The cord shall be so braided and interwoven as to form a continuous unspliced round belt with a substantially uniform 0.1 inch diameter throughout its entire length. The design and fabrication shall be such as to minimize slipping of the belt on the pulley.

Length. The belts shall be furnished in the lengths and tolerances shown in table 1 for the applicable size. Length shall be measured as specified herein.

AMSC N/A FSC 3030

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

TABLE I.

| Size No. | Length | Plus Tolerance |
|---|---|---|
| 1 | 11 feet, 0 inch | 2 inches |
| 2 | 9 feet, 4 inch | 1-3/4 inches |
| 3 | 9 feet, 10 inch | 1-3/4 inches |
| 4 | 6 feet, 6 inch | 1-1/2 inches |

Breaking strength. The breaking strength shall be no less than 60 pounds and elongation shall not exceed one percent, as specified herein.

Workmanship. The belt shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One belt, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

Sampling for inspection. Sampling for inspection shall be conducted in accordance with MIL-STD-105. Where feasible, the same sample shall be ;used for the determination of two or more inspection characteristics. The unit of product for inspection purposes shall be one belt of each size. Unless otherwise specified, sampling for examination shall be conducted at inspection level II, AQL 2.5, and sampling for tests (when applicable) shall be conducted at inspection level S-1, AQL 1.0.

Test.

Length measurement. The length of the belt shall be determined under tension, one minute after application of a three-pound load. The belt shall then be used-for the elongation test as specified below.

Breaking strength. The breaking strength of the belt shall be determined by suspending the belt and applying a 60 pound load for one hour. The belt shall show no evidence of failure,

Elongation. The belt length shall be measured in accordance with the procedure specified above; after which the belt shall be subjected to a 25-pound load for 24 hours. The load shall then be released, and another length measurement shall be calculated by subtracting the original length from the stretched length, dividing by the original length and multiplying by 100.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Reglatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

| Stock Number | Item Identification |
|---|---|
| 3030-00-299-8585 | BELT, ROUND, Engine, 11 foot, 0 inch |
| 3030-00-542-1550 | BELT, ROUND, Engine, 9 foot, 4 inch |
| 3030-00-542-1555 | BELT, ROUND, Engine, 9 foot, 10 inch |
| 3030-00-926-3816 | BELT, ROUND, Engine, 6 foot, 6 inch |

Ordering data. Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

Project No. 3030-0157

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS

05386



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

ISTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use
ibmitting comments and suggestions for improvements. All users of military standardization documents are invited to provid
ggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, an
illed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, w
o rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the
oblems. Enter in block 6 any remarks not related to a specific paragraph of the document. *If* block 7 *is filled out*, an
knowledgement will be mailed to you within 30 days to let you know that your comments were received and are being
nsidered.

*OTE.* This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of
ecification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization
waive any portion of the referenced document*(s)* or to amend contractual requirements.

*(Fold along this line)*

*(Fold along this line)*

FENSE LOGISTICS AGENCY

FICIAL BUSINESS
NALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT 4966 WASHINGTON D C

POSTAGE WILL BE PAID BY DEFENSE LOGISTICS AGENCY

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

Commander
Defense Personnel Support Center
ATTN: DPSC-RSTS
2800 South 20th Street
Philadelphia, PA 19101

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

*(See Instructions – Reverse Side)*

| 1. DOCUMENT NUMBER | 2. DOCUMENT TITLE |
|---|---|
| A-A-51644 | BELT, ROUND (Engine) |

| 3a. NAME OF SUBMITTING ORGANIZATION | 4. TYPE OF ORGANIZATION *(Mark one)* |
|---|---|
| | ☐ VENDOR |
| | ☐ USER |
| b. ADDRESS *(Street, City, State, ZIP Code)* | ☐ MANUFACTURER |
| | ☐ OTHER *(Specify)*: _____ |

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

| 7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional | b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional |
|---|---|
| c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional | 8. DATE OF SUBMISSION *(YYMMDD)* |

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:59Z
Check the source to verify that this is the currentversion before use.