INCH-POUND

MIL-C-70636 (AR)
AMENDMENT 1
05 October 1994

MILITARY SPECIFICATION

CARTRIDGE, 20MM, ARMOR PIERCING-TRACER, M95
(PERCUSSION PRIMER)

This Amendment forms a part of MIL-C-70636 (AR), dated 2 March 1988, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1, Delete in its entirety and substitute the following:

"1.1 Scope. This specification covers requirements, quality assurance provisions and preparation for delivery for Cartridge, 20mm, Armor Piercing Tracer, (APT), M95 for use in the MK16 20mm Automatic Weapon System.".

PAGE 2

2.1.2, Inspection Equipment Drawings: Delete "7276071" and substitute "7286071".

PAGE 4

3.4.2a., Delete in its entirety and substitute the following:

"a. Function and casualty. Cartridges shall function without casualty when fired in the MK16 20mm automatic weapon system.".

Add paragraph 3.4.2d as follows:

"d. Action Time The action time of the cartridge at ambient temperature shall not exceed 4.0 milliseconds."

3.4.3, Delete in its entirety.

3.4.4, Delete in its entirety.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 5

4.3.1, Cartridge, under Quantity: Delete "480" and substitute "403".

PAGE 7

4.3.3, TABLE I., Cartridge - (Dwg 12576573), Examination for defects, under No. of Sample Units: Delete "480" and substitute "403".

PAGE 8

4.3.3, TABLE I. First article inspection, @ Functioning: (2) Conditioned at ambient: Add:

"c. Projectile trace, 23, Acc-0/Rej-1, 3.4.2c., 4.5.3.3"

"d. Action Time 50 3/ 3.4.2c 4.5.3.4"

(3) Conditioned at -65°F: Delete:

"a. Action Time 50 3/ 3.4.3a 4.5.4.2"

"b. Projectile trace, 50, Acc-0/Rej-1, 3.4.3b, 4.5.5.2"

(4) Conditioned at +145°F, 3.4.4, 4.5.5.1: Delete:

"a. Projectile trace, 50, Acc-0/Rej-1, 3.4.4a, 4.5.5.2"

PAGE 12

4.4.2.3, Major 108, Delete in its entirety.

4.4.2.3, Make the following changes:

Minor 210, Delete in its entirety.

Minor 211, Delete in its entirety.

PAGE 14

4.4.2.4, Tests, Functioning:

(2) Conditioned at ambient:

c. Projectile trace, under Inspection Method column:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

Delete "4.5.5.2" and substitute "4.5.3.3".

Add "d. Action Time 50 4/ 3.4.2c 4.5.3.4"

(3) Conditioned at -65F, Delete:

"a. Action Time 50 4/ 3.4.3a 4.5.4.2"

PAGE 17

4.4.3.5, line 20, Delete "in the M3 or MK16 weapons." and substitute "in the MK16 weapon.".

PAGE 18

4.4.3.7, Delete in its entirety and substitute the following:

"4.4.3.7 Projectile trace. The lot shall be rejected if four or more sample cartridges fail to comply with the requirement. If more than one and less than four cartridges of the sample fail to comply with the requirement, a second sample of 50 cartridges shall be tested. The lot shall be rejected if seven or more cartridges of the combined sample fail to comply with the requirement.".

PAGE 20

4.5.3.1, line 4, Delete "M3 or".

4.5.3, Add the following paragraphs:

"4.5.3.3 Projectile trace. The method of testing shall be in accordance with Chapter 1, Section 8, of AMCR 715-505, Volume 8. Projectile trace time shall begin at cartridge ignition and continue until end of tracer burn. Observation shall be from near gun position.".

Add: Paragraph 4.5.3.4 as follows:

"4.5.3.4 Action Time. The method of testing shall be in accordance with Chapter 1, Section 5, of AMCR 715-505, Volume 8."

4.5.4, Delete in its entirety.

4.5.5, Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.

PAGE 21

4.5.6, line 6, Delete "M3 or".

6.1, line 3, Delete "M3 or MK16 weapons" and substitute "MK16 weapon".

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1305-0105)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:49Z
Check the source to verify that this is the current version before use.