INCH-POUND

MIL-P-63233A (AR)
Amendment 1
21 November 1988

MILITARY SPECIFICATION

Projectile, Guided, 155 MM M712
Control Actuator Assembly For

This Amendment forms a part of Military Specification MIL-P-63233A (AR) dated 5 January 1988, and is approved for use within the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 7

3.3.1.11.3: Delete entire paragraph and substitute the following:

"3.3.1.11.3 Command position accuracy. The indicated angular positions and electrical feed back potentiometer values for specific pitch and roll input commands shall be as follows:"

Command	Output Shaft Number	Output Shaft Position (Deg's)
0±0.05V	1 and 3	0.0 ± 1.0
	2/4	*0.0 ± 1.0
+5.5±0.05V	1	+11.0 ± 1.4
	3	+11.0 ± 1.4
	2/4	*+11.0 ± 1.4
-5.5±0.05V	1	-11.0 ± 1.4
	3	-11.0 ± 1.4
	2/4	*-11.0 ± 1.4

(Positive sign indicates CW output shaft rotation)

$$*\text{Output shaft \#4 - Output shaft \#2"} = \frac{}{2}$$

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:26Z
Check the source to verify that this is the current version before use.

PAGE 38

4.5.2.14 (c): Delete entire paragraph and substitute the following:

"The roll and pitch input command signal shall be 0.00 ± 0.05 volts.

4.5.2.14 (e): Delete entire paragraph and substitute the following:

"The roll and pitch input command signal shall be 5.50 ± 0.05 volts.

PAGE 44

Figure 1: Delete in its entirety and substitute included figure 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:26Z
Check the source to verify that this is the current version before use.




FIGURE 1.

Closed loop position gain limits roll yaw actuators

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:26Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1320-AB39)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:26Z
Check the source to verify that this is the current version before use.