FED SUP CLASS
5340




TABLE DASH NUMBERS AND DIMENSIONS

B LENGTH	A-LENGTH 500	562	625	688	750	812	875
	DASH NUMBERS						
438	-005 1/	-035	-065	-095	-125 1/	-155	-185 1/
500	-006 1/	-036	-066	-096	-126 1/	-156	-186 1/
562	-007	-037 1/	-067	-097	-127 1/	-157	-187 1/
625	-008 1/	-038 1/	-068 1/	-098	-128	-158	-188 1/
688	-009 1/	-039 1/	-069 1/	-099 1/	-129 1/	-159	-189 1/
750	-010 1/	-040	-070	-100 1/	-130 1/	-160	-190 1/
812	-011	-041	-071	-101	-131	-161	-191
875	-012	-042	-072	-102 1/	-132	-162	-192 1/
938	-013	-043	-073	-103	-133	-163	-193
1 000	-014 1/	-044	-074	-104	-134 1/	-164	-194 1/
1 062	-015	-045	-075	-105	-135	-165	-195
1 125	-016 1/	-046	-076	-106	-136 1/	-166 1/	-196 1/
1 188	-017	-047	-077	-107	-137	-167	-197
1 250	-018	-048	-078	-108 1/	-138 1/	-168 1/	-198 1/
1 312	-019	-049	-079	-109	-139	-169	-199
1 375	-020	-050 1/	-080	-110 1/	-140 1/	-170 1/	-200 1/
1 438	-021	-051	-081	-111	-141	-171	-201
1 500	-022	-052 1/	-082 1/	-112 1/	-142 1/	-172 1/	-202 1/

1/ PREFERRED SIZES

Ⓐ ENTIRE STANDARD REVISED

APPROVED 22 NOV 66 REVISED Ⓐ 18 JUN 87

P A NAVY-AS Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, 190 x 312 BOLT	MILITARY STANDARD MS9594
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9103		PAGE 1 OF 3

DD 672-1 OBSOLETED 5340-1747

REVIEWER ACTIVITIES
DLA-IS

USER ACTIVITIES

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

AMSC N/A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH .938	1.000	1.125	1.250
	DASH NUMBERS			
.438	-215	-245 1/	-305 1/	-365 1/
.500	-216	-246 1/	-306 1/	-366 1/
.562	-217	-247 1/	-307 1/	-367 1/
.625	-218	-248 1/	-308 1/	-368 1/
.688	-219	-249 1/	-309 1/	-369 1/
750	-220	-250 1/	-310 1/	-370 1/
.812	-221	-251	-311	-371
.875	-222	-252 1/	-312 1/	-372 1/
938	-223	-253	-313	-373
1.000	-224	-254 1/	-314	-374
1.062	-225	-255	-315	-375
1.125	-226	-256 1/	-316 1/	-376 1/
1.188	-227	-257	-317	-377
1.250	-228	-258 1/	-318 1/	-378 1/
1.312	-229	-259	-319	-379
1.375	-230	-260 1/	-320 1/	-380 1/
1 438	-231	-261	-321	-381
1.500	-232	-262 1/	-322 1/	-382 1/

1/ PREFERRED SIZES

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.375	1.500	1.625	1.750	1.875
	DASH NUMBERS				
.438	-425 1/	-485 1/	-545 1/	-605 1/	-665 1/
.500	-426 1/	-486 1/	-546 1/	-606 1/	-666 1/
.562	-427 1/	-487 1/	-547 1/	-607 1/	-667 1/
.625	-428 1/	-488 1/	-548 1/	-608 1/	-668 1/
.688	-429 1/	-489 1/	-549 1/	-609 1/	-669 1/
.750	-430 1/	-490 1/	-550 1/	-610 1/	-670 1/
.812	-431	-491	-551	-611	-671
.875	-432 1/	-492 1/	-552 1/	-612 1/	-672 1/
.938	-433	-493	-553	-613	-673
1.000	-434 1/	-494 1/	-554 1/	-614 1/	-674 1/
1 062	-435	-495	-555	-615	-675
1.125	-436 1/	-496 1/	-556 1/	-616 1/	-676 1/
1 188	-437	-497	-557	-617	-677
1.250	-438 1/	-498 1/	-558 1/	-618 1/	-678 1/
1.312	-439	-499	-559	-619	-679
1.375	-440 1/	-500 1/	-560 1/	-620 1/	-680 1/
1.438	-441	-501	-561	-621	-681
1.500	-442 1/	-502 1/	-562 1/	-622 1/	-682 1/

1/ PREFERRED SIZES

USER ACTIVITIES
REVIEWER ACTIVITIES
DLA-IS
This military standard is approved for use by all Departments and Agencies of the Department of Defense
Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

APPROVED 22 NOV 66 REVISED (A) FOR CHANGES SEE PAGES 1, 2 AND 3

PA NAVY-AS / Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, .190 x .312 BOLT	MILITARY STANDARD MS9594
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9103		PAGE 2 OF 3

Source: https://assist.dla.mil -- Downloaded: 202640-23T13:21Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5340

REQUIREMENTS

1. MATERIAL CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5610

2 DIMENSIONING AND TOLERANCING DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14 5M

3 TOLERANCES UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE FOR LINEAR DIMENSIONS ± 010, ANGULAR DIMENSIONS ±5°

4 PART NUMBER THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I

EXAMPLE MS9594-005

DASH NUMBER

BASIC MS NUMBER

MS9594-005 INDICATES- BRACKET, ANGLE, 90°, CRES, 190 X 312 BOLT, LENGTH A, 500, LENGTH B, 438

NOTES

1 ALL DIMENSIONS ARE IN INCHES.

2 DO NOT USE UNASSIGNED DASH NUMBERS

3 REMOVE BURRS AND BREAK SHARP EDGES

4 APPROXIMATE WEIGHT LB/100 = 1 097 (A+B) + 187

5 IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE

6 REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN

7 AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC PUBLICATIONS

8 THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

APPROVED 22 NOV 66 REVISED (A) FOR CHANGES SEE PAGES 1, 2 AND 3

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense (selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

P A NAVY-AS Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, 190 x 312 BOLT	MILITARY STANDARD MS9594
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9103		PAGE 3 OF 3

DD FORM 1 MAY 63 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE 5340-1747

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:21Z
Check the source to verify that this is the current version before use.