INCH-POUND

MIL-B-81119A(OS)
5 June 1989
SUPERSEDING
MIL-B-81119(OS)
8 April 1965

MILITARY SPECIFICATION

BANDs, HANDLING, MISSILE AND BOOSTER MK 79 MOD 1 AND MK 81 MOD 0

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy and is avaiiable for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification establishes the requirements for the manufacture of handling bands for Mk 79 Mod 1 and Mk 81 MOD 0.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards and handbooks. The following specifications, standards and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Ordnance Station, Standardization

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-B-621 - Box, Wood, Nailed and Lock-Corner

MILITARY

MIL-P-116 - Preservation, Methods of

STANDARDS

MILITARY

MIL-STD-129 - Marking for Shipment and Storage

(Unless otherwise indicated, copies of federal and military specifications, standards and handbooks are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

DRAWINGS

NAVAL SEA SYSTEMS COMMAND (CAGE Code 10001)

DL 1448529 - Band, Handling Mk 79 Mod 1

LD 484331 - Band, Handling Mk 81 Mod O

(Application for copies of NAVSEA drawings should be addressed to: Commanding Officer, Naval Ordnance Station, (Attn: Code 802), Louisville, KY 40214.)

2.2 Order of Precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 6.3) in accordance with 4.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

3.2 Design and construction. The Mk 79 Mod 1 handling band and the Mk 81 Mod 0 handling band shall be fabricated and assembled in accordance with DL 1448529 and LD 484331 respectively.

3.3 Materials. The detailed requirements for materials of the handling bands are provided on LD 484331, DL 1448529 and the drawings, specifications and standards listed thereon.

3.4 Hoisting strength and interface. The hoisting strength and interface of the handling bands when tested in accordance with 4.4 and 4.5 shall comply with the requirements specified on the appropriate DL/LD including drawings and specifications listed therein.

3.5 Workmanship. The assembled handling bands shall be free from foreign matter, bonding, marking, and iron burrs and sharp edges.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall Inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of defective matereial, either indicated or actual, nor does it commit the Government to accept defective material.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).

b. Quality conformance inspection (see 4.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

4.3 First article inspection. Unless otherwise specified, all inspections shall be performed under the following conditions:

a. Temperature: 70 ± 20°F.

b. Altitude: normal ground.

4.4 Quality conformance inspection. Quality conformance inspection shall consist of the tests specified in table I. Measuring instruments sufficient to verify drawing tolerances shall be used. The procedures used for inspection are at the option of the contractor provided objective, documented evidence is maintained and made available upon request by the Government. Failure to meet the requirements specified herein shall be cause for rejection of the handling bands.

TABLE I. Quality conformance inspection.

Handling Band	Dwg package	Load Test	Test Load (Pounds)
Mk 79 Mod 1	DL 1448529	Dwg 1448529	3000 (+100, -0)
Mk 81 Mod 0	LD 484331	Dwg 1617511	6300 (+100, -0)

4.5 Static overload test. The handling bands shall withstand a static overload test of three times the safe working load (3 x SWL) for a period of 5 minutes for each test specified in table I. The Government reserves the right to perform a static overload test to failure. Any handling band which fails at a point less than the static design load (5 x SWL) shall be considered unacceptable.

5. PACKAGING

5.1 Packing. Unless otherwise specified in the contract or purchase order (see 6.2) , each handling band shall be preserved in accordance with MIL-P-116, Method III and individually packed into a wood box conforming to PPP-B-621, Class I, Style 4, Wade B.

5.2 Marking. In addition to any special marking required by the contract or order (see 6.2), the wood boxes shall be marked in accordance with MIL-STD-129.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

6.1 Intended use. The Mk 79 Mod 1 handling band is intended for use with the Standard Missile (extended range) and the Mk 80 Mod 0 is intended for use with the Standard Missile Mk 12 and Mk 70 boosters.

8.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number and date of this specification.

b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1, and 2.1.2).

6.3 First article. When a first article inspection is required, the contracting officer should provide specific guidance to offerors whether the item(s) should be a prepreduction sample, a first article sample, a first production item, a sample selected from the first production items, a standard production item from the contractor's current inventory (see 3.1). The contracting officer should also include specific instructions in acquisition documents regarding arrangements for examinations, approval of first article test results, and disposition of first articles. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval as presently appropriate for the pending contract. Bidders should not submit alternate bids unless specifically requested to do so in the solicitation.

6.4 Subject term (key word) listing.

Handling bands
Standard Missile
Standard Missile Booster

6.9 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Preparing Activity:
Navy - OS
(Project 1450-N055)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-B-81119A(OS)	Bands, Handling, Missile and Booster MK 79 MOD 1 and MK 81 MODO

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:00Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Ordnance Station
Standardization Branch (3730)
Indian Head, MD 20640-5000

Source: https://assist.dla.mil -- Downloaded: 202640-23T05:00Z
Check the source to verify that this is the current version before use.