INCH-POUND

MIL-T-63279 (AR)
AMENDMENT 1
04 November 1993

MILITARY SPECIFICATION

TEST SET, ELECTRONIC SYSTEMS: M92;
REPAIR PARTS FOR

This amendment forms a part of Military Specification MIL-T-63279 (AR), dated 12 March 1979, and is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 SPECIFICATIONS, MILITARY: Delete reference to MIL-A-48078 and MIL-T-63264 in their entirety

STANDARDS, MILITARY: Delete reference to MIL-STD-1460 and MIL-STD-454 in their entirety and substitute

"DOD-STD-2000-1	-	Soldering Technology, High Quality/High Reliability.
DOD-STD-2000-2	-	Part and Component Mounting for High Quality/High Reliability Soldering Electrical and Electronic Assemblies.
DOD-STD-2000-3	-	Criteria for High Quality/High Reliability Soldering Technology.
DOD-STD-2000-4	-	General Purpose Soldering Requirements for Electrical and Electronic Equipment."

PAGE 3

3.3 Wiring and soldering: Delete "with MIL-STD-1460 or MIL-STD-454" and substitute with "DOD-STD-2000".

4.1: Delete "MIL-A-48078" and substitute "MIL-W-63150".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

4.4.1 Inspection lot formation: Delete in its entirety and substitute "Not applicable".

4.4.2 Examination: Delete "MIL-A-48078".

PAGE 23

4.4.4 Inspection equipment: Delete "Section 6 of MIL-A-48078 and substitute "Section 3.6.6 of MIL-W-63150".

5.0 PREPARATION FOR DELIVERY: Delete in its entirety and substitute the following:

"5.0 PREPARATION FOR DELIVERY

5.1 Packaging.

5.1.1 Level A. Packaging for the following items shall be in accordance with indicated packaging drawings.

NOMENCLATURE	PART #	PKG DWG
Relay Indicator	9219846	11829026
Knob	9310970	11829051
Rotary Switch (S4)	9321211	9326153
Cable Assembly, Power Cable No. 1	9325989	11828996
Cable Assembly, Power Cable No. 2	9325990	11829046
Cable Assembly, Test Cable No. 1	9325991	11829028
Cable Assembly, Test Cable No. 2	9325992	11829045
Cable Assembly, Test Cable No. 3	9325993	11829036
Stud Nut	9325999	11829047
Case, Carrying	9326021	11829012
Rod	9326111	11829048
Flare Simulator Assembly	9326117	11829039
Relay (K2)	9326195	11829025
Test Set, Electric Assembly, M92	9326202	11829052
Dispenser Test Adapter Assembly	9326211	11829031
Transistor (Q1)	9326731	11829022
Voltage Regulator (VR1)	9326733	11829005
Voltage Comparator (U1)	9326787	11829024

Components that are not packaged in accordance with packaging drawings shall be packaged in accordance with the applicable special packaging instruction (SPI).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.

5.1.2 Level B. Packaging shall be the same as stated in para. 5.1.1

5.1.3 Commercial. Packaging shall be as indicated in ASTM-D-3951 except the unit pack quantity shall be one (1).

5.2 Marking.

5.2.1 Level A. Marking shall be in accordance with applicable packaging drawing or special packaging instructions.

5.2.2 Level B. Marking shall be as specified in para. 5.2.1.

5.2.3 Commercial. Mark in accordance with ASTM-D-3951."

6.1 Ordering data: Delete "MIL-A-48078" and substitute "MIL-W-63150".

6.2 Submission of inspection equipment designs for approval:

Delete "MIL-A-48078" and substitute "MIL-W-63150".

Delete "U.S. Army Armament Research and Development Command" and substitute "U.S. Army ARDEC, ATTN: SMCAR-QAT-I, Picatinny Arsenal, NJ 07806-5000".

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 4925-A054)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:31Z
Check the source to verify that this is the current version before use.