INCH-POUND

MIL-W-71069(AR)
AMENDMENT 1
21 June 1994

MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, Flechette: XM255E1

This amendment forms a part of Military Specification MIL-W-71069(AR), dated 19 March 1992, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

Delete "XM255E1" and substitute "M255A1" wherever it appears in this document.

PAGE 4

After 3.3.9: Add new paragraph

"3.3.10 Push-off test. The environmental protector shall withstand a push-off test of 9.0 pounds minimum and 17.0 pounds maximum when performed in accordance with 4.5.11."

PAGE 6

4.3.1, Under parts description: Add

"Protector, Environmental	9349897	15"

PAGE 11

TABLE I: Add

"Protector, Environmental (Dwg. 9349897)			
Push-off test	15	3.3.10	4.5.11
Examination for defects	15	3.1	4.4.2.25"

PAGE 37

Add 4.4.2.25, included Page 3 (37a).

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.

After 4.5.10: Add new paragraph

"4.5.11 Push-off test. A push-off test shall be set up to simulate the removal of the environmental protector. The dimensions of the of the simulated umbilical cable connector where the environmental protector fits on shall have a .368 in. ± .001 in. large outside diameter, .273 ± .001 in. small outside diameter, and a .157 ± .001 in. width of large outside diameter. The surface shall have 32 microinches finish all over. A steady load shall be applied with a hemi-spherical (.180 ± .005 in. radius) plunger against the inside surface of the environmental protector. Any environmental protector that does not meet the required load shall be classed defective."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A932)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.25	Protector, Environmental	1 OF 1	9349897

NEXT HIGHER ASSEMBLY: 9333825/9345168

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined.			
Major				
101	Push-off test	Level III	3.3.10	4.5.11
Minor				
201	Evidence of poor workmanship	Level IV	3.5	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.