A-A-1925A
25 July 1995
SUPERSEDING
A-A-1925
2 May 1983

COMMERCIAL ITEM DESCRIPTION

SHIELD, EXPANSION
(NAIL ANCHORS)

This General Services Administrations has authorized the use of this commercial item description for all federal agencies


1 SCOPE This Commercial Item Description (CID) covers the following types of nail anchors for use in attaching equipment and fixtures to masonry

Type 1 - Mushroom Head Nail Anchors, Zinc Alloy
Type 2 - Flat Head Nail Anchors, Zinc Alloy
Type 3 - Mushroom Head Nail Anchors, Nylon
Type 4 - Flat Head Nail Anchors, Nylon
Type 5 - Round Head Nail Anchors, Nylon

2 SALIENT CHARACTERISTICS

2 1 Nail Anchor Configurations

Type 1 and 2 shown, Types 3, 4, and 5 are similar



Beneficial comments, recommendations, additions, deletions, clarifications, etc , and data which may improve this document should be sent to Defense Industrial Supply Center, ATTN DISC-EED, 700 Robbins Avenue, Philadelphia, PA 19111-5096

DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE, DISTRIBUTION IS UNLIMITED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

TABLE I NAIL ANCHORS, ZINC ALLOY

Type 1 Dash Numbers	Type 2 Dash Numbers	Anchor Body Dimensions 3/		1/, 2/ Average Ultimate Capacity (Lbs) (Minimum)
		Stem Diameter A (Minimum)	Stem Length B (Minimum)	
101	201	1875	875	400
102	202	250	750	500
103	203	250	1 000	800
104	204	250	1 250	800
105	205	250	1 500	800
106	206	250	2 000	800

1/ Recommended safe working load is one-fourth of the Average Ultimate Capacity
2/ Test in accordance with ASTM E488
3/ Diameter dimensions are ± 003 Length dimensions are ± 015625 for 101 and 201, and ± 005 for all other parts

TABLE II NAIL ANCHORS, NYLON

Type 3 Dash Numbers	Type 4 Dash Numbers	Type 5 Dash Numbers	Anchor Body Dimensions 3/		1/, 2/ Average Ultimate Capacity (Lbs) (Minimum)
			Stem Diameter A (Minimum)	Stem Length B (Minimum)	
301	401	501	1875	1 000	283
-	402	502	1875	1 500	335
303	403	503	250	1 000	261
304	404	504	.250	1 500	320
305	405	505	250	2 000	325

1/ Recommended safe working load is one-fourth of the Average Ultimate Capacity
2/ Test in accordance with ASTM E488
3/ Diameter dimensions are ± 003 Length dimensions are ± 015625 for parts with 1875 diameter, and ± 005 for all other parts

2 2 Material

2 2 1 Types 1 and 2 anchor bodies shall be made of zinc alloy

2 2 2 Types 3, 4 and 5 anchor bodies shall be made of nylon

2 2 3 Nails shall be made of steel and shall be zinc plated

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

3 QUALITY CONFORMANCE PROVISIONS

3 1 The suppliers shall be responsible for those in process controls and inspections necessary to supply a product consistently conforming to the requirements of this document

3 2 Upon request, the supplier will certify with documented test/inspection evidence, that the part supplied meets the requirements of this document

4 NOTES

4 1 Unless otherwise specified, all dimensions are in inches

4.2 Packaging shall be in accordance with ASTM D3951

4 3 The part identification number (PIN) shall consist of the basic commercial item description number followed by a dash number from Table I or Table II

EXAMPLE AA1925 - 101

- 101 — DASH NUMBER
- AA1925 — BASIC CID NUMBER

MILITARY INTERESTS

Custodians
Army - AR
Navy - YD
Air Force - 99

Preparing Activity
DLA-IS

(PROJECT 5340-2227)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1 The preparing activity must complete blocks 1, 2, 3 and 8 In block 1, both the document number and revision letter should be given
2 The submitter of this form must complete blocks 4, 5, 6 and 7
3 The preparing activity must provide a reply within 30 days from receipt of the form
4 This form may not be used to request copies of documents, or to request waivers, or clarification of requirements on current contracts
Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual

I RECOMMEND A CHANGE:	1 DOCUMENT NUMBER A-A-1925A	2 DOCUMENT DATE (YYMMDD) 950725

3 DOCUMENT TITLE SHIELD, EXPANSION (NAIL ANCHORS)

4 NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible Attach sheets if needed)

5 REASON FOR RECOMMENDATION



8 PREPARING ACTIVITY DLA-IS

a NAME	b TELEPHONE (Include Area Code)
Emelia Altoman	(1) Commercial (215) 697-6827
ADDRESS (Include Zip Code) Defense Industrial Supply Center 700 Robbins Avenue Bldg 3 (Code DISC-EED) Philadelphia PA 19111-5096	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT** Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041 TELEPHONE (703) 756-2340 AUTOVON 289 2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.