A-A-51682
22 September 1986

COMMERCIAL ITEM DESCRIPTION

POVIDONE-IODINE CLEANSING SOLUTION, USP

The General Services Administration has authorized the use of this Commercial Item Description.

Salient Characteristics:

Shall be Povidone-Iodine Cleansing Solution, USP.

Shall be in accordance with the requirements of the USP.

Shall be a 7.5 percent w/v solution of Povidone-Iodine, USP, in a suitable liquid base, equivalent to 0.75 percent available iodine, within the designated assay limits for the solution.

The solution shall be non-toxic, non-irritating, water-soluble, non-staining, antiseptic, and sudsing.

Viscosity. Cleansing solution shall have a viscosity of 60 centistokes minimum when determined using a suitable, accurate and reproducible method.

Dermatology test. Ninety percent (90%) of the subjects tested shall not exhibit significant skin irritation (greater than 2 on the Scoring Criteria for Skin Reactions and greater than 1 on the Scoring Criteria after Challenge Test) when tested by one of the following methods:

Perform patch tests on 200 unselected subjects (100 males and 100 females) according to the method of Shelanski and Shelanski (Proceedings of the Toilet Goods Association, Number 19, May 1953).

AMSC/NA FSC 6505

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

or

Two hundred (200) human test subjects, 100 males and 100 females, shall be employed in the investigation. The subjects shall be exposed to a series of 9 induction patch applications of a test material within a period of 21 consecutive days. The material shall be applied to the same skin site (insult) under semi-occlusion, at the highest non-irritation concentration as determined by a Primary Skin Irritation Test in albino rabbits. This series of induction applications shall be applied to each individual on Monday, Wednesday, and Thursday on each of 3 consecutive weeks. Thursday's patch shall be placed immediately after grading of Wednesday's application. Where feasible all participants shall be patched on the upper back, scapular area. Exposure to the test material shall then be terminated for a period of 12 days following the last induction application (Thursday, week 3). On the twelfth day following the last induction application a challenge test shall be conducted whereby all subjects shall be exposed to a single, semi-occluded patch application of the test material as in the first series of 9 tests. The challenge patch shall be placed adjacent to but not in contact with the site of the induction applications. The patch shall be allowed to contact the skin for approximately 24 hours again. Approximately 30 to 60 minutes following removal of the challenge patch, both the challenge site and the sites shall again be observed for possible delayed reactions (indicative of sensitization) 48 and 72 hours after application of the challenge patch. Clear plastic patches which are approximately 1-1/2 inches square and contain a 3/4 inch square gauze center shall be utilized for all patch applications. Each semi-occlusive patch shall contain a punched hole in the plastic, approximately 3 mm in diameter, located at the center of the gauze pad which allows for transpiration of volatiles and moisture. Test material shall be applied to the patch center in a sufficient amount (predetermined) to thoroughly moisten the gauze center yet not contact the adhesive. All test materials shall be placed on the patch center immediately prior to application to the skin.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:59Z
Check the source to verify that this is the current version before use.

Scoring Criteria for Skin Reactions:

No reaction	0
Very slight erythema (barely perceptible)	1
Mild, well-defined erythema	2
Moderate to severe erythema	3
Severe erythema (beet redness to slight eschar formation (injuries in depth)	4
Total possible erythema score	4

Scoring Criteria after Challenge Test

No reaction	0
Very slight edema (barely perceptible)	1
Slight edema (edge of area well defined by definite raising)	2
Moderate edema (area raised approximately 1 mm)	3
Severe edema (area raised more than 1 mm and extending beyond area of exposure or blister formation)	4
Total possible edema score	4
Total possible irritation score	8

Copy of test results (Protocol) is required for Dermatology as specified in the contract or order.

Workmanship. Cleansing solution shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Bottle (BT).

For Size 1, one squeeze bottle containing 4 fl oz (118 ml), as specified, constitutes one unit.

For Size 2, one bottle containing one gallon (3.78 liters), as specified, constitutes one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:59Z
Check the source to verify that this is the currentversion before use.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurdisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

For information only. The following product, as of the date of this document, is purported by the following companies to meet the salient characteristics of the item(s) described herein:

PURDUE FREDERICK - Betadine Surgical Scrub
SHERWOOD PHARMACEUTICALS - Pharmadine Surgical Scrub

NOTE: The following National Stock Numbers are covered by this document:

NSN	ITEM IDENTIFICATION	SIZE
6505-00-491-7557	POVIDONE-IODINE CLEANSING SOLUTION, USP, 7-1/2% Povidone Iodine, 4 fl oz (118 ml)	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.

NSN	ITEM IDENTIFICATION	SIZE
6505-00-994-7224	POVIDONE-IODINE CLEANSING SOLUTION, USP, 7-1/2% Povidone Iodine, 1 gal (3.78 liters)	2

Ordering data. Expiration dating required, intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

PGC 05065

Project No. 6505-2187

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:59Z
Check the source to verify that this is the current version before use.