NOT MEASUREMENT SENSITIVE
A-A-59786
9 DECEMBER 2005

COMMERCIAL ITEM DESCRIPTION

ADHESIVE, (STRUCTURAL ADHESIVE)

The General Services Administration has authorized the use of this Commercial Item Description by all federal agencies.

1. SCOPE. This commercial item description (CID) covers a general use adhesive for bonding composite materials.

2. SALIENT CHARACTERISTICS.

2.1 Specifications. Shall consist of the following:

a. Viscosity: 100,000-125000 cP
b. Working Time: 30-35 minutes
c. Fixture time: 80-90 minutes
d. Tensile Strength: 2000 psi nominal
e. Shear strength: 1700 psi nominal
f. Tensile Elongation: 130% nominal

3. REGULATORY REQUIREMENT. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. PRODUCT CONFORMANCE.

4.1 Product Conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

4.2 Market Acceptability. The product shall be a standard commercial item or a modified commercial item to minimize design and engineering risk. A commercial item is required to

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent by letter to: US Army Tank-automotive and Armaments Command, ATTN: AMSRD-TAR-E/268, 6501 E. 11 Mile Road Warren, MI 48397-5000.

AMSC N/A FSC 8040

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.

ensure serviceability, reliability and quality of materials. Bid samples may be required for the Adhesive to ensure product quality.

5. PACKAGING. Preservation, packaging, packing and marking shall be specified in the contract or order.

6. NOTES

6.1 Source of Documents.

6.1.1 Material Safety Data Sheet for Construction Adhesives may be obtained from ITW Plexus, 30 Endicott Street, Danvers, MA 01923, Telephone :1-888-783-7425 or at their website http://www.itwplexus.com

6.1.2 The Code of Federal Regulations (CFR) may be obtained from the US Government Printing Office, 732 Capitol Street NW, Washington, DC 20401 or at their website http://www.gpoaccess.gov/cfr/index.html

6.2 Ordering Data. The contract or order should specify the following:
a. CID document Number
b. Product Conformance provisions
c. Packaging requirements

6.3 Products known to meet this CID

a. Plexus MA425 available from:
ITW Plexus
30 Endicott Street
Danvers, MA 01923

6.4 Key words.
Construction adhesive
Methacrylate
Composite
Thermoplastic Adhesive

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army – AT
Navy - AS
Air Force – 11

Review Activities

Army – MI, MR
Navy – CG
Air Force – 3, 84, 99

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

Preparing Activity:
Army – AT

(Project 8040- 2006-001)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:26Z
Check the source to verify that this is the current version before use.