INCH-POUND

A-A-51992/2
19 March 1993

COMMERCIAL ITEM DESCRIPTION SHEET

HOLDER, SUTURE NEEDLE,
Castroviejo

The General Services Administration has authorized the use of this Commercial Item Description Sheet.

The complete requirements for procuring suture needle holders shall consist of this document and the issue in effect of Commercial Item Description A-A-51992B.

Salient characteristics:

Style, design and dimensions. This specification covers the following style of ophthalmic and plastic surgery suture needle holders:

Style II - Heavy jaws

Class 1 - Straight, 6 inches

The suture needle holder shall be in accordance with Figure 1.

Notes:

1. Intended use: Suture needle holders of the Castroviejo design covered in this Commercial Item Description Sheet are intended for aiding in ophthalmic procedures on the eye.

2. Copies of Commercial Item Description A-A-51992B may be obtained by writing the Defense Printing Service Detachment Office; Bldg. 4D; DoD-SSP; 700 Robbins Avenue; Philadelphia, PA; 19222-5094

3. National Stock Number, Item Identification and Class.

AMSC N/A FSC 6515

DISTRIBUTION STATEMENT A: Approved for public release; distribution in unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:04Z
Check the source to verify that this is the current version before use.

A-A-51992/2

NATIONAL STOCK NUMBER	ITEM IDENTIFICATION	CLASS
6515-01-120-5015	HOLDER, SUTURE NEEDLE, Castroviejo, 6 inches.	1

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:


DLA-DM


CIVIL AGENCY COORDINATING ACTIVITIES:


VA-OSS
USPHS
FDA-MPQAS


Project No. 6515-5355
Location: genhld\doc

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.









DETAIL-A
(SHOWN APART)

NOTES:

1. HOLDER BLADE EDGES AND DISTAL TIPS SHALL BE UNIFORM AND MATCH EXACTLY WITHIN A SINGLE INSTRUMENT.
2. LOCK MECHANISM TO ENGAGE BY SLIGHT PRESSURE AT SERRATED PORTIONS OF HANDLE; TO DISENGAGE BY ADDITIONAL SLIGHT PRESSURE IN SAME PLACE.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON:		
FRACTIONS	DECIMALS	ANGLES
± 1/32	± .005	±

NSN 6515-01-120-5015

FIGURE 1 HOLDER, SUTURE NEEDLE, CASTROVIEJO

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the currentversion before use.