A-A-52003
23 June 1987

COMMERCIAL ITEM DESCRIPTION

MEASURER, MAP

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification GG-M-181.

This commercial item description covers the instruments necessary for measuring the curvilinear distance on maps.

Salient characteristics:

Design: The individual item requirements shall be as specified herein.

Types and styles. The map measurers shall be of the following types and styles.

Types:

I. Solid handle (two graduated scales).

II. Watch stem (three graduated scales).

III. Swivel handle with locking nut (two graduated scales).

Styles:

1. Dial graduated in English system.

2. Dial graduated in both English and metric systems (applicable to type III only).

3. Dial graduated in metric system.

Materials. Cases, handles, tracer wheels, and dials shall be constructed from rugged, good quality, corrosion resistant metal or suitable plastic. Crystals shall be of shatterproof, scratch-resistant, non-yellowing plastics. Tracer wheel staffs for all types, and heart cams and flyback levers (types II), shall be constructed of hardened, corrosion resistant steel. Gears and pinions shall be constructed of good quality brass or other suitable corrosion-resistant metal. The outer surface of the case, tracer wheel or disc, and handle shall be nickel or chromium plated. The crystal shall be highly polished. The finished map measurer shall be free from defects which affect its appearance or which may impair its serviceability.

AMSC N/A FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.

Dimensions. The overall lengths of types I and III shall be not more than 5 inches (12.7 cm); the handle shall be approximately 0.25 inch (6.4 mm) in diameter and 3.0 inches (7.6 cm) in length. The diameter of the dials shall be not more than 1.75 inches (4.45 cm) unless otherwise specified.

Graduations:

Type I, style 1 (two scales, inches and feet). The outer scale shall be divided into 12 inches and each inch subdivided into eighths or tenths. The scale shall be numbered clockwise at each inch division mark from 1 to 12 and labeled "Inches". The inner scale shall be divided into 25 feet in 1 foot divisions and numbered, clockwise, at each 5 foot division mark from 5 to 25, and labeled "Feet". The tracer wheel shall be graduated in either .05 or .0312 inch.

Type II, style 1 (three scales, inches and feet). The larger outer scale shall be divided into 12 inches, and each inch subdivided into half inches and eighths. The scale shall be numbered, counterclockwise, at each inch division mark from 1 to 12, and labeled "Inches". One of the small scales shall be divided into 10 feet in divisions of 1 foot. This scale shall be numbered, clockwise, at each foot mark and labeled "Feet". The other scale should be graduated into 100 feet in ten-foot divisions. It should be numbered clockwise, at each division mark from 10 to 100, and labeled "Feet". The tracer wheel or disc shall be graduated into 1/32 inch.

Type III, style 2 (two scales, inches and centimeters). The outer scale shall be graduated into 39 inches and each inch subdivided into half-inches. The half-inch divisions shall be indicated by dots. The scale shall be numbered, clockwise, at each 3-inch division mark, from 3 to 39, and labeled "Inches". The inner scale shall be graduated into 99 centimeters (cm) in divisions of 1 cm, with heavier marks for each 5 cm division marks. The scale shall be numbered, clockwise, at each 10 cm mark, from 10 to 99, and labeled "Centimeters".

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

Packaging and marking. Military packaging shall be specified when shipments are to overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for shipments to DoD consignees within the Continental United States and to non-DoD consignees worldwide. When a supplier's normal packaging will satisfy the requirements for military packaging, it may be used.

Military packaging. The map measurers shall be preserved and packed to protect against physical damage and deterioration in a logistic environment characterized by the following:

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the current version before use.

1. Multiple handling during transportation and intransit storage.

2. Shock, vibration, and static loading forces during worldwide shipment by all transport modes.

3. Uncontrolled warehouse storage for extended periods.

4. Weather exposure during shipment and intransit transfers.

5. Stacking loads during shipment and storage.

Quantities of map measurers destined to a single addressee may be unitized into one or more unit loads, except only map measurers of like descriptiopn snall be contained within the same container.

Commercial. Each map measurer shall be packed in accordance with the supplier's normal method for retail distribution. Map measurers shipped to a single destination may be unitized to permit handling as a single unit. Shipping containers shall comply with Uniform Freight Classification or National Motor Freight Classification rules.

Marking. Unit, intermediate (when provided), and exterior packs shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract number as a minimum; additional marking shall be as specified in the contract or order. Exterior packs shall have in addition the complete consignee's address. Markings shall be applied in a legible manner in a contrasting color, of an appropriate size, and of waterproof materials.

Quality assurance. The map measurers shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Design not as specified.

2. Materials not as specified.

3. Dimensions not as specified.

4. Graduations not as specified.

5. Packaging and marking not as specified.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the currentversion before use.

Small business. A small business that cannot meet the certification-of-commercial-item requirement of this document, may make an offer under this solicitation; and, if such small business is the apparent successful offeror, the Government may require the small business to submit a sample map measurer. Any such measurer may be evaluated for this solicitation if time to contract award permits. Such evaluation would be to determine conformance to all requirements of this commercial item description and to determine equivalency to map measurers available in the commercial marketplace in the areas of durability, human factors engineering, and safety. It should be noted that samples are not required unless specifically requested by the contracting officer. Note. The Government may elect not to evaluate a sample from an apparent low bidder for award for this solicitation if a determination of urgency is made by the contracting officer. The sample would then be evaluated prior to future solicitation for comparable items.

NOTES:

1. When this commercial item description is used for procurement, the item certification clause must appear in the solicitation.

2. Procuring activities should specify type and style required.

3. The figure shows some representative map measurers which have been found acceptable. However, the figures are included for illustration only and are not intended to preclude the furnishing of other designs which conform to this commercial item description.

MILITARY INTERESTS:

Custodians

Army - ME
Air Force - 99

Review Activities

Air Force - 82
DLA - GS

User Activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:


GSA - FSS

PREPARING ACTIVITY:


Army - ME

Project 6675-0779


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.



TYPE I, STYLE 1



TYPE III, STYLE 2



TYPE II, STYLE 1

FIGURE 1. Measurers.

X-4484

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.