Fed. Std. 156C
March 15, 1973
W-F-408, Issue in Effect
SUPERSEDING
Int. Fed. Std. 00156B
October 8, 1968 and
Fed. Std. 156A
December 18, 1964

FEDERAL STANDARD

FITTING FOR CONDUIT METAL-RIGID, (THICK-WALL AND THIN-WALL (EMT) TYPE)

Authority. This standard is issued pursuant to the Federal Property and Administrative Services Act of 1949, as amended, and its application to purchase of commodities referred to herein is mandatory on all Federal agencies.

S1. Purpose and scope. The purpose of this standard is the establishment of a standard list of fittings for rigid metal conduit and electrical metallic tubing as required for ordinary maintenance and extension of circuit purposes by Government maintenance activities. This standard will keep the varieties of such fittings and accessories which are to be procured and stocked to the minimum consistent with such requirements. It does not cover threaded couplings rigid conduit nipples, elbows or bends, cast metal outlet bodies or floor boxes.

S2. Application. Purchases from commercial sources under Federal Specification W-F-408 of the issue in effect on date of invitation for bids shall be limited to items which have characteristics conforming to the standard items specified herein. Existing Government stocks of items with other characteristics shall continue to be utilized until exhausted. In those cases where this Federal Standard eliminates supply items and the items so eliminated are under contract, if the contract cannot be negotiated or amended to conform to the standard items, the Federal Standard becomes mandatory at the contract expiration date.

S3. Standard characteristics and item idenfitication. The standard items with their applicable Federal Stock Numbers shall conform to the characteristics listed below.

Type I - Raintight

Class 1 - Fittings for thick-wall conduit

Kind H-Adapter, electrical conduit

Style - 4-Reducer

Size	Fed. Stock No.
3/4"--1/2"	5975-105-0128
1"----3/4"	5975-105-2325
1-1/4"--1"	5975-105-2326
1-1/2"--1"	5975-105-2327
1-1/2"--1-1/4"	5975-105-5892

Class 2-Threadless fittings for thin-wall conduit (EMT).

Kind K-coupling, electrical conduit

Size	Fed. Stock No.
1/2"	5975-100-8714
3/4"	5975-100-8750
1"	5975-100-8713
1-1/4"	5975-100-8806
1-1/2"	5975-100-8804
2"	5975-100-8801

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:54Z
Check the source to verify that this is the current version before use.

Kind L-Box connector, electrical, straight

Style 1 - Uninsulated

Size	Fed. Stock No.
1/2"	5975-100-8721
3/4"	5975-100-8716
1"	5975-100-8730
1-1/4"	5975-100-8766
1-1/2"	5975-100-8759
2"	5975-100-8810

Type II - Concretetight

Class 1 - Fittings for thick-wall conduit

Kind G-Union, electrical conduit

Size	Fed. Stock No.
1/2"	5975-097-8107
3/4"	5975-097-8108
1"	5975-097-8109
1-1/4"	5975-097-8110
1-1/2"	5975-097-8111
2"	5975-097-8112
2-1/2"	5975-097-8113
3"	5975-097-8114
3-1/2"	5975-097-8115
4"	5975-097-8116

Class 2 - Threadless fittings for thin-wall conduit (EMT).

Kind K-Coupling, electrical conduit

Size	Fed. Stock No.
1/2"	5975-100-8822
3/4"	5975-100-8827
1"	5975-100-8823

Kind L-Box connector, electrical, straight

Style 1 - Uninsulated

Size	Fed. Stock No.
1/2"	5975-097-8096

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:54Z
Check the source to verify that this is the current version before use.

Type III - Miscellaneous fittings

Class 1 - Fittings for thick-wall conduit

Kind P-Locknut, electrical conduit

Size	Fed. Stock No.
1/2"	5975-100-8775
3/4"	5975-100-8767
1"	5975-100-8787
1-1/4"	5975-100-8785
1-1/2"	5975-100-8779
2"	5975-100-8776
2-1/2"	5975-100-8708
3"	5975-097-8097
3-1/2"	5975-097-8098
4"	5975-097-8099

Kind Q-Bushing, electrical conduit, metal

Style 1 - Uninsulated

Size	Fed. Stock No.
1/2"	5975-100-8693
3/4"	5975-100-8670
1"	5975-100-8704
1-1/4"	5975-100-8706
1-1/2"	5975-100-8707
2"	5975-100-8709
2-1/2"	5975-097-8100
3"	5975-097-8101
3-1/2"	5975-097-8102
4"	5975-097-8103

Style 2 - With insulated throat

Size	Fed. Stock No.
1"	5975-100-8813
1-1/2"	5975-100-8817
2"	5975-100-8820

S4. Changes. When a Federal agency considers that this standard does not provide for its essential needs, written request for changing or adding to the standard, supported by adequate justification shall be sent to the Administration. This justification shall explain wherein the standard does not provide for essential needs. The request shall be sent in duplicate to the General Services Administration, Federal Supply Service, Standardization Division, Washington, DC 20406. The Administration will determine the appropriate action to be taken and will notify the agency.

S5. Conflict with referenced specifications. Where the requirements stated in this standard conflict with any requirement in a referenced specification, the requirements of the standard shall apply. Nature of conflict between the standard and the referenced specification shall be submitted in duplicate to the General Services Administration, Federal Supply Service, Standardization Division, Washington, DC 20406.

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. Single copies of this standard are available at the GSA Business Service Centers in Boston, New York, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA. Additional copies may be purchased for 10 cents each from the General Services Administration, Specifications Activity, Printed Materials Supply Division, Building 197, Naval Weapons Plant, Washington, D.C. 20407.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:54Z
Check the source to verify that this is the current version before use.