INCH-POUND

A-A-52133
October 29, 1993

COMMERCIAL ITEM DESCRIPTION

CLEANING AND SANITIZING MACHINE

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-C-43949.

1. ABSTRACT

1.1 Abstract. This commercial item description covers cleaning and sanitizing machines.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The cleaning and sanitizing machine shall be driven by a minimum one-horsepower (HP) motor. The machine shall be capable of maintaining a water temperature of 180°F. Pressure capacity shall be 500 ± 50 psi with a flow capacity of 3.0 gallons per minute (GPM). The unit shall be equipped with a water pump, spray gun with nozzle, pressure hoses, and a portable handcart attached to the unit. A heavy duty, high pressure, 5/16 inch or 3/8 inch inside diameter discharge hose with an inner jacket which can withstand a pressure of 2500 psi without leakage or bursting and is encased in heavy duty, one piece vinyl scuff jacket, shall be furnished. The hose will be a minimum 25 feet long. A vinyl dip tube with basket strainer shall be provided for liquid soap or liquid chemical solution. Spray gun assembly must be adjustable, allowing the operator to change spray patterns from 0 degrees to 40 degrees. Spray control gun, quick disconnects, and hoses shall not leak when in operation. A portable handcart for machine portability shall be provided.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WEE, Natick, MA 01760-5018.

AMSC N/A FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:07Z
Check the source to verify that this is the current version before use.

2.2 Electrical characteristics. The cleaning and sanitizing machine shall operate on 115 volts, 60 hertz, single-phase electrical system. The machine shall be supplied with a power cord not less than eight feet long with a grounding conductor and a NEMA approved connector plug.

2.3 Standard compliance. The cleaning and sanitizing machine shall comply with applicable requirements of UL Standard No. 73 (see 3.2).

2.4 Data nameplate ("Government unique" requirement). The cleaning and sanitizing machine shall be furnished with a data nameplate in accordance with the applicable requirements of MIL-STD-130 except the requirements for: (a) Methods of applying, (b) Identification tags, (c) Information not required, and (d) Optional marking information shall not apply. The data nameplate shall be made of minimum 20 gauge corrosion-resisting metal and attached to the cleaning and sanitizing machine by rivets, screws, or welding in such a manner as to meet the applicable NSF International sanitary requirements for this equipment. The plate shall contain the following information which shall be stamped, engraved, or applied by photosensitive means:

Contract Number
National Stock Number
Procurement Instrument Identification Number
CID Based Part Identification Number
Manufacturer's Name, Address, and Telephone Number
Supplier's Name, Address, and Telephone Number (List Only if Different from Manufacturer)
Manufacturer's Model and Serial Number
Government Approved Manual Number

Each plate shall be placed sc that it is readily visible to the operator during normal operating use and so as to not adversely affect the life and utility of the cleaning machine.

2.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this commercial item description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

2.6 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:07Z
Check the source to verify that this is the current version before use.

to undue hazards from the recovered materials. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable. The term "recovered materials" means materials which have been collected or recovered from solid waste and reprocessed to become a source of raw materials as opposed to virgin raw materials. None of the above shall be interpreted to mean that the use of used or rebuilt products are allowed under this commercial item description unless otherwise specified.

2.7 Workmanship. The finished cleaning machines shall be complete, clean, and free of fabrication marks, scratches, dents, sharp edges, sharp corners, burrs, slivers, or visible evidence of rust. Rivets, when used, shall be tight and the rivet heads and peened ends shall be round and concentric and in full contact with the joined metal surfaces. There shall be no empty rivet holes. Welds shall be clean, continuous, sound, and free of flux, pits, buildups, undercuts, and shall be ground so as to blend with the adjacent surfaces. Spot welds shall be free from pits, burn throughs, and flashes.

3. QUALITY ASSURANCE

3.1 Contractor certification. The contractor shall certify that the product offered meets the salient characteristics and requirements of this commercial item description and except for those Government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace or that had successfully been delivered to the Government on a previous contract or purchase order. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Compliance. Prior to approval of the first shipment, the contractor shall submit satisfactory evidence to the contracting officer or his authorized representative that the cleaning and sanitizing machine conforms to the requirements of UL Standard No. 73 and NEMA standards, as applicable.

3.2.1 Underwriters Laboratories, Inc. (UL). Acceptable evidence of meeting the requirements of UL Standard No. 73 shall be the UL listing mark, or a certified test report from a recognized independent laboratory acceptable to the Government indicating compliance with the applicable requirements of UL Standard No. 73.

3.2.2 National Electrical Manufacturers Association (NEMA). The contractor shall submit to the contracting officer a written certificate of compliance as proof that the cleaning and sanitizing machine meet the applicable requirements of NEMA.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

4. PACKAGING

4.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 5.2).

4.2 Commercial packaging and packing. Each cleaning and sanitizing machine shall be cleaned, preserved, packaged, and packed in accordance with ASTM D 3951.

4.3 Export packaging and packing.

4.3.1 Export packaging. Each cleaning and sanitizing machine shall be disassembled to the extent determined by the manufacturer to protect parts susceptible to damage during shipment and storage. Disassembled parts shall be identified. The cleaning and sanitizing machine and disassembled parts shall be cleaned, preserved and cushioned to provide adequate protection against corrosion, deterioration, and damage during shipment and storage.

4.3.2 Export packing. Each cleaning and sanitizing machine shall be packed in a snug-fitting, wood-cleated, plywood box conforming to domestic type, style A or B, type 3 load of PPP-B-601. The contents of each box shall be cushioned, blocked, and braced to prevent movement and damage while in transit. Closure and strapping shall be in accordance with PPP-B-601.

4.4 Marking (commercial and export). Shipping containers shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 Intended use. The cleaning and sanitizing machine covered by this commercial item description is heavy duty, portable, high pressure, and is intended for use in dining facilities.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this commercial item description.
b. Government approved manual number to be included on data nameplate (see 2.4).
c. Selection of applicable packaging and packing required (see 4.1).

5.3 Sources for documents.

5.3.1 Sources for non-Government association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging

ASTM documents are available from:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

NEMA Standards are available from:

National Electrical Manufacturers Association (NEMA)
2101 L Street, NW
Washington, DC 20037

UL Standard No. 73 - Motor Operated Appliances

UL Standards are available from:

Underwriters Laboratories, Inc. (UL)
333 Pfingsten Road
Northbrook, IL 60062

5.3.2 Source for Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.4 "Government unique" requirements. Whenever a "Government unique" requirement is included in the title of a paragraph under "Salient Characteristics", it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians

Army - GL
Navy - SA
Air Force - 99

Review Activities

Army - MD, QM
Navy - CG
Air Force - 50, 84
DLA - CS, GS

User Activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 7320-0901

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:07Z
Check the source to verify that this is the current version before use.