
MILITARY SPECIFICATION SHEET

WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-12133.



SECTION A-A

NOTES:
1. All dimensions are in inches. See Table I herein for tabulated data.

FIGURE 1. WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:25Z
Check the source to verify that this is the current version before use.


REQUIREMENTS:

1. Material: Spring steel, Grades 1070 thru 1095, as specified in ASTM A684/A684M.

2. Protective coating and surface treatment: Cadmium plate or Plain, as applicable (see Requirement 3 herein) in accordance with MIL-W-12133.

3. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I and a finish code letter, "P" for Cadmium plate, No code for Plain.

EXAMPLE: M12133/1-1P



M12133/1-1P - Indicates - Washer, Spring Tension, Belleville Spring, Spring Steel, .250 OD; .125 ID; .013 thick; .020 free height; Cadmium plate

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NO	Ø D		Ø E		T		CH		H_1 TEST DEFLECTION (REF)	LOAD AT H_1 (LBS) ±10%	BOLT DIAMETER REF
	OD	TOL +.000	ID	TOL -.000	THICKNESS NOM	THICKNESS TOL	FREE HEIGHT NOM	FREE HEIGHT TOL			
62	.250	-.015	.125	+.015	.009	±.001	.017	±.003	.006	15	.112
1	.250	-.015	.125	+.015	.013	±.001	.020	±.003	.005	38	.112
69	.315	-.015	.125	+.010	.012	±.001	.022	±.003	.0072	24	.112
60	.281	-.015	.138	+.015	.015	±.001	.023	±.003	.006	46	.138
2	.312	-.015	.156	+.015	.017	±.001	.025	±.003	.006	59	.138
61	.343	-.015	.164	+.015	.016	±.001	.023	±.003	.005	49	.164
63	.375	-.015	.195	+.015	.020	±.001	.030	±.003	.008	84	.190
3	.375	-.015	.195	+.015	.015	±.001	.027	±.003	.009	53	.190
4	.500	-.020	.258	+.020	.020	±.001	.035	±.003	.011	76	.250
64	.500	-.020	.258	+.020	.018	±.001	.034	±.003	.012	60	.250
5	.625	-.020	.317	+.020	.032	±.002	.051	±.005	.014	241	.313
65	.750	-.020	.382	+.020	.028	±.002	.050	±.005	.017	145	.375
6	.750	-.025	.382	+.020	.032	±.002	.054	±.005	.016	188	.375
66	.750	-.025	.382	+.020	.040	±.002	.059	±.005	.014	330	.438
68	.875	-.020	.442	+.010	.045	±.002	.067	±.005	.056	275	.438
7	1.000	-.025	.445	+.025	.035	±.002	.067	±.005	.024	213	.438
67	1.000	-.025	.505	+.025	.050	±.002	.075	±.005	.019	470	.500
8	1.000	-.025	.512	+.025	.039	±.002	.075	±.005	.027	352	.500
9	1.102	-.025	.512	+.025	.049	±.002	.083	±.005	.025	486	.500
10	1.375	-.030	.637	+.025	.059	±.002	.102	±.008	.032	710	.625
11	1.500	-.030	.761	+.030	.059	±.002	.114	±.008	.041	825	.750
12	1.500	-.030	.761	+.030	.078	±.002	.121	±.008	.032	1430	.750
13	1.750	-.030	.880	+.030	.085	±.003	.128	±.008	.032	1288	.875
14	2.000	-.040	1.016	+.030	.079	±.003	.138	±.008	.044	1132	1.000
15	2.375	-.040	1.016	+.030	.098	±.003	.177	±.008	.059	1943	1.000

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:25Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Navy - OS
Air Force - 99

Review activities:
Army - ER, MI
Navy - AS
Air Force - 11, 82
DLA - IS

User activities:
Army - CR
Navy - MC, YD

Preparing activity:
Army - AR

Agent:
DLA - IS

(Project 5310-1409)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:25Z
Check the source to verify that this is the current version before use.