
MILITARY SPECIFICATION SHEET

WASHER, SPRING TENSION, CURVED, CRES, 302

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-12133.



NOTES:
1. All dimensions are in inches.
2. Tabular dimensions are listed in Table I herein.

FIGURE 1. WASHER, SPRING TENSION, CURVED, CRES, 302

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 20260-17T22:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: CRES (austenitic), Type 302 (UNS S30200), Temper 1/2H as specified in MIL-S-5059.

2. Surface treatment: Corrosion resistant steel washers (austenitic) shall be cleaned, descaled and passivated in accordance with ANSI/ASTM A380, as required.

3. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I.

EXAMPLE: M12133/8-1

— Dash number

Specification sheet number

M12133/8-1 Indicates - Washer, Spring Tension, Curved, CRES 302; Inside diameter .135; Outside diameter .245; Thickness .0060.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:26Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	∅ B ID +.010 -.000	∅ A OD ±.010	H	H_1	T THICKNESS ±.001	FREE FIT IN HOLE DIA	LOAD AT H_1 ±15% LB
1	.135	.245	.034	.020	.0060	.250	2.0
2	.135	.270	.029	.018	.0075	.281	3.0
3	.148	.270	.052	.028	.0045	.281	6.3
4	.148	.270	.035	.022	.0070	.281	2.5
5	.148	.322	.034	.021	.0100	.345	7.5
6	.174	.370	.039	.024	.0120	.375	9.0
7	.203	.322	.053	.026	.0050	.345	1.0
8	.203	.370	.047	.028	.0090	.375	4.5
9	.265	.490	.063	.034	.0110	.500	7.0
10	.363	.672	.081	.047	.0150	.688	11.0
11	.395	.735	.086	.050	.0160	.750	12.0
12	.462	.980	.107	.061	.0210	1.000	22.5
13	.531	.795	.129	.069	.0113	.812	5.0
14	.525	.980	.110	.063	.0210	1.000	20.0

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:26Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Navy - OS
Air Force - 99

Review activities:
Army - AV, MI
Navy - AS
Air Force - 11, 82
DLA - IS

User activities:
Army - AT, GL
Navy - MC, YD

Preparing activity:
Army - AR

Agent:
DLA - IS

(Project 5310-1462)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:26Z
Check the source to verify that this is the current version before use.