JJ-G-451G
AMENDMENT-2
May 20, 1980
SUPERSEDING
AMENDMENT-1
October 27, 1977

FEDERAL SPECIFICATION

GLOVES, CLOTH, LEATHER PALM

This amendment, which forms a part of Federal Specification JJ-G-451G, dated July 1, 1976, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 2

2.1, under Federal Specifications: Delete "KK-L-162 - Leather, Cattlehide, Chrome Tanned for Gloves, Garments, and Equipage" and substitute "KK-L-2004 - Leather, Cattlehide, Deerskin and Horsehide, Chrome Tanned".

Under Military Standards: Add "MIL-STD-1188 - Commercial Packaging of Supplies and Equipment".

PAGE 3

2.2: Delete entirely.

3.2, after title add: "(see 6.4)".

3.2.1, line 2: Delete "type IV of KK-L-162" and substitute "type VIII of KK-L-2004."

PAGE 4

3.2.4: Delete second sentence.

First line of third sentence, between "for" and "class 2": Insert "class 1 and".

3.2.5, after title: Delete entirely and substitute the following: "The gauntlet for the type I glove shall consist of two fabrics laminated together with synthetic resin, synthetic rubber or natural rubber. Each fabric shall be plain weave construction of cotton or spun polyester yarns. Each fabric shall weigh not less than two ounces per square yard when tested as specified in 4.2.1. The finished laminated fabric shall conform to the following requirements when tested as specified in 4.2.1.

FSC 8415

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

PAGE 4 (cont'd)

Characteristic	Requirement
Overall weight, oz/sq yd	
Minimum	16.0
Maximum	19.0
Breaking strength lbs (min)	
Warp direction	100
Filling direction	120
Tearing strength grams (min)	
Warp direction	2200
Filling direction	2600
Stiffness, centimeters (Warp direction only)	
Minimum	16.0
Maximum	20.0
Weight of resin or rubber, oz/sq yd (min)	12.0"

PAGE 9

Table I, operation 9 (a), line 2: Delete "cotton".

PAGE 11

Table II, tolerance column, opposite "F length of tips on back": Delete "1/8" and substitute "-1/8 + 1/4".

PAGE 13

Table III, from "Laminated fabric" through end of table: Delete entirely and substitute the following in the columns indicated:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

PAGE 13 (cont'd)

Component	Characteristic	Requirement paragraph	Test method
"Gauntlet fabric: (for type I only)			
Cotton or polyester fabric (before lamination)	Material identification	3.2.5	1200 1/
	Weight (oz per sq yd)	3.2.5	5041
	Weave	3.2.5	Visual
Finished laminated fabric	Total weight (oz per sq yd)	3.2.5	5041
	Breaking strength	3.2.5	5100
	Tearing strength	3.2.5	5132
	Stiffness	3.2.5	5204
Rubber or resin material	Material identification	3.2.5	1/
	Weight (oz per sq yd)	3.2.5	2/"

At bottom of table III, below footnote 1/: Add "2/ The weight of the rubber or resin shall be determined by subtracting the weight of the two fabrics obtained before they are laminated from the overall weight of the fabric obtained after lamination."

PAGE 18

4.2.4: Delete title and substitute: "Packaging inspection".

Line 2: Delete "packaging" and substitute "preservation".

Line 4: Delete "fully prepared for delivery" and substitute "fully packaged".

Third sentence: Delete and substitute "Examination for closure defects listed below shall be made on shipping containers fully packaged."

Table V: Delete title and substitute "Packaging inspection".

In examine column: Delete "interior" and substitute "unit packs".

In defect column, line 8: Delete "bundles" and substitute "unit packs".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

PAGE 18 (cont'd)

In defect column, line 10: Delete "bundle" and substitute "unit pack".

Footnote 1: Delete "bundles" and substitute "unit packs".

5: Delete title and substitute "PACKAGING".

5.1: Delete and substitute "5.1 Preservation. Preservation shall be level A or Commercial as specified (see 6.2)."

5.1.1, at end of paragraph add: "to form a unit pack."

5.1.2: Delete and substitute "5.1.2 Commercial. Gloves shall be preserved in accordance with MIL-STD-1188."

PAGE 19

5.2: Delete "C" and substitute "Commercial".

5.2.1 and 5.2.2; at end of paragraph titles add: "packing".

5.2.1, line 2: Delete "packaged" and substitute "preserved".

Line 5: Delete "packages" and substitute "unit packs".

At end of paragraph: Add "except that inspection shall be in accordance with 4.2.4."

5.2.2, line 2: Delete "packaged" and substitute "preserved".

Line 6: Delete "packages" and substitute "unit packs".

At end of paragraph: Add "except that inspection shall be in accordance with 4.2.4."

5.2.2.1: Add title as follows: "Weather-resistant fiberboard containers."

At end of paragraph: Add "except that inspection shall be in accordance with 4.2.4."

5.2.3: Delete and substitute "5.2.3 Commercial packing. Gloves preserved as specified in 5.1 shall be packed in accordance with MIL-STD-1188."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

PAGE 19 (cont'd)

5.3.1 and 5.3.2, at end of paragraphs: Add "or MIL-STD-1188 as applicable."

PAGE 21

6.2c: Delete "packaging" and substitute "preservation".

Add the following paragraph: "6.4 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.2)."

Custodian:

Army - GL

Review activities:

Army - MD
DLA - CT

User activities:

Navy - MC, YD

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
USDA - AFS

Project No. 8415-0207

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.